



For all of your  
packaging requirements

Unit 8, Nine Mile Point Industrial Estate  
Cwmfelinfach, Gwent, NP11 7HZ

[www.midglam-packing.co.uk](http://www.midglam-packing.co.uk)

[sales@midglam-packing.co.uk](mailto:sales@midglam-packing.co.uk) Tel: 01495 200555





### Bubble Packaging

Polythene Packaging containing small air pockets, used to protect your products during transit. This is held in stock in various bubble sizes, widths and lengths. Branded and unbranded versions are available

#### Small Bubble

1 x 1500mm x 100m  
2 x 750mm x 100m  
3 x 500mm x 100m  
5 x 300mm x 100m  
1 x 1200mm x 100m  
2 x 600mm x 100m

#### Large Bubble

1 x 1500mm x 50m  
2 x 750mm x 50m  
3 x 500mm x 50m  
5 x 300mm x 50m  
1 x 1200mm x 50m  
2 x 600mm x 50m

#### Anti Static Bubble

1 x 1500mm x 100m  
2 x 750mm x 100m  
3 x 500mm x 100m  
5 x 300mm x 100m

Also available perforated on a roll, other sizes are available on request



### Corrugated Paper

Rolls of single faced fluted paper, the economic and environmentally friendly way to protect your goods during transit

Rolls are 75m in length and are stocked in a variety of widths:

100mm	450mm	900mm	1500mm
200mm	600mm	1000mm	1850mm
300mm	650mm	1200mm	1950mm
350mm	750mm	1250mm	2100mm

Other sizes are available on request



### Cellular Foam

A lightweight material, used to wrap delicate items to help prevent damage to your goods

Available in a range of widths and thicknesses:

#### Widths

1500mm  
1000mm

#### Material Thickness

0.7mm (300m rolls)  
1.0mm (300m rolls)  
1.5mm (200m rolls)  
2.5mm (120m rolls)

Bundles can also be slit into various widths



### Loosefill / Voidfill

We currently stock 2 different types of loosefill product

ECOFLO Loosefill - Made from starch and is 100% Biodegradable

POLYPAK Loosefill - Made from polystyrene offcuts

Both products are supplied in 15 cubic ft bags.







# Contents

## Optimax product support 4

---

### tapes & tape systems

➤ Bonus Tape	11
➤ Gummed Paper Tape Systems	12
➤ Tape Dispensers	16
➤ Adhesive Tapes	20
➤ Marcell Lane Marking System	24
➤ Case Tapers	25

---

### films & polythene products

➤ Grip Seal Bags	28
➤ Polythene Bags	29
➤ Packing List Envelopes,	30
➤ Chamber Shrink Wrappers	31
➤ Poly Sheeting & PVC Shrink Film	32
➤ PVC Shrink Film Products	33
➤ Pacseal Heat Sealers	34
➤ ProSeal Impulse Heat Sealers	35
➤ Optiseal Industrial Heat Sealers	36
➤ Polythene Products	38
➤ Anti-Static Packaging	38
➤ Ripack Shrink Film Systems	39
➤ Polythene Shrink Film	41
➤ Stretch Film	42
➤ Stretch Film Dispensers	43

---

### papers & protective packaging

➤ Packaging Papers	45
➤ Jiffy Bags & Mailing Envelopes	46
➤ Trans Monitor Transit Labels	47
➤ Trans Label Parcel Labels	48
➤ Trans Haz Hazard Warning Labels	49
➤ Pillopax Air-Pillo Systems	50
➤ EcoPax Cushion Pack Systems	52
➤ Protective Sleeving	54

---

## strapping products & consumables

➤ Edgeboards	56
➤ Stainless Steel Strapping	57
➤ Slipguard Anti-Slip Sheets	57
➤ Kit-Start Strapping Kits	58
➤ Strapping Tools for Polyprop Strapping	60
➤ Battery Powered Polyprop/Polyester Tools	62
➤ Tools for Cord & Composite Polyester Strapping	64
➤ Tools for Steel Strapping	65
➤ Strapping Dispensers	67
➤ Strapping Buckles	68
➤ Strapping Seals	69
➤ Safeguard Strapping Seals	70
➤ Edge Protectors	72
➤ Steel Strapping	73
➤ Polyprop Strapping	74
➤ Trimax Polyester Strapping	75
➤ Woven Cord Polyester & Polyester Strapping	76
➤ Auto & Semi-Auto Strapping Machines	77
➤ Plastic Pallets	80

---

## packing room equipment

➤ Pacplan Ultima Packing Stations	82
➤ Pacplan Ergoline Packing Stations	84
➤ Glue Guns	85
➤ Stapling	87
➤ Utility & Safety Knives	92
➤ Janitorial	94

---

## product index 95

A complete product catalogue listing

---

## optimax website 96

Designed to provide a complete on-line information resource for the range of Optimax packaging products

---



# Optimax Product Support



As the Optimax brand continues to grow, we understand the importance of providing industry leading standards of product support across our entire operation.

As market leaders in pack and despatch equipment and load security systems, we know how important it is to supply a wide range of high quality products that you can rely upon to satisfy your application. What's more, in the unlikely event of your Optimax equipment requiring a replacement component, it's good to know that all Optimax Packaging Equipment is supported by a comprehensive spare parts service that can respond quickly and efficiently to all your spares requests.



*OPTIMUM QUALITY  
MAXIMUM RELIABILITY*





Optimax's extensive stock holding and efficient delivery service ensures you receive your order in the right place and at the right time.



# Optimax Aftersales Support



**The Optimax aftersales service offers complete peace of mind via our technical service centre, highly trained technicians and comprehensive parts and spares operation.**


To ensure your Optimax packaging equipment is maintained to the highest operating standards, the Optimax technical service centre provides full technical support and service for our distinctive and evolving product range.

In addition to our large stock holding of spare parts, we have many years of experience in packaging equipment service and repair, which help to minimise the downtime in your packaging operation.



*OPTIMUM QUALITY  
MAXIMUM RELIABILITY*





Optimax Packaging Equipment represent the ultimate in packaging technology, reliability and performance for the packaging professional.



A collage of eco-friendly packaging materials. On the left, a pallet loaded with many cardboard boxes is being moved by a forklift. In the center, there's a large, crumpled piece of brown paper and a section of corrugated cardboard. To the right, several rolls of brown paper are stacked. On the far right, a hand is using a tool to open a large cardboard box. The background is a solid blue color.

your commitment to the environment, and reinforce your green credentials.

A close-up photograph of a young plant seedling with two large, bright green, serrated leaves. The seedling is growing out of a thick layer of green moss and some dry pine needles. The background is a clear blue sky with soft, white clouds. The lighting is bright, suggesting a sunny day.





Throughout this catalogue you will see our new 'Eco-Friendly' logo. This signifies at a glance that the product it accompanies offers a green packaging solution.



The new 'Packaging Reduction Range' logo highlights products that offer a solution to reducing packaging waste.





## tapes & tape systems


➤ Bonus Tape	9
➤ Gummed Paper Tape Systems	10
➤ Tape Dispensers	14
➤ Adhesive Tapes	18
➤ Marcwell Lane Marking System	22
➤ Case Tapers	23





# Bonus Tape

## The Ultimate Packaging Tape



**less downtime**



**less waste**



**less storage**

**SPECIAL NOISE**  
REDUCING  
DISPENSER

50mm x 200mtrs Length



Solvent Adhesive

(28 micron)

Colour	Code	
Clear	C BON/1	15.45
Buff	B BON/1	15.45

Rolls per case



Hotmelt Adhesive

(25 micron)

Colour	Code	
Clear	C BON/2	14.30
Buff	B BON/2	14.30

Rolls per case


Silent Bonus Tape Dispenser

Code	
SBTD50	0.55

RB707 Blades  
RTF707 Tape Flap

## 150 Metre Umax Low Noise Packaging Tape

on unique 25mm core



Umaximise productivity

Umaximise the number of cartons sealed per roll

Umaximise on storage space due to the space-saving compact core and packaging design

Umaximise on reduced packaging waste, less roll changes and more boxes sealed per roll

Colour	Code	
Clear	LN150/C	11.00
Buff	LN150/B	11.00

Rolls per case



BT50B

50mm tape dispenser  
1" core

Quantity per Carton: 40







# BetterPackages

World Leaders in Water Activated Tape Systems



**increase productivity up to 20% with the AMD1 and save on tape wastage too!**

Gummed paper tape is a water activated tamper evident carton sealing tape which ensures pack integrity, providing security against pilferage, contamination and counterfeit products. It is even effective on dusty and partially filled cartons. Combined with the BetterPackages innovative range of manual and electric dispensing systems to provide cost effective, time saving and professional carton sealing solutions.

**AMDI Automatic Measuring Device, ideal for random size cartons**

This option interfaces with the BP555 to automatically measure cartons and dispense the perfect amount of tape each and every time

## BP555 Electric Dispensing System for Gummed Paper Tape



Suitable for plain and reinforced tape up to 70mm wide  
Fully electronic control system

Improves reliability and serviceability

**Automatic Function**

The automatic button allows the operator to key in specific lengths. The machine will then automatically dispense the next piece of tape, dramatically increasing productivity.

**Programmable keys**

Set tape lengths up to 305cm depending on model.

Tape length is adjustable (up or down) in 12.7mm increments.

**Random length key**

To allow tape to be dispensed in any length.

**Largest tape capacity in the industry**

For fewer changeovers

Extra heavy duty, self-oiling blade

For superior, consistent cutting

Steel frame construction covered with ABS plastic

For strength, durability and impact resistance

20% increase in motor power

For longer life, cooler running and smoother operation

Extra long (detachable) electric cord


For improved operator ease, comfort and safety

Engineered and built to meet or exceed FCC, UL, CE and CSA(CUL) regulatory requirements

Ergonomic design

Allows for operation from either side of the machine

Improved operator safety features - Designed for easy mounting on work surfaces



The BP555 is also available for use with E-Z Pull Tab Tape

code: BP555EZ

## BP500IJS Electric Dispensing System with Ink Jet Printer



### Dependable Dispensing Integrates with On Demand Printing

The BetterPackages 500 IJS system offers rugged and reliable performance of an easy-to-operate tape dispenser with the added power of an integrated ink jet printer. The BetterPackages Ink Jet gives you the ability to print directly on the tape as it is dispensed and the option to change the printed message as needed without changing ink pads. It can hold up to three logos at a time. The BetterPackages 500 IJS is engineered for durability, ease of use and safety. It is fast and reliable and will improve the efficiency and speed of operations with medium to high volume packaging needs.

**Controller Standard Operating Features:**

- Alpha/Numeric character set plus special characters
- Message length: 24 Characters of 12mm height or 48 Characters of 5.5mm height (24 per double-stacked line) • Print resolution: 300 dpi at 200 feet per minute (61m) • Programmable line speed • Inverted Printing
- Programmable print delay • Inter-character spacing • Programmable print direction • Cartridge volume: 42cc • Colors: Black, Blue, Red, Green, Yellow • Low ink monitoring • Power Required: 110-240 VAC, 50-60Hz 0.5a Environmental: 50F - 104F (10C - 40 C)
- Up to 80% RH non-condensing

## FPED Foot Pedal



(Hands free operation)  
Dispenses tape with a touch of the foot to allow both hands for carton sealing.

## TA2000 Tape Aerial



Add a TA2000 Tape Aerial to the BP555 System to deliver and hold tape in an upright position for easy access and increased efficiency. Especially useful for long tape lengths.





## BP500 Electronic Gummed Paper Tape Dispenser



AVAILABLE  
See inside front  
cover for more  
details

For plain and reinforced gummed tape up to 77mm wide  
Rugged proven design  
Electronic key pad for pre-determined length dispensing up to 305cm  
UL, CSA and CE approved

144kg



## BP755 Electronic Gummed Paper Tape Dispenser



Colour coded, soft-touch push button operation, dispenses tape from 15.25cm to 190cm. The random button allows an infinite choice of lengths  
Two water brushes for uniform wetting  
Top heater to ensure all the tape's adhesive is reactivated  
Heavy duty dual shear cutting blades for clean cuts & long life  
Large enclosed water reservoir  
Handles reinforced & paper tapes from 25mm to 100mm wide

18.3kg



## BP333 H.D. Variable Length Manual Tape Dispenser



AVAILABLE  
See inside front  
cover for more  
details



The BP333 is also  
available for use with E-Z  
Pull Tab Tape

code: BP333EZ

Suitable for plain and reinforced tape up to 77mm  
Up to 76cm of tape in one stroke  
Simplified tape length settings  
Uniform wetting & clean cutting  
Rugged design & simple maintenance  
Tremendous value

10.3kg



Full range of Sentry Seal Water  
Activated Tapes available, please  
see page 14



## 3S Camberwell



New style  
now with  
Heavy Duty blade  
for cutting  
reinforced  
tape

Excellent for low volume use with all grades of water-activated tapes, the Packer 3S is superior to all other 'pull-and-tear' dispensers. Unique 'subway-feel' provides uniform tension to aid tape moistening and ease of operation. Accepts rolls of tape from 25mm to 76mm wide

31kg



## EPS80 Tape Dispenser



Manual pull & tear dispenser, max width 80mm  
not suitable for reinforced gummed paper tape.

16kg







# Gummed Paper Tape

Gummed Paper Tape



Please add product code suffixes  
'-O' for GSO and  
'-I' for GSI



Code	Grade	38mm I.D. Core			kg/case
K6024	K60	24mm x 200mtr	GSI	48 Rolls/Case	25.0
K6036	K60	36mm x 200mtr	GSI/GSO	32 Rolls/Case	25.0
K6048	K60	48mm x 200mtr	GSI/GSO	24 Rolls/Case	23.3
K6070	K60	70mm x 200mtr	GSI/GSO	16 Rolls/Case	25.0
K6096	K60	96mm x 200mtr	GSI/GSO	12 Rolls/Case	20.0
K7048	K70	48mm x 200mtr	GSI	24 Rolls/Case	21.35
K7070	K70	70mm x 200mtr	GSI	16 Rolls/Case	21.35
K9070	K90	70mm x 200mtr	GSI/GSO	16 Rolls/Case	26.0
WGT48	White K70	48mm x 200mtr	GSI	24 Rolls/Case	24.0
RGT48	Reinforced	48mm x 100mtr	GSI	24 Rolls/Case	17.5
RGT70	Reinforced	70mm x 100mtr	GSI	16 Rolls/Case	15.7
KR500-6	Reinforced Better Seal	70mm x 152mtr	GSI	6 Rolls/Box	8.1



## Better Seal Tape

Quality product - Satisfied Customers  
BetterPackages Brand - Customer Loyalty  
Over 50% more tape per roll - reduce downtime from roll changes  
Only 8.2kgs per box - for safer handling

### Innovative Packaging Solutions

## EZ500K70 E-Z Pull Tab Tape

gummed paper  
tape systems

E-Z Pull Tab Tape is a kraft paper tape with a water-activated adhesive that penetrates the surface of cartons providing an incredibly strong and secure closure. With its patented pull tab and tear strip it offers:

Water activated tape bonds to the carton. Tape is convenient to open with the Pull Tab Tear Strip. Most importantly, your customers will value the security and the convenience of this tape. E-Z Pull Tab Tape works exclusively with BetterPackages sealing systems for greater efficiency.

70 mm x 152 mtr  
10 Rolls/Case



Prevent:

➤ Pilfering ➤ Contamination ➤ Counterfeiting ➤ Tampering



Code	6 rolls per box			kg/case
KRMSS	Reinforced printed SentrySeal 70mm x 152mtr	G.S.I.	8.5	
KR50CAUT	Reinforced printed Caution 70mm x 152mtr	G.S.I.	8.5	






# Gummed Paper Tape

## Why are so many companies changing to Gummed Paper Tape?

Consider some of the advantages...

- 1 An Integral Closure**  
The water activated adhesives in Gummed Paper Tape penetrate into the fibres of the carton, creating a total bond. As the tape becomes an integral part of the carton this adds considerable strength to the closure as opposed to the purely top-surface bond of standard packaging tape adhesive.
- 2 Tamper-evidence**  
Gummed Paper Tape cannot be removed from the carton without leaving traces of damage, unlike standard packaging tapes which can be removed with no visible trace. Hence Gummed Paper Tape offers clearly visible proof of a package's seal being tampered with. Specialist tamper-evident reinforced tape is also available for increased security protection.
- 3 100% Recyclability**  
Gummed paper Tape is made from renewable natural resources which makes recycling easier. Packaging research associations have all given Gummed Paper Tape recyclability accreditation, making it the environmentally-friendly choice for the packaging professional.
- 4 Temperature Tolerant**  
Even with extreme variations of temperature and humidity, Gummed Paper Tape's seal retains its strength and remains highly resistant to ageing, making it the ideal solution for long term storage.
- 5 Improved Packaging Presentation**  
Gummed Paper Tape also out-performs plastic tape on presentation, adhering flat against the carton and blending with the character of the cardboard, in contrast with the shiny, rippled seal often seen with plastic tape. Gummed Paper Tape also shows the customer that you care for the environment.
- 6 Cost Saving**  
Gummed Paper Tape is a cost effective way of carton sealing and can be cheaper per linear metre than any reasonable grade packaging tape. Only one strip of Gummed Paper Tape is generally required where several strips of cheap plastic tape would be otherwise needed.
- 7 Increased Productivity and Reduced Operator Fatigue**  
When applying Gummed Paper Tape with our professional range of BetterPackages taping machines, we have proven test records of increased productivity and a reduction in operator fatigue compared with the results of using a combination of plastic tape and standard tape guns.



Plastic tape does not provide the same level of security as Gummed Paper Tape







# Tape Dispensers

Your one-stop tape dispenser supplier, offering the best in quality, price & service.

## Why does everyone prefer the PRO-series PG50B Tape Dispenser?

TAKES  
132mtr  
TAPE

Suction Strip  
Double Sided Blade  
Blade Saver cap

50  
mm

### Pro-series PG50B

#### Standard Pistol Grip Carton Sealer

For 50mm width 75mm core, with adjustable brake, safety blade cap, static suction grip & double edged blade.



Best  
Selling  
Tape  
Dispenser



50  
mm

### PACPLUS PD712

50mm Standard Pistol Grip Carton Sealer  
75mm core with adjustable brake.

TAKES  
132mtr  
TAPE

ADPAC™  
pacplus



Economy Model

50  
mm

### PACPLUS PD717

50mm Economy/Budget Carton Sealer  
With metal frame and brake.

TAKES  
132mtr  
TAPE

ADPAC™  
pacplus



Low Noise Model

50  
mm

### Pro-series NR50

Special sprung loaded core reduces the noise created by polypropylene tapes - only suitable for 50mm width tape with 75mm core.



Foam Grip

50  
mm

### PACPLUS PD705

50mm Foam Grip Carton Sealer  
75mm core with adjustable brake.

TAKES  
132mtr  
TAPE

ADPAC™  
pacplus

ADPAC™  
pacplus

Introducing our new range of tape dispensers offering you the most economical and cost effective range of tape dispensing equipment on the market today.



Heavy Duty Model

50  
mm

### PACPLUS EHD50

Heavy duty 50mm all metal pistol grip tape dispenser.

TAKES  
132mtr  
TAPE

ADPAC™  
pacplus



Low Noise Model

50  
mm

### PACPLUS PD728

Special sprung loaded core reduces the noise created by polypropylene tapes - only suitable for 50mm width tape with 75mm core.

TAKES  
132mtr  
TAPE

ADPAC™  
pacplus



Retractable Blade

50  
mm

### PACPLUS PD707P

50mm 'Retractable Blade' Safety Carton Sealer  
With metal frame and adjustable brake.

TAKES  
132mtr  
TAPE

ADPAC™  
pacplus



Trigger Operated Blade

50  
mm

### PACPLUS PD736T

50mm 'Trigger Operated' Safety Carton Sealer  
With metal frame, adjustable brake and protecting attachment.

TAKES  
132mtr  
TAPE

ADPAC™  
pacplus



Heavy Duty

50  
mm

### Pro-series HPG50B

Heavy Duty Premium Pistol Grip Carton Sealer  
For 50mm width, 75mm core, with adjustable brake.

TAKES  
132mtr  
TAPE



Suction Strip  
Blade Saver cap

75  
mm

### Pro-series PG75B

Standard 75mm Pistol Grip Carton Sealer  
For 75mm width, 75mm core, with adjustable brake.


TAKES  
132mtr  
TAPE





## HAND HELD DISPENSERS

Some of our dispensers have these unique features:



**blade saver**  
The blade saver cap protects the blade when the dispenser is not in use - for maximum operator safety.



**double sided blade**  
When one side becomes blunt the blade can be quickly turned around to use the other side.



**adjustable brake**  
to enable the operator to control the tape release.



### PACPLUS PD742

**75mm Budget Carton Sealer**  
With metal frame and brake.



Economy Model

75 mm

TAKES  
132mtr  
TAPE



### Pro-series HPG75B


**Heavy Duty Premium Pistol Grip Carton Sealer**  
For 75mm width 75mm core, with adjustable brake.



Heavy Duty

75 mm

TAKES  
132mtr  
TAPE



### PACPLUS PD781P

**75mm Extra Heavy Duty Carton Sealer**  
Double side plate with fixed brake.



Extra Heavy Duty

75 mm




### Pro-series PG100B

**Standard 100mm Pistol Grip Carton Sealer**  
For 100mm width 75mm core, with adjustable brake.



Blade Saver Cap

100 mm



### PACPLUS PD771

**100mm Extra Heavy Duty Carton Sealer**  
Double side plate with fixed brake.



Extra Heavy Duty

100 mm



### Pro-series ET50B

**50mm Pistol Grip Carton Sealer**  
For rolls on 2" diameter cores.



For 2" core tapes

50 mm




### Pro-series BT50B

**50mm Pistol Grip Carton Sealer**  
For rolls on 1" diameter cores.



For 1" core tapes

50 mm



### Pro-series HHD50

**Compact Carton Sealer**  
For 50mm x 66mtr tape.



### Pro-series CWF25

Suitable for crossweave and filament tape up to 25mm wide.



### Pro-series D225

25mm Metal Enclosed Carton Sealer

### Pro-series D238

38mm Metal Enclosed Carton Sealer

### Pro-series D250

50mm Metal Enclosed Carton Sealer



### Pro-series R/ENC25

25mm enclosed metal dispenser for crossweave reinforced tape.

### Pro-series R/ENC50

50mm enclosed metal dispenser for crossweave reinforced tape.



## DOUBLE SIDED TAPE DISPENSERS



### PACPLUS PD918

**12/19mm Double Sided Transfer Tape Sealer**  
For 33mtr rolls on 25mm diameter cores.



19 mm



### PACPLUS PD931

**25mm Pistol Grip Double Sided Tissue and Polypropylene Tape Carton Sealer**  
For 50mtr rolls on 75mm diameter cores, & cutting blade. Max diameter roll of tape 155mm.



25 mm



### PACPLUS PD932

**50mm Pistol Grip Double Sided Tissue and Polypropylene Tape Carton Sealer**  
For 50mtr rolls on 75mm diameter cores, & cutting blade. Max diameter roll of tape 155mm.



50 mm





# Tape Dispensers

Your one-stop tape dispenser supplier,  
offering the best in quality, price & service.

## BAG NECK TAPE DISPENSERS

Clean and easy way of sealing tops of polythene bags, use 9, 12 or 16mm coloured vinyl tape.

 <p>9-12 mm</p>	<b>Pro-series PLBW9</b>  <b>Plastic Dispenser</b> Can use 9-12mm tape.	 <p>12-16 mm</p>	<b>Pro-series BN25</b>  <b>Wide Neck Metal Dispenser</b> With 12mm throat. Can use up to 16mm wide tapes.
 <p>9-12 mm</p>	<b>Pro-series BN9 (PD221)</b>  <b>Metal Dispenser</b> Can use 9-12mm tape.	 <p>Trimming Blade</p> <p>12-16 mm</p>	<b>PACPLUS PD283</b>  <b>16mm Heavy Duty Bag Neck Sealer</b> In metal with trimming blade & 12mm throat.
 <p>Trimming Blade</p> <p>9-12 mm</p>	<b>PACPLUS PD222T</b>  <b>9-12mm Bag Neck Sealer</b> In metal with trimming blade and 7mm throat.	 <p>19 mm 25 mm</p>	<b>PACPLUS PD326</b>  <b>25mm Dual Core Economy Tape Sealer</b> In plastic for 33mtr or 66mtr tapes on 25mm or 75mm diameter cores.
 <p>Stainless Steel</p> <p>9-12 mm</p>	<b>PACPLUS PD223T</b>  <b>9-12mm Bag Neck Sealer</b> In stainless steel & trimming blade & 7mm throat.	 <p>19 mm 25 mm</p>	<b>Pro-series B2</b>  <b>25mm Bench Dispenser</b> For 25mm width on 25mm and 75mm cores.
 <p>9-12 mm</p>	<b>Pro-series E9</b>  <b>Wide Neck Metal Dispenser</b> 9-15mm heavy duty bag neck sealer with 16mm throat. With adjustable brake.	 <p>19 mm 25 mm</p>	<b>Pro-series BTD25</b>  <b>25mm Heavy Duty Bench Tape Dispenser</b> For 1 x 25mm width on 25mm and 75mm core.





# Tape Dispensers

Your one-stop tape dispenser supplier,  
offering the best in quality, price & service.

## BENCH MOUNTED DISPENSERS


 <div data-bbox="135 638 223 683"> <div>19 mm</div> <div>25 mm</div> </div>	<p><b>PACPLUS PD317</b></p> <p><b>19/25mm Standard Desk Tape Dispenser</b> In plastic for 33mtr tapes on a 25mm core.</p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="167 974 199 1008"> <div>25 mm</div> </div>	<p><b>PACPLUS PD331P</b></p> <p><b>25mm Heavy Duty Bench Tape Sealer</b> In metal for 66mtr tapes on 75mm diameter core with blade protection attachment.</p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="135 1310 223 1344"> <div>25 mm</div> <div>50 mm</div> </div>	<p><b>Pro-series BD50</b></p> <p><b>50mm Bench Dispenser</b> For 1 x 50mm width roll or 2 x 25mm width roll on 75mm core. Can be screwed to bench.</p> <p><b>TAKES 132mtr TAPE</b></p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="111 1646 247 1680"> <div>25 mm</div> <div>50 mm</div> <div>75 mm</div> </div>	<p><b>PACPLUS PD351</b></p> <p><b>75mm or 3 x 25mm H.D. Bench Tape Sealer</b> In metal for 66mtr tapes on 75mm diameter core with blade protection attachment.</p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="135 1971 223 2004"> <div>25 mm</div> <div>50 mm</div> </div>	<p><b>Pro-series HMB50</b></p> <p><b>Heavy Duty Metal Bench Tape Dispenser</b> For 2 x 25mm width roll or 1 x 50mm width.</p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>

 <div data-bbox="798 616 885 649"> <div>25 mm</div> <div>50 mm</div> </div>	<p><b>Pro-series CBD50</b></p> <p><b>50mm clamp-on Bench Dispenser</b> For 1 x 50mm width roll or 2 x 25mm width roll on 75mm core with bench fixing clamp.</p> <p><b>TAKES 132mtr TAPE</b></p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="877 929 917 963"> <div>25 mm</div> </div>	<p><b>PACPLUS PD330</b></p> <p><b>Manual Pre-Set Length Dispenser</b> For filmic tape up to 25mm wide. Repeatable length of tape up to 75mm.</p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="829 1265 965 1299"> <div>25 mm</div> <div>50 mm</div> <div>75 mm</div> </div>	<p><b>PACPLUS PD380</b></p> <p><b>Manual Pre-Set Length Dispenser</b> For filmic tape up to 75mm wide. Repeatable length of tape up to 200mm.</p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="877 1590 917 1624"> <div>25 mm</div> </div>	<p><b>PACPLUS PD301</b></p> <p><b>Electric Pre-Set Length Dispenser</b> For filmic tape up to 25mm wide. Repeatable length of tape up to 90mm.</p> <p><b>ADPAC™ pacplus<sup>+</sup></b></p>
 <div data-bbox="853 1926 941 1960"> <div>25 mm</div> <div>50 mm</div> </div>	<p><b>PS2A</b></p> <p><b>Electronic Pressure Sensitive Tape Dispenser</b> Delivers pre-set lengths of tape. Suitable for pressure sensitive tapes including masking &amp; reinforced tapes from 6-50mm width. Will dispense lengths from 20-999mm</p>





## Adhesive Tapes - 35 micron Vinyl Buff/Clear/Colours



Width x 66mtrs		+ Suffix No.	9mm	12mm	25mm	48mm	75mm	
Colour	Code		9	12	25	48	75	
Buff	BVT				●	●	●	8.90
Clear	CVT		●	●	●	●	●	8.90
White	WVT		●	●	●	●	●	8.90
Red	RVT		●	●	●	●		8.90
Blue	BLVT		●	●	●	●		8.90
Yellow	YVT		●	●	●	●		8.90
Green	GVT		●	●	●	●		8.90
Orange	OVT					●		8.90
Black	BKVT				●	●		8.90
Rolls per case								

## Adhesive Tapes - 28 micron Polyprop Solvent Adhesive



48mm x 66mtrs		
Colour	Code	
Buff	BSP50	6.65
Clear	CSP50	6.65
Rolls per case		

## Adhesive Tapes - Polyprop Hot Melt Adhesive



Width x 66mtrs		12mm	25mm	48mm	75mm	
Colour	Code	12	25	48	75	
Buff	BHP		●	●	●	6.00
Clear	CHP	●	●	●	●	6.00
Rolls per case						

## Frugal Tape Polyprop 25 micron Polyprop Acrylic Adhesive

x 66mtrs per roll  
BCP48132 x 132mtrs per roll  
BBP48132 x 132mtrs per roll



**Full Pallet**  
90 cases  
18mm: 8640 Rolls  
25mm: 6480 Rolls  
48mm: 3240 Rolls  
75mm: 2160 Rolls

Colour	Code	Size	Rolls per carton	
Clear	BCP18	18mm	96	5.6
Clear	BCP25	25mm	72	5.6
Clear	BCP48	48mm	36	5.6
Clear	BCP75	75mm	24	5.6
Buff	BBP48	48mm	36	5.6
Clear	BCP48132	48mm	36	11.0
Buff	BBP48132	48mm	36	11.0

## Economy Tape - 23 micron Polyprop Acrylic Adhesive



48mm x 66mtrs		
Colour	Code	
Clear	ECP48	4.95
Buff	EBP48	4.95
Rolls per case		

## Adhesive Tapes - 28 micron Polyprop Machine Rolls Hotmelt Adhesive



48mm x 990mtrs		
Colour	Code	
Buff	BMP48	12.6
Clear	CMP48	12.6
Blue	BLUMP48	12.6
Red	REDMP48	12.6
Yellow	YELMP48	12.6
Green	GMP48	12.6
White	WHIMP48	12.6
Black	BLKMP48	12.6
Rolls per case		

## Adhesive Tapes - 28 micron Polyprop Low Noise Tape Premium Quality Acrylic Adhesive



50mm width		Length	
Colour	Code		
Buff	BLN50	66mtrs	6.7
Buff	BLN48132	132mtrs	13.0
Clear	CLN50	66mtrs	6.7
Clear	CLN48132	132mtrs	13.0
Rolls per case			

## Adhesive Tapes - 25 micron Polyprop Low Noise Tape Acrylic Adhesive



48mm x 66mtrs		Length	
Colour	Code		
Buff	ECLN48	66mtrs	5.9
Clear	EBLN48	66mtrs	5.9
Rolls per case			

## Adhesive Tapes - Clear Stationery Tape Solvent Adhesive



25mm x 66mtrs		
Code		
CST25		6.65
Rolls per case		





Introducing

# trans▶text

tape



## High Quality Low Noise Message Tapes 50 mm x 66 metre

Code	Message	Tape Type	
FRVT	Fragile	Vinyl	6.8
FRLNP	Fragile	Polyprop	6.7
CCSS	Contents Checked Security Sealed	Polyprop	6.7
GHWC	Glass Handle With Care	Polyprop	6.7
CPMT	Caution	Polyprop	6.75
TW60REJ	Reject	Polyprop	6.65
TW60AWI	Awaiting Inspection	Polyprop	6.7
TW60HAN	Handle With Care	Polyprop	6.85
TW60QCH	Q.C. Hold	Polyprop	6.75
TW60QCI	Q.C. Inspected	Polyprop	6.65
TW60QCR	Q.C. Rejected	Polyprop	6.65
TW60QUA	Quarantine	Polyprop	6.7
TW60TWU	This Way Up	Polyprop	6.7
TW60SEC	Security	Polyprop	6.7

14 PRINTED TEXT TAPES AVAILABLE FROM STOCK

## 28 micron Coloured Polyprop Adhesive Tapes

Acrylic Adhesive

50mm x 66mtrs

Colour	Code	
White	WSP50	6.65
Red	RCP50	6.65
Blue	BLCP50	6.65
Green	GCP50	6.65
Yellow	YCP50	6.65

Rolls per case







## Cloth Tape

### - Laminated Polycoated Cloth

25mm: 24Rolls/Case 50mm: 24 Rolls/Case 75mm: 16 Rolls/Case 90mm: 12 Rolls/Case

#### Code

PCT25/S	Silver	25mm x 50m	5.5
PCT50/B	Black	50mm x 50m	14.0
PCT50/W	White	50mm x 50m	14.0
PCT50/S	Silver	50mm x 50m	14.0
PCT75B	Black	75mm x 50m	14.0
PCT75W	White	75mm x 50m	14.0
PCT75/S	Silver	75mm x 50m	14.0
PCT90/B	Black	90mm x 50m	14.0
PCT90/W	White	90mm x 50m	14.0
PCT90	Silver	90mm x 50m	14.0



## Masking Tape

General Purpose  
Solvent Adhesive

#### Code

MSK 12	12mm x 50mtr	144 Rolls/Case	9.0
MSK 19	19mm x 50mtr	96 Rolls/Case	9.0
MSK 25	25mm x 50mtr	72 Rolls/Case	9.0
MSK 38	38mm x 50mtr	48 Rolls/Case	9.0
MSK 50	50mm x 50mtr	36 Rolls/Case	9.0
MSK 75	75mm x 50mtr	24 Rolls/Case	9.0
MSK 100	100mm x 50mtr	18 Rolls/Case	9.0



### Masking Tape TESA 4323

General Purpose  
Solvent Adhesive

4323/12	12mm x 50mtr	144 Rolls/Case	9.5
4323/19	19mm x 50mtr	96 Rolls/Case	9.0
4323/25	25mm x 50mtr	72 Rolls/Case	9.2
4323/38	38mm x 50mtr	48 Rolls/Case	9.0
4323/50	50mm x 50mtr	36 Rolls/Case	8.7
4323/75	75mm x 50mtr	24 Rolls/Case	11.1
4323/100	100mm x 50mtr	18 Rolls/Case	8.1



## Aluminium Foil Tape

(with silicon release liner)

Available in 30 & 40 Micron

#### Code

AFT25	25mm x 45mtr	48 Rolls/Case	30mu	11.1
AFT38	38mm x 45mtr	36 Rolls/Case	30mu	11.1
AFT50	50mm x 45mtr	24 Rolls/Case	30mu	11.1
AFT2540	25mm x 45mtr	48 Rolls/Case	40mu	12.0
AFT3840	38mm x 45mtr	36 Rolls/Case	40mu	12.0
AFT5040	50mm x 45mtr	24 Rolls/Case	40mu	12.0



## Tamper Evident Security Tape



#### Code

#### Text

TSB50	48mm x 50mtr	OPEN VOID - Blue Adhesive	16.0
TSR50	48mm x 50mtr	OPEN VOID - Red Adhesive	16.0

Rolls per case







## Double Sided Tape - Tissue

Code

<b>TD112DE</b>	12/18mm x 50mtr DS Finger Lift Tape*	5.4
<b>TD125</b>	25mm x 50mtr Tissue Tape 48 R/Case	16.4
<b>TD150</b>	50mm x 50mtr Tissue Tape 24 R/Case	16.4
<b>TRN12</b>	12mm x 33mtr Transfer Tape 72 R/Case	5.0
<b>TRN19</b>	19mm x 33mtr Transfer Tape 48 R/Case	8.0

\* 40 rolls/case

## Adhesive Tapes - Double Sided Tape

General purpose double sided polyprop film

Hotmelt Adhesive



Code

<b>DST12</b>	12mm x 50mtr	144 Rolls/Case	16.4
<b>DST19</b>	19mm x 50mtr	96 Rolls/Case	16.4
<b>DST25</b>	25mm x 50mtr	72 Rolls/Case	16.4
<b>DST50</b>	50mm x 50mtr	36 Rolls/Case	16.4

## Double Sided Tape - Cloth

Code

<b>TD250</b>	50mm x 50mtr	24 Rolls/Case	16.4
--------------	--------------	---------------	------

## Double Sided Foam Tape & Pads



Code

<b>DFP25</b>	25mm x 25mm x 1.6mm	Pads 1,250/Roll	0.3
<b>DFP12</b>	12mm x 25mm x 1.6mm	Pads 2,500/Roll	0.53
<b>DFT25</b>	25mm x 25mm x 1.6mm	Tape 12Rolls/ctn	0.2

## Polythene Barrier Tape - Non-adhesive Polythene Tape

70mm x 500mtr in dispenser box (10 per carton)

30 micron thickness



Code

<b>PBT70RW</b>	Red/White	6.75
<b>PBT70YB</b>	Yellow/Black	6.75

## Adhesive Tapes - Monoweave Reinforced Tape



Code

<b>MONO25</b>	25mm x 50mtr	36 Rolls/Case	7.2
<b>MONO50</b>	50mm x 50mtr	18 Rolls/Case	7.2

## Adhesive Tapes - Crossweave Reinforced Tape



Code

<b>CRT12</b>	12mm x 50mtr	72 Rolls/Case	7.2
<b>CRT19</b>	19mm x 50mtr	48 Rolls/Case	7.2
<b>CRT25</b>	25mm x 50mtr	36 Rolls/Case	7.2
<b>CRT50</b>	50mm x 50mtr	18 Rolls/Case	7.2
<b>CRT75</b>	75mm x 50mtr	12 Rolls/Case	7.2

## Self Adhesive Kraft Paper Tape

EC015



Code

<b>EC025</b>	25mm x 50mtr	72 Rolls/Case	9.4
<b>EC038</b>	38mm x 50mtr	48 Rolls/Case	9.4
<b>EC050</b>	50mm x 50mtr	36 Rolls/Case	9.4
<b>EC075</b>	75mm x 50mtr	24 Rolls/Case	9.4

# Technical Tapes

A new range of high quality technical tapes are now available







Increase your profits with the

**marcwell**  
floor marking tape systems



HEAVY DUTY -  
PREMIUM INDUSTRIAL QUALITY

50mm x 33mtr

Code	Colour	Rolls/Box	
LMT50W	White	18	0.4
LMT50B	Blue	18	0.4
LMT50R	Red	18	0.45
LMT50Y	Yellow	18	0.4
LMT50G	Green	18	0.45
LMT50BLK	Black	18	0.4

75mm x 33mtr

Code	Colour	Rolls/Box	
LMT75W	White	12	0.5
LMT75R	Red	12	0.6
LMT75Y	Yellow	12	0.45
LMT75G	Green	12	0.5

**marcwell**  
floor marking tape systems

Hazard Warning  
Tape



HEAVY DUTY -  
PREMIUM INDUSTRIAL QUALITY

50mm x 33mtr

Code	Colour	Rolls/Box	
HWT50YB	Yellow/Black	18	0.4
HWT50RW	Red/White	18	0.4
HWT50GW	Green/White	18	0.4

**A Quality that  
cannot be compromised**

Lane Marking Applicator

Code

**TL001** Lane marking Tape Applicator for tapes up to 100mm wide



6.9









# SK2

semi-automatic case taper

The SK2 Case Taper provides safe and effective sealing of the top and bottom of cartons simultaneously. High quality, rugged proven design manufactured in the EU, meeting CE392 machine directives. A full range of uniform and random case tapers available. Range of accessories also available.

## SK2 features include:



- ⓧ Manufactured in the EU
- ⓧ Proven reliability
- ⓧ Renowned, reliable K11 Taping Head
- ⓧ 2000mtr roll tape holder
- ⓧ Emergency stop button
- ⓧ Flap compression rollers
- ⓧ Self-centring lateral box guides
- ⓧ Single phase 240v power supply



Optimax SK2 Machine Measurement: L: 108cm x W: 74cm x H: 127-197cm  
Pack Measurement: L: 114cm x W: 78cm x H: 114cm  
Weight: 165kg Gross, 140kg Nett

## Optimax SK2 Accessories

Code	Description	
AS7	Set of 4 lockable castors for SK2	1.5kg
RN0475500	Short Rigid Infeed Conveyor 500mm wide x 400mm long	8kg
S470837700A	Joining brackets to join RN0475500 to SK2 Case Taper	



INSTALLATION &  
STAFF TRAINING  
AVAILABLE

SK2 shown with  
castor option






# SR4

semi-automatic random  
size case taper

For sealing random size cartons to the  
maximum dimensions as shown below



The SR4 is an  
air assisted model that  
requires a compressed  
air supply.

INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY



UPGRADE TO  
12 MONTH ON-SITE  
PARTS & LABOUR  
WARRANTY  
CALL FOR DETAILS

INSTALLATION &  
STAFF TRAINING  
AVAILABLE

This is only a small selection of Case Tapers available,  
please call to discuss specific applications.



Flexible conveyor shown  
with SK2 Case Taper

## Flexible Conveyor System

### Optimax Flexible Conveyor System

Code	Description
GTL400/3	1.5mtr to 4.5 mtr flexible outfeed conveyor. 400mm wide, adjustable height with locking castors



62kg



## films & polythene products

➤ Grip Seal Bags	28	➤ Polythene Products	38
➤ Polythene Bags	29	➤ Anti-Static Packaging	38
➤ Packing List Envelopes,	30	➤ Ripack Shrink Film Systems	39
➤ Chamber Shrink Wrappers	31	➤ Polythene Shrink Film	41
➤ Poly Sheeting & PVC Shrink Film	32	➤ Stretch Film	42
➤ PVC Shrink Film Products	33	➤ Stretch Film Dispensers	43
➤ Pacseal Heat Sealers	34		
➤ ProSeal Impulse Heat Sealers	35		
➤ Optiseal Industrial Heat Sealers	36		







## Grip Seal Medium Duty Polythene Bags 50 Micron (200g) - Plain



Code	Size (inches)	Qty per outer Case	
SG0	1 1/2 x 2 1/2	50K	0.4
SG1	2 1/4 x 2 1/4	40K	0.5
SG2	2 1/4 x 3	30K	0.8
SG3	3 x 3 1/4	20K	0.9
SG4	3 1/2 x 4 1/2	20K	1.4
SG5	4 1/2 x 4 1/2	20K	1.95
SG6	4 x 5 1/2	16K	2.15
SG7	5 1/2 x 5 1/2	8K	2.75
SG8	3 x 7 1/2	12K	2.1
SG9	5 x 7 1/2	8K	3.15
SG10	7 1/2 x 7 1/2	6K	4.7
SG105	2 x 9	16K	1.45
SG11	6 x 9	6K	4.35
SG12	8 x 11	4K	7.0
SGA4	9 x 12 3/4	2K	9.0
SG13	12 3/4 x 12 3/4	2K	12.75
SG14	10 x 14	2K	10.4
SG15	11 x 16	1K	14.25
SG16	13 x 18	1K	18.6
SG17	15 x 20	1K	23.0

## Grip Seal Polythene Bags 87.5 Micron (350g) Heavy Weight - Plain



Code	Size (inches)	Qty per outer Case	
WT10	3 1/2 x 4 1/2	12K	2.0
WT20	5 x 8	4K	5.75
WT30	7 x 10	2K	9.25
WT40	8 x 12	2K	12.8
WT50	9 x 14	1K	16.0
WT60	12 x 16	.5K	24.4
WT70	10 x 18	.5K	22.4

## Grip Seal Light Duty Polythene Bags 40 & 45 Micron - Plain



Code	Size (inches)	Qty per outer Case	
LG0-40	1 1/2 x 2 1/2 - 40mu	1K	0.4
LG1-40	2 1/4 x 2 1/4 - 40mu	1K	0.6
LG2-40	2 1/4 x 3 - 40mu	1K	0.7
LG3-40	3 x 3 1/4 - 40mu	1K	0.9
LG4-40	3 1/2 x 4 1/2 - 40mu	1K	1.25
LG5-40	4 1/2 x 4 1/2 - 40mu	1K	1.55
LG6-40	4 x 5 1/2 - 40mu	1K	1.65
LG7-40	5 1/2 x 5 1/2 - 40mu	1K	2.20
LG8-40	3 x 7 1/2 - 40mu	1K	1.75
LG9-40	5 x 7 1/2 - 40mu	1K	2.75
LG10-45	7 1/2 x 7 1/2 - 45mu	1K	4.30
LG11-45	6 x 9 - 45mu	1K	4.05
LG12-45	8 x 11 - 45mu	1K	6.05
LG13-45	12 3/4 x 12 3/4 - 45mu	1K	11.8
LG14-45	10 x 14 - 45mu	1K	10.9
LG15-45	11 x 16 - 45mu	1K	12.2
LG16-45	13 x 18 - 45mu	1K	15.7
LG17-45	15 x 20 - 45mu	1K	20.95
LGA4-45	9 x 12 3/4 - 45mu	1K	8.05

## Grip Seal Polythene Bags Medium Duty 50 Micron (200g) - Write On Panels



Code	Size (inches)	Qty per outer Case	
SG020	1 1/2 x 2 1/2	50K	0.4
SG120	2 1/4 x 2 1/4	40K	0.5
SG121	2 1/4 x 3	30K	0.75
SG122	3 x 3 1/4	20K	0.95
SG123	3 1/2 x 4 1/2	20K	1.55
SG124	4 1/2 x 4 1/2	20K	2.05
SG125	4 x 5 1/2	16K	2.15
SG126	5 1/2 x 5 1/2	8K	3.2
SG127	3 x 7 1/2	12K	1.8
SG128	5 x 7 1/2	8K	3.1
SG129	7 1/2 x 7 1/2	6K	4.9
SG130	6 x 9	6K	4.3
SG131	8 x 11	4K	7.05
SG132	9 x 12 3/4	2K	9.0
SG133	10 x 14	2K	10.5
SG134	11 x 16	1K	14.25
SG135	13 x 18	1K	18.4
SG136	15 x 20	1K	22.0
MB70	6" x 9" + 6" x 8" pouch	4K	7.4

## Slider Grip Seal Polythene Bags 75 Micron (300g) Heavy Weight - Plain



Code	Size (mm)	Qty per Box	Qty per outer Case	
SLG10	250mm x 175mm x 75mu	250	1K	
SLGA4	225mm x 315mm x 75mu	250	1K	

## Grip Seal Light Duty Polythene Bags 40 & 45 Micron - Write On Panels



Code	Size (inches)	Qty per outer Case	
LG020-40	1 1/2 x 2 1/2 - 40mu	1K	0.4
LG120-40	2 1/4 x 2 1/4 - 40mu	1K	0.5
LG121-40	2 1/4 x 3 - 40mu	1K	0.7
LG122-40	3 x 3 1/4 - 40mu	1K	0.85
LG123-40	3 1/2 x 4 1/2 - 40mu	1K	1.3
LG124-40	4 1/2 x 4 1/2 - 40mu	1K	1.6
LG125-40	4 x 5 1/2 - 40mu	1K	1.7
LG126-40	5 1/2 x 5 1/2 - 40mu	1K	2.25
LG127-40	3 x 7 1/2 - 40mu	1K	1.7
LG128-40	5 x 7 1/2 - 40mu	1K	3.1
LG129-45	7 1/2 x 7 1/2 - 45mu	1K	4.6
LG130-45	6 x 9 - 45mu	1K	4.1
LG131-45	8 x 11 - 45mu	1K	6.25
LG132-45	9 3/4 x 12 3/4 - 45mu	1K	8.9
LG133-45	10 x 14 - 45mu	1K	9.4






## Polythene Bags 100-120g



Code			Qty/ Pack	
100 Gauge (25mu)				
101210	10" x 12"	254mm x 305mm	1000	4.6
101510	10" x 15"	254mm x 381mm	1000	4.9
121510	12" x 15"	305mm x 381mm	1000	5.7
121810	12" x 18"	305mm x 457mm	1000	6.9
152010	15" x 20"	381mm x 508mm	1000	9.5
182410	18" x 24"	457mm x 610mm	1000	13.9
243610	24" x 36"	610mm x 914mm	1000	27.0
120 Gauge (30mu)				
4612	4" x 6"	102mm x 152mm	1000	1.0
7912	7" x 9"	178mm x 229mm	1000	2.5
101212	10" x 12"	254mm x 305mm	1000	4.7
202412	20" x 24"	508mm x 610mm	500	8.95
274212	27" x 42"	686mm x 1067mm	250	10.5

## Polythene Bags 200g



Code				Qty/ Pack	
200 Gauge (50mu)					
6820	6" x 8"	152mm x 203mm	1000	3.0	
121820	12" x 18"	305mm x 457mm	1000	14.0	
182420	18" x 24"	457mm x 610mm	500	13.45	
203020	20" x 30"	508mm x 762mm	500	18.5	


## Polythene Bags 250g



Code			Qty/ Pack	
250 Gauge (62.5mu)				
4625	4" x 6"	102mm x 152mm	1000	2.0
5725	5" x 7"	127mm x 178mm	1000	3.0
81025	8" x 10"	203mm x 254mm	1000	6.5
81425	8" x 14"	203mm x 356mm	1000	9.0
101225	10" x 12"	254mm x 305mm	1000	9.5
121825	12" x 18"	305mm x 457mm	1000	17.0
122425	12" x 24"	305mm x 610mm	1000	22.4
162025	16" x 20"	406mm x 508mm	500	12.5
183625	18" x 36"	457mm x 914mm	250	12.75
202425	20" x 24"	508mm x 610mm	250	9.38
364825	36" x 48"	914mm x 1245mm	100	13.2

## Polythene Bags 500 - 800g



Code				Qty/ Pack	
500 Gauge (125mu)					
3450	3" x 4"	76mm x 102mm	1000		2.0
7950	7" x 9"	178mm x 229mm	1000		10.0
101250	10" x 12"	254mm x 305mm	500		7.7
121850	12" x 18"	305mm x 457mm	500		14.5
182050	18" x 20"	457mm x 508mm	100		5.6
243650	24" x 36"	610mm x 914mm	100		13.3
305050	30" x 50"	762mm x 1270mm	50		11.5
364850	36" x 48"	914mm x 1245mm	50		13.25
800 Gauge (mu)					
254080	25" x 40"	635mm x 1016mm	50		12.3

## Polythene Layflat Tubing



Code	Size	Average Length/Roll	Approx weight/Roll	
<b>250 Gauge 62.5mu</b>				
PT252	2"	335 Mtr	2 Kgs	2.00
PT253	3"	335 Mtr	3 Kgs	3.00
PT254	4"	335 Mtr	4 Kgs	4.00
PT255	5"	335 Mtr	5 Kgs	5.00
PT256	6"	335 Mtr	6 Kgs	6.00
PT258	8"	335 Mtr	8 Kgs	8.00
PT259	9"	335 Mtr	9 Kgs	9.00
PT2510	10"	335 Mtr	10 Kgs	10.00
PT2512	12"	335 Mtr	12 Kgs	12.00
PT3150	12"	150mtr	5.5kgs	5.50
PT2515	15"	335 Mtr	15 Kgs	15.00
PT2518	18"	466 Mtr	25 Kgs	25.00
PT2524	24"	349 Mtr	25 Kgs	25.00
PT2536	36"	233 Mtr	25 Kgs	25.00
PT2536BK	36" Blk	233 Mtr	25 Kgs	25.00
<b>500 Gauge 125mu</b>				
PT502	2"	168 Mtr	2 Kgs	2.00
PT503	3"	168 Mtr	3 Kgs	3.00
PT504	4"	168 Mtr	4 Kgs	4.00
PT506	6"	168 Mtr	6 Kgs	6.00
PT507	7"	168 Mtr	7 Kgs	7.00
PT508	8"	168 Mtr	8 Kgs	8.00
PT509	9"	168 Mtr	9 Kgs	9.00
PT5010	10"	168 Mtr	10 Kgs	10.00
PT5012	12"	168 Mtr	12 Kgs	12.00
PT5024	24"	183 Mtr	25 Kgs	25.00

## Anti-Static Layflat Tubing



Code	Size	
AST2512-150	12" Roll x 250g Pink	150mtr/roll
AST256-150	6" Roll x 250g Pink	150mtr/roll






## Packing List Envelopes



Code		int. sizes (mm)	qty/box	
A7PL	Plain	113 x 100	1,000	2.4
A7DE	Printed Documents Enclosed	113 x 100	1,000	2.4
A6PL	Plain	165 x 122	1,000	3.95
A6DE	Printed Documents Enclosed	165 x 122	1,000	3.95
A5PL	Plain	225 x 165	1,000	7.55
A5DE	Printed Documents Enclosed	225 x 165	1,000	7.55
A4PL	Plain	318 x 235	500	6.9
A4DE	Printed Documents Enclosed	318 x 235	500	6.9
DLPL	Plain	225 x 122	1,000	4.45
DLDE	Printed Documents Enclosed	225 x 122	1,000	4.45

## trans doc Pouch Tape



Pro-series LPD Pouch Tape  
Dispenser. 4 per carton

LPD DISPENSER  
Includes  
weighted base

Code		
PT150	Printed "Documents Enclosed"	6.65
	144mm x 66mtrs	
	330 labels per roll Label Size: 150mm x 200mm x24/Box	

## Polythene Sheeting

See  
Page 42  
for polythene  
film  
dispensers



Code				
4 metres (centre/multi folded)				
PS002	65mu x 75 mtrs	MF	Black	17.0
PS003	80mu x 50 mtrs	MF	Clear	15.6
PS004	200mu x 25 mtrs	MF	Clear	16.0
2 metres (centre folded)				
PS006	80mu x 100 mtrs		Clear	16.0
PS007	200mu x 50 mtrs		Clear	17.5

See page 32 for  
Polythene Top Covers





# Shrink Chamber & L-Bar Machines

The new range of Chamber Shrink Wrappers offers the very best in heat shrinking technology. All models seal and shrink in one operation using centre-fold shrink films with very low energy consumption and come with some of the most advanced features possible with electronic controls. The film is kept open around the product loading tray. The operator then easily inserts the product and moves it along with the film to the sealing position and brings down the hood to initiate the sealing process. This is followed by the magnetic hood maintaining the sealing position. Hot air is circulated inside the transparent chamber in the 'hood down' position for excellent sealing around the edge of the package.



## SC238

### HEAT SHRINK CHAMBER


**FEATURES:**  
Power supply: 110/220/230/240V., 50/60HZ., 1-phase  
Max power consumption: 3.2Kw  
Effective power consumption: 1.3-1.9Kw  
Sealing dimension: 280mm (D) x 380mm (L)  
Max height of package: 120mm  
Machine dimensions: 1020mm (L) x 620mm (W) x 550mm (H)  
Max. dimension of film: 360mm x Ø250mm



## SC346

### HEAT SHRINK CHAMBER

**FEATURES:**  
Power supply: 110/220/230/240V., 50/60HZ., 1-phase  
Max power consumption: 3.2Kw  
Effective power consumption: 1.3-1.9Kw  
Sealing dimension: 320mm (D) x 460mm (L)  
Max height of package: 120mm  
Machine dimensions: 1120mm (L) x 660mm (W) x 550mm (H)  
Max. dimension of film: 400mm x Ø250mm



## SC455

### HEAT SHRINK CHAMBER

**FEATURES:**  
Power supply: 110/220/230/240V., 50/60HZ., 1-phase  
Max power consumption: 3.77Kw  
Effective power consumption: 1.6-2.3Kw  
Sealing dimension: 420mm (D) x 550mm (L)  
Max height of package: 250mm  
Machine dimensions: 1320mm (L) x 820mm (W) x 645mm (H)  
Max. dimension of film: 600mm x Ø250mm



## SC680

### HEAT SHRINK CHAMBER

**FEATURES:**  
Power supply: 110/220/230/240V., 50/60HZ., 1-phase  
Max power consumption: 5.3Kw  
Effective power consumption: 2.3-3.4Kw  
Sealing dimension: 620mm (D) x 800mm (L)  
Max height of package: 250mm  
Machine dimensions: 1575mm (L) x 1020mm (W) x 645mm (H)  
Max. dimension of film: 800mm x Ø250mm



**The ST455 is an air assisted model that requires a compressed air supply. The air pressure range is 3.5 to 4.5 (kg/cm<sup>2</sup>)**

Please contact us for more information.



## ST455

### L-SEALER MACHINE

**FEATURES:**  
Power supply: 400V., 50HZ., 3-phase  
Max power consumption: 9Kw  
Sealing dimension: 400mm (D) x 550mm (L)  
Tunnel inlet dimension: 400mm (W) x 200mm (H)  
Working plate height: 900mm  
Max packing height: 150mm  
Machine dimensions: 2570mm (L) x 870mm (W) x 1600mm (H)  
Max. dimension of film: 600mm x Ø300mm  
Machine weight: 400kg





## P.V.C. Shrink Film



### Code

PVC20	200/400mm x 600mtr x 19mu	6.95
PVC25	250/500mm x 600mtr x 19mu	7.6
PVC30	300/600mm x 600mtr x 19mu	8.1
PVC35	350/700mm x 600mtr x 19mu	10.1
PVC40	400/800mm x 600mtr x 19mu	11.9
PVC45	450/900mm x 600mtr x 19mu	12.7
PVC50	500/1000mm x 600mtr x 19mu	13.9

## Polyolefin Shrink Film



### Code

PL025	250/500mm x 1335mtr x 15mu	9.4
PL030	300/600mm x 1335mtr x 15mu	10.5
PL035	350/700mm x 1335mtr x 15mu	12.0
PL03019	300/600mm x 1070mtr x 19mu	10.5

## Polythene Top Covers

Now  
Available  
in Black  
Opaque & High  
Density

See  
page 42 for  
Stretchfilm



150 covers  
per roll

### Code

PTSH1	900/1800 x 1800mm x 50mu Clear	24.0
BKPTSH2	900/1800 x 1800mm x 50mu Black	24.0
HSTSH1	900/1800 x 1800mm High Density x 24mu Clear	13.1



## Economical Portable I-Bar Sealers

No warm-up time needed  
Outlet Plug 240volt  
450mm x 800mm / 7.5kg, Requires  
HAB1500 Hot Air Gun



### IBAR800 Economical Portable I-Bar Sealer 800mm

No warm-up time needed, Outlet Plug 240volt  
800mm x 800mm / 7.5kg, Requires HAB1500 Hot Air Gun

**KITIB450** Maintenance Kit  
1 x element wire, 2 x upper teflon  
1 x lower teflon 1 x 10a fuse

**KITIB800** Maintenance Kit  
1 x element wire, 2 x upper teflon  
1 x lower teflon 1 x 10a fuse

## L-Bar Heat Sealer



**DOES NOT**  
include Hot Air Gun.  
Please order  
HAB1500  
below

### LBS300 L-Bar Sealer 300mm

For 300mm PVC Shrink Film.  
Requires Unrolling Device and HAB1500 Hot Air Gun

## PVC Shrink Film System

### PSFS400 PVC Shrink Film System

Comprises of IS400RW Round Wire  
Sealer, HAB1500 Hot Air Blower  
and 450WB Unroller

Code	
IS400RW	4.1
HAB1500	4.9
450WB	6.2



PVC Shrink Film  
see page 32

PVC and  
Polyolefin Shrink  
Film on  
Page 32

**RW400KIT** Heat Sealer Repair Kit  
(suitable for IS400RW)  
Includes 2 wires, lower teflon and 1 upper teflon

### Film Unrollers

With integral separator bar



Film Unrollers	
300WB	300mm
450WB	450mm
600WB	600mm

Also suitable for  
use with  
Polythene  
Layflat Tubing

### HAB1500 Hot Air Gun

For PVC Shrink Film  
1600 watt



### HABSTD Hot Air Gun Stand








# Heat Sealer Range

**Impulse Heat Sealers with and without cutter** Seals up to 2 x 150mu (600g)

● Usage guide 100 plus seals per shift



Layflat Tubing  
see page 29



## Code

IS200C	200mm	3.80
IS300C	300mm	5.00
IS400C	400mm	6.15
IS500C	500mm	8.10
IS200	200mm (without cutter)	2.90
IS300	300mm (without cutter)	4.40
IS400	400mm (without cutter)	5.55
IS500	500mm (without cutter)	6.00

## Film Unrollers (with integral separator bar)

300WB	300mm	2.0
450WB	450mm	2.6
600WB	600mm	3.3

## Spare Parts kit for Impulse Heat Sealers - with blade

IS2KIT	200mm	0.05
IS3KIT	300mm	0.05
IS4KIT	400mm	0.05
IS5KIT	500mm	0.05

Part kit includes: 1 blade, 2 elements, 3 upper teflon, 1 lower teflon

## Spare Parts kit for Impulse Heat Sealers - without blade

KIT200	200mm No Blade	0.05
KIT300	300mm No Blade	0.05
KIT400	400mm No Blade	0.05
KIT500	500mm No Blade	0.05

Part kit includes: 2 elements, 3 upper teflon, 1 lower teflon

## Hand Held Heat Sealers 150mm wide



**PHS150** Portable Hand Held Heat Sealer  
For sealing polythene bags and tubing. For film up to 2 x 200mu (800g)



**PHS150C** Portable Hand Held Heat Sealer with Crimp Seal  
For sealing cellophane, polyprop, Barrier Foil and other laminates.



## Constant Heat Sealers



**CCHS300** Constant Heat Sealer  
300mm wide constant heat, heat sealer  
Excellent for sealing plain and gusseted foil bags.  
Temperature range: 30°C - 200°C  
Max seal thickness: 2 x 0.25mm  
Seal width: 10mm  
Watts: 420W



**CCHS600** Constant Heat Sealer  
600mm wide constant heat, heat sealer. Specification as above.



## Automatic Magnetic Impulse Heat Sealers

Automatic Heat Sealer for continuous sealing of polybags with electronic timer and magnet. Sealing head designed to eliminate operator error, as the sealing head is held down by the electromagnet until the film has had sufficient time to seal and cool. The AMI 450 produces a heavy duty seal. Includes an electric foot pedal for manual operation. Seals up to 2 x 150mu (600g)



## Spare Parts Kit for Magnetic Impulse Heat Sealers

AMI450	450mm	21.00
AMI600	600mm	29.00

**KITAMI450** Parts kit includes 2 elements, silicon pads, 1 Teflon roll and 2 lower Teflon strips

**KITAMI600**





# PRO-SEAL

## Desk Top Impulse Heat Sealers



### Professional, High Quality, innovative Design



Usage guide  
100-400 seals  
per shift

Pro-Seal Impulse Heat Sealers offer the packaging professional the next generation of heat sealer technology. Ergonomically designed and simple to operate, the Pro-Seal range is perfect where fast, reliable heat sealing is required. Pro-Seal Impulse Heat Sealers are able to seal PE, PP, PA and PVC foil and thinner double-coated materials.

Within the packaging industry, Pro-Seal is set to become the name synonymous with the very best in impulse heat sealing.

#### Easy to handle features include:

- Adjustable sealing time for different films
- Sealing is closed manually
- Specially designed sealing wire tension unit for consistent 2.5mm seal
- Integrated safety cutting knife
- 1 piece aluminium extrusions for added strength and safety
- No mechanical switches for optimum reliability
- PVC 2 x 30mu

#### Accessories Code

HA670	220mm work table and film holder	4.1
HA889	320mm work table and film holder	4.9
HA903	420mm work table and film holder	6.2
HA904	620mm work table and film holder	6.8
HA1334	220 Spares Kit*	0.05
HA1335	320 Spares Kit*	0.05
HA1336	420 Spares Kit*	0.05
HA1337	620 Spares Kit*	0.05
HA000414	C/S-Type Cutting Blade	0.05
HA001338	C-Type Cutting Knife (Complete Assembly)	0.05
HA001339	C-Type front Cap (Magnet)	0.05
HA000427	C-Type Silicon Rubber (Metre)	0.05
HA000641	C-Type Opening Spring (Assembly)	

#### Code

C220	220mm with cutter	3.5
C320	320mm with cutter	4.0
C420	420mm with cutter	4.5
C620	620mm with cutter	5.0

\*Spare Kits Include:  
1 x element wire,  
1 x low teflon &  
1 x upper teflon



## PRO-SEAL Stainless Steel (INOX) Range

Inox stainless steel fittings - ideal for the food industry

#### Maximum Film Thickness

PE polythene	200 micron bag, total thickness 400 microns
PP Polypropylene	80 micron bag, total thickness 160 microns
PVC	30 micron bag, total thickness 60 microns

#### Code

CI220	220mm with cutter	3.5
CI320	320mm with cutter	4.0
CI420	420mm with cutter	4.5
CI620	620mm with cutter	5.0

#### Accessories Code

HA911	220mm work table and film holder	4.1
HA914	320mm work table and film holder	4.9
HA915	420mm work table and film holder	6.2
HA916	620mm work table and film holder	6.8

Technical information	C220 CI220	C320 CI320	C420 CI420	C620 CI620
Seal length	220mm	320mm	420mm	620mm
Seal width	2.5mm	2.5mm	2.5mm	2.5mm
Max. film width	200mm	300mm	400mm	600mm
Max. cutting length	200mm	300mm	400mm	600mm
Voltage	230v 50/60Hz	230v 50/60Hz	230v 50/60Hz	230v 50/60Hz
Consumption	135w	175w	220w	320w
Dimension of machine	450 x 100 x 175mm	550 x 100 x 175mm	650 x 100 x 175mm	850 x 100 x 175mm
Dimension of packed machine	475 x 133 x 200mm	575 x 133 x 200mm	675 x 133 x 200mm	875 x 133 x 200mm
Weight of packed machine	3.5kg	4.0kg	4.5kg	5kg

● Seals polythene up to 200mu (800g) ● PP 2 x 80mu ● PVC 2 x 30mu






# Industrial Heat Sealing Machines

## Durable, Heavy Duty Industrial Sealers

Opti-Seal Industrial Impulse Heat Sealers offer the ultimate in heat sealing technology. Unsurpassed Opti-Seal quality including an integrated magnetic sealing head offers an incredible 5mm heavy duty seal. Simple to operate, the Opti-Seal range is able to seal PE, PP, PA and PVC film and thinner double-coated materials and offers adjustable sealing and cooling times.

**When only the best will do, Opti-Seal is the No.1 choice.**



### Advantages of Opti-Seal Machines

- Easy use and operation
- Wide range of applications
- Automatic impulse sealing operated by hand or foot pedal
- Integrated sealing magnet
- Separate, electronically adjustable sealing and cooling time
- Opening of the sealing bar is controlled by gas spring
- Integrated sealing wire stretching unit
- Adjustable work table
- Ideal for closing and producing pouches and bags
- Integrated safety cutting knife
- 5mm sealing wire

### Accessories:

Code	
HG1374	420mm work table and bag support
HG1288	420mm stand, foot pedal & film holder
HG1353	620mm work table and bag support
HG1289	620mm stand, foot pedal & film holder
HG001354	820mm long work table and bag support
HG001290	820mm stand, foot pedal & film holder
HG1375	1020mm work table and bag support
HG1291	1020mm stand, foot pedal & film holder
HA1128	5 metres of cover teflon
HA1229	5 metres of lower teflon
KA001065	5 metres of 5mm sealing wire
HA001383	S-Type Cutting Knife (Complete)
HA000414	C/S-Type Cutting Blade
FPED	Flexi Foot Pedal
HA002025	S-Type Sealing Head Return Spring
HA001323	S-Type Silicon Rubber (Metre)

### Accessories:

- Working table with bag holder
- Stand, foot pedal and film holder
- Long table with long bag holder
- Long foot pedal
- Aluminium working support arm
- Date stamping unit
- Perforating unit



### Machines

Code		
S420	420mm with cutter	30.0
S620	620mm with cutter	36.0
S820	820mm with cutter	42.0
S1020	1020mm with cutter	48.0

### Maximum Film Thickness

PE polythene	250 micron bag, total thickness 500 microns
PP Polypropylene	200 micron bag, total thickness 400 microns
PVC	100 micron bag, total thickness 200 microns
Laminates, foil etc.	150 micron bag, total thickness 300 microns

Technical information	S420 SI420	S620 SI620	S820	S1020
Seal length	420mm	620mm	820mm	1020mm
Seal width	5mm	5mm	5mm	2.5mm
Max. film width	400mm	600mm	800mm	1000mm
Max. cutting length	420mm	620mm	820mm	1020mm
Voltage*	230v 50/60Hz	230v 50/60Hz	230v 50/60Hz	230v 50/60Hz
Consumption	450w	350w	850w	950w
Dims. of machine & frame	620 x 650 x 1100mm	820 x 650 x 1100mm	1020 x 650 x 1100mm	1220 x 100 x 175mm
Weight of packed machine	30kg	36kg	42kg	48kg





# Industrial Heat Sealing Machines



The Optiseal Sealer can be used close by hand or mounted on a stand which comes complete with a film holder to allow the film to be dispensed on demand. The foot pedal connects to the sealer to provide a hands-free sealing operation. An optional work table and bag support for holding the product during sealing is also available. This is adjustable to allow the operator to make uniform bag sizes.



## Flexible Foot Pedal

Connect this to the Optiseal Bench Mounted Magnetic Sealer for "hands-free" operation. The Sealer must overhang the front of the bench by 40 mm and be screwed down.

Product Code: FPED



## Packaging Chute

Load the Optiseal Packaging Chute with layflat tubing and create sealed bags on demand for a variety of batch packaging applications, from small engineering components to nuts, bolts and screws etc.



## Mobile Heat Sealer Station

There is an increasing demand for the 'Pick-Pack' despatching of random size packages. The new Mobile Heat Sealer Station enables a facility to create a system that incorporates the S620 Optiseal Heat Sealer (see page 36) and 2 sizes of layflat tubing up to 24" (610mm) wide to create mailing bags on demand to any length.

\*Heat Sealer not included in price, see page 36



Product Code: PPEHMS



This is only a small selection of machines available. Ask for more information about:

- Stainless steel versions
- Packaging liquids and powders, sealing thick foils and laminated materials and code/seal date stamping





## Refuse Sacks

- \* Wheelie Bin Liners
- \*\* Blue Aggregate Sacks



### Code

RS002	18" x 29" x 39" x 180g	200/box	11.7
RS003	16" x 25" x 39" x 300g	100/box	8.7
RS005	18" x 29" x 39" x 120g	200/box	6.7
WBL049	30" x 46" x 54" x 17mu*	250/box	11.5
ARG2030	20" x 30" x 480g**	100/box	8.7

## Swing Bin/Square Bin /Pedal Bin Liners



### Code

WSBL	13" x 23" x 29" Swing Bin Liners	4.45
	White High Density 1000/box (10x100)	
SBL/1	15" x 24" x 24"x7mu Square Bin Liners	4.6
PBL/1	11" x 17" x 18"x7mu Pedal Bin Liners	2.4

## Polythene Carrier Bags



### Code

<b>180/360 Vari Gauge</b>			
PCB01	15" x 18" 3"	White,	10.0
	500/case	Dark Blue	

PCB02	22" x 18" x 3"	White	15.0
	500/case		15.0

Specify Colour: White - /WH  
Blue - /BL

Please add appropriate suffix to product code for colour required.

### Patch Handle x 120g

PCB03	15" x 18" 3"	White	6.0
	500/case		

### High Density Candy Stripe Carriers

PCB05	11" x 17" x 21"	Red/White Stripe	7.5
	2000/case	Blue/White Stripe	

# Anti-Static Packaging

## Specialist Application Packaging Solutions

### Anti-Static Dissipative Packaging

This form of packaging is amine free and manufactured in transparent pink. Its flexibility and easy handling make the product ideal for non-sensitive components used in static controlled environments.

#### Pink Anti Static Grip Seal Bags (not printed)

AS6	4" x 5.5" x 200g	1000/box	1.9
AS9	5" x 7.5" x 200g	1000/box	3.6
AS11	6" x 9" x 200g	1000/box	4.6
AS12	8" x 11" x 200g	1000/box	6.4

#### Open Ended Anti Static Polythene Bags

Printed ESD, warning symbol

ASPB68	6" x 8" x 400g	1000/box	5.8
ASPB810	8" x 10" x 400g	1000/box	10.0
ASPB1012	10" x 12" x 400g	1000/box	15.2
ASPB1214	12" x 14" x 400g	1000/box	19.5



This product is manufactured from metallic polyester, laminated to antistatic polyethylene. This provides true shielding to static sensitive devices by the "Faraday Cage" principle with its inner antistatic layer preventing static charge generation.

Ideal for the transportation of Static Sensitive devices, providing "Faraday Cage" protection. This versatile product is unaffected by humidity with stable properties. Surface resistivity less than 105 Ω (EN 100 015/1).

### Metallised Static Shielding Bags

Printed CSD, warning symbol  
Grip Seal Bags

MSGT68	6" x 8"	500/box
MSGT810	8" x 10"	500/box
Open Ended Bags		
MSPB46	4" x 6"	1000/box
MSPB68	6" x 8"	500/box
MSPB810	8" x 10"	500/box

### Black Volume Conductive Bags

Printed ESD, warning symbol

BCPB68	6" x 8" x 300g	1000/box	6.2
BCPB810	8" x 10" x 300g	1000/box	8.4

### Anti Static Bubble Pouches

With 30mm self adhesive lip.

ASBP1	100 x 135mm	750/ctn	2.8
ASBP2	130 x 185mm	500/ctn	2.9
ASBP3	180 x 235mm	300/ctn	2.5
ASBP4	230 x 285mm	300/ctn	3.7
ASBP5	280 x 360mm	150/ctn	3.3
ASBP6	305 x 435mm	150/ctn	3.8
ASBP7	380 x 435mm	100/ctn	3.4







# Introducing the new advanced Polythene shrink systems

## Ripack 2200 Propane Gas Shrink System

- More power - 68kW
- Up to 20% more productivity
- Instantaneous - smooth ignition (no more two stage ignition)
- New design incorporates the ignition system inside the gun for longer life

68  
kilowatt




**Cold Nozzle®** - No risk of burns, no need for protection, the Ripack nozzle remains cool during and after operation

**Reliable** - the double safety regulator protects against internal overheating and distortion, resulting in a longer appliance life and reduced maintenance costs

**Fast** - The large heating nozzle allows heat to be applied over a large area combined with a very short shrinking time reducing operating costs. The adjustable regulator allows power to be controllable for a wide range of size applications

**Ergonomic** - Light and easy to handle, fatigue free and fast working, the rotating nozzle and swivel gas connection prevent the hose twisting and enhance operator performance

**Safe** - The automatic valve on the unique regulator will shut off in the event of the hose being cut through or damaged. The R2200 also features a safety guard and dead man's handle.



PATENTED  
**COLD  
NOZZLE**

Product Code: R2200



weight of  
gun only  
1.2kgs


5.kg  
shipping  
weight  
per kit

## Ripack 3000 Propane Gas Shrink System

**15%  
FASTER**  
DUE TO ITS  
HIGHER HEAT  
POWER



Product Code: R3000



PATENTED  
**COLD  
NOZZLE**



weight of  
gun only  
1.2kgs

5.kg  
shipping  
weight  
per kit



RIPACK3000-10 comes complete in a carrying case serving as a stable footboard capable of elevating an operator of 120kg by 27cm

The New Ripack 3000 Propane Gas Shrink System offers all the features of the 2200 model plus...

- Due to increased power increases productivity, save 15% time
- More comfort from improved handle grip
- Large suspension ring for attaching the gun to a retractable tool balance
- A spare igniter is now stored in the handle and can be replaced without tools in less than a minute
- Carrying case/footboard elevating the operator by 27cm

**the best just got better!**

➤ HIGH PERFORMANCE ➤ COLD NOZZLE ➤ DURABLE







## GSG100 Gas Shrink System

32 kilowatt

### Improved Design

STRONGER, RELIABLE,  
MORE POWERFUL,  
COMFORTABLE TO  
HANDLE & MORE  
ECONOMICAL

- Low cost
- Complete system including 5 mtr hose & safety regulator valve
- Uses propane gas
- Weight of shrink gun approx 1kg

2.9kg  
per  
system

## PCT Gas Cylinder Trolley

8.3kg



## PFD/1 Shrink Film Roll Dispenser

16.6kg



### PFD/1 Polythene Film Dispenser

Polythene Film Dispenser for polythene shrink film / covers on a roll. On lockable castors. Expands up to 2m. Additional spindles available on request. Holds up to 3 rolls.

Dimensions: Height 870mm x Width 2000mm x Depth 660mm

## VCI1500 Varicover System



### Produce any length shrink covers - on demand

The VCI1500 shrink film bag sealer is a unique roll dispenser with press bar and manual knife cutter. Designed for on-site production of shrink covers of any length from gusset tubing or centre folded film.

## Spare Parts for Shrink Guns

For spare parts not listed please  
phone for price

### GSG100

Part No.	Description
GSG/3	Gas Tap
GSG/5	Spark Generator
GSG/9A	Electrode - Spark Plug
GSG/10	Flame Cowl
GSG/14	Regulator
GSG/15	Hose 8 mtr
GSG/2	Trigger

### Ripack 2000/2200

Part No.	Description	Compatible with	
		2000	2200
134025	Regulator	✓	✓
250023	Hose	✓	✓
148043	Swivel Connector	✓	✓
131072	Piezo Igniter	✓	✓
236022	Ignition Wire (2000)	✓	✗
232061	Spark Plug (2200)	✗	✓
243044	Neck Casing (2200 > s/n 197868)	✗	✓
243056	Neck Casing (2200 > s/n 197869)	✗	✓
233258	Ignition Wire (2200 > s/n 197868)	✗	✓
233385	Ignition Wire (2200 > s/n 197869)	✗	✓
248113	Gas Tap	✓	✓





# Polythene shrink film

Polythene Shrink Film, in Centre-Fold, Gusset Tubing and Bag configurations on the roll.


All available  
from stock for  
next day  
delivery

Select the right film for the right application...

For awkward shaped items...



...use Centre Fold



## Centrefold Shrink Film

Ideal for awkward shaped products, such as trolleys, trucks, fitments and machinery.


**CS1225** Shrink Centre Fold Polythene Sheeting  
1250mm/2500 mm x 125 micron x 85m/roll

**PS004** Shrink Multi Fold Polythene Sheeting  
4000mm x 200 micron x 25m/roll

For loads of varying height...



...use Gusset Shrink Tubing



## Shrink Gusset Polythene Tubing

Pallet covers on a continuous roll, ideal for variable pallet heights.



**GS1012** Shrink, Gusset Polythene Layflat Tubing  
1250mm/2250mm x 125 micron x 50m/roll  
To suit load size 1000mm x 1200mm

**GS1223** Shrink, Gusset Polythene Layflat Tubing  
1200mm/2300mm x 200 micron x 30m/roll

Cut tubing to length and seal the top by applying the shrink gun along the edge and when it starts to melt seal by running a metal spatula across the film.  
GS1012 is ideal for loads on pallets measuring 1000 x 1200mm.

For loads of approx 1200mm in height...

...use ready made Shrink Bags on a roll



## Polythene Shrink Bags

Perforated on the roll for convenience

Ready made covers provide the quick and professional solution to high presentation shrink wrapping.

For easy dispensing and damage prevention to shrink film use our PFD/1 Dispenser.

Code	Load Size	Load Height	Thickness	Covers/Roll
<b>SB1280</b>	1200 x 800mm (Pallet cover size 1300/2150mm x 1850mm)	1200mm	125mu (500 gauge)	30
<b>SB1210</b>	1200 x 1000mm (Pallet cover size 1300/2350mm x 1950mm)	1200mm	125mu (500 gauge)	30
<b>SB1212</b>	1200 x 1200mm (Pallet cover size 1300/2550mm x 2050mm)	1200mm	125mu (500 gauge)	25





## Stretch Film




For Stretch Film  
Dispensers see  
page 43



Weight  
Per  
Carton



Code	6 Rolls per Case			
Cast Film				
CCE417	400 x 300mtr x 17mu	38mm Ext Core	12.1	
CCS417	400 x 300mtr x 17mu	38mm Std Core	12.1	
CCE420	400 x 300mtr x 20mu	38mm Ext Core	13.4	
CCS420	400 x 300mtr x 20mu	38mm Std Core	13.1	
CCS520	500 x 300mtr x 20mu	50mm Std Core	16.9	

<b>Blown Film</b>		<b>6 Rolls per Case</b>	
BCE417	400 x 300mtr x 17mu	38mm Ext Core	11.9
CBE417 Blue Tint	400 x 300mtr x 17mu	38mm Ext Core	11.9
BCE420	400 x 300mtr x 20mu	38mm Ext Core	14.1
BCS520	500 x 300mtr x 20mu	50mm Std Core	17.0
BCS5234	500 x 200mtr x 34mu	50mm Std Core	22.7

<b>Black Opaque Stretch Film</b>		<b>6 Rolls per Case</b>	
BBKS525	500 x 250mtr x 25mu	50mm Std Core	22.7
BBKS4317	400 x 300mtr x 17mu	38mm Ext core	12.1

Weight  
Per  
Roll



<b>Power Machine Stretch Film Cast 300%</b>			
MSF520	500 x 1700mtrs x 20mu	16.79 kilos per roll	16.79
MSF523	500 x 1550mtrs x 23mu	16.79 kilos per roll	16.79

## Pre-Stretched Stretchfilm



Code	Weight Per Carton	Code	Weight Per Roll
<b>HAND FILM</b>		<b>MACHINE FILM</b>	
PSH438	430mm x 600mtrs x 8mu (6 rolls per carton- 240 rolls/pallet)	PSM438	440mm x 2800mtrs x 8mu (60 rolls/pallet)

### 8mu Pre-Stretched Film

Due to the film being pre-stretched, the film does not 'neck-down'. 8 micron pre-stretched film performs more efficiently than 12-20 micron standard film.



Saves operator fatigue as they simply walk around the pallet with the film taut. As most of the stretch has been taken out of the film, the load will remain stable during transit.



Up to 50% less film used results in up to a 50% cost saving and packaging waste reduction.



### 17mu Standard Film



See page 32 for  
Polythene Top Covers







# Stretch Film Dispensers

## SR80 Standard Dispenser



Standard Dispenser for  
400mm/500mm stretchwrap  
on 38/50/75mm Core  
Pack of 6 dispensers per outer



## TMW H.D. Dispenser



Heavy Duty Telescopic Dispensers for  
Stretchwrap on 38/50/75mm core.  
Ideal for 400mm or 500mm.

**500mm width film**  
suitable only with  
50mm and 75mm  
core



## DPD38/DPD50



**DPD38**  
Plastic Hand Grip Dispenser for  
stretchwrap on a 38mm core



**DPD50**  
Plastic Hand Grip Dispenser for  
stretchwrap on a 50mm core

## BWR 4050



**Bow Wrapper Dispenser**  
Suitable for  
400mm & 500mm stretchfilm  
Suitable for 38mm & 50mm core



## HSAV38 / HSAV50



**H/SAV38 End Bungs**  
Hand saver 38mm  
lightweight  
stretchwrap end  
bungs



**H/SAV50 End Bungs**  
Hand saver 50mm  
lightweight stretchwrap  
end bungs

# Handy Wrap

## Handy Wrap Film



### Code

<b>HWF100</b>	7.8
100mm x 150mtr x 15mu. core size 140 x 38mm (extended)	
<b>HWF17</b>	11.75
100mm x 150mtr x 17mu. core size 140 x 38mm (extended) 40 rolls/carton	
<b>PS1116B</b>	7.8
100mm x 150mtr x 17mu Black Handy Wrap on 38mm extended core	



## HWFKI Handy Wrap Starter Kit



2 x Dispensers  
10 x rolls in  
convenient carry box



## HW38 Handy Wrap Dispenser



Handy Wrap Dispenser for Handy Wrap  
Film & stretchwrap on 38mm core



## HWF6K Handy Wrap Kit

1 x Dispensers  
6 x rolls of film

## HWSC Handy Wrap Dispenser



Solid core hand wrap dispenser for  
38mm core







## papers & protective packaging

- |                                   |    |
|-----------------------------------|----|
| > Packaging Papers                | 45 |
| > Jiffy Bags & Mailing Envelopes  | 46 |
| > Trans Monitor Transit Labels    | 47 |
| > Trans Label Parcel Labels       | 48 |
| > Trans Haz Hazard Warning Labels | 49 |
| > Pillopax Air-Pillo Systems      | 50 |
| > EcoPax Cushion Pack Systems     | 52 |
| > Protective Sleaving             | 54 |



## VCI Rust Inhibitor Paper

Volatile Corrosion Inhibitor



A comprehensive range of anti-corrosion products are now available

Code

Code

**VC1100** 1000mm x 200mtr x 50Gsm V.C.I. 11.0

## Kraft Union Paper



Code

**KUP9** 900mm x 120Gsm x 100mtr 11.2

**KUP12** 1200mm x 120Gsm x 100mtr 14.9

**KUP18** 1800mm x 120Gsm x 100mtr 22.3

## Tissue Paper



480 Sheets Per Ream



Code

**BTP47** 450mm x 700mm MG Bleached Tissue 2.9

**BTP57** 500mm x 750mm MG Bleached Tissue 3.55

**AFT57** 500mm x 750mm MG Acid Free Tissue 3.4

## News Off Cuts



Code

**NOC57** 500mm x 750mm 12.5 Kilos/Pkt 12.5

## Green PVC Coated Sack Ties

wire is 1.1mm (17 gauge inc P.V.C. coating)



Increased range of sack ties now available

1000 per bundle, 5000 per sack

Code

**ST6** 150mm PVC Coated 6" 2.25

**ST8** 200mm PVC Coated 8" 2.60

**ST9** 225mm PVC Coated 9" 2.90

**ST10** 250mm PVC Coated 10" 3.10

**ST12** 300mm PVC Coated 12" 3.60

**ST14** 350mm PVC Coated 14" 4.20

**STT** Sack Tying Tools 0.40

## Waxed Kraft Paper



Code

**WKP40** 900mm x 100mtr x 55Gsm

Waxed Kraft 11.0

(2 Rolls / Per Pack)

## Kraft Paper - MG Pure Ribbed Kraft



Paper Roll Dispensers - See Page 83

Ream = 480-500 sheets approx.  
Rolls 70gsm = 285mtrs.  
Rolls 88gsm = 225mtrs.

Code

Reams

**PKP01** 700mm x 1150mm x 70Gsm Pure Kraft 15.5

(packed in 1/2 reams)

**PKP02** 900mm x 1150mm x 70Gsm Pure Kraft 18.1

(packed in 1/2 reams)

Rolls

**PKP03** 450mm x 70Gsm Pure Kraft 8.25

**PKP04** 500mm x 70Gsm Pure Kraft 9.15

**PKP05** 600mm x 70Gsm Pure Kraft 11.0

**PKP06** 750mm x 70Gsm Pure Kraft 13.7

**PKP07** 900mm x 70Gsm Pure Kraft 16.5

**PKP08** 900mm x 88Gsm Pure Kraft 16.5

**PKP09** 1200mm x 70Gsm Pure Kraft 22.0

## Kraft Paper - MF Imitation Kraft



Paper Roll Dispensers - See Page 83

Ream = 480-500 sheets approx.  
Rolls = 200mtrs

Code

Reams

**IKP02** 900mm x 1150mm x 90Gsm Imitation Kraft 21.05

(packed in 1/2 reams)

Rolls

**IKP03** 600mm x 90Gsm Imitation Kraft 10.83

**IKP04** 750mm x 90Gsm Imitation Kraft 13.54

**IKP05** 900mm x 90Gsm Imitation Kraft 16.25

**IKP06** 1150mm x 90Gsm Imitation Kraft 20.76

## Woven Polyprop Sacks

Strong, tear resistant sacks ideal for heavy, sharp fabricated products and engineering parts



Code

**WSP1520** 38 x 55cm 100/pack 1.95

**WSP1824** 45 x 60cm 100/pack 2.60

**WSP1932** 50 x 80cm 100/pack 3.5





## Jiffy Padded Bags

The original protective postal bag



Code	Bags/Case	Internal Size	
PB00	(200)	107 x 235	8.1
PB0	(200)	132 x 235	9.5
PB1	(100)	164 x 285	7.2
PB2	(100)	196 x 285	8.6
PB3	(100)	196 x 350	10.1
PB4	(100)	221 x 350	10.7
PB5	(100)	247 x 387	12.9
PB6	(50)	298 x 464	9.2
PB7	(50)	336 x 489	11.1
PB8	(50)	437 x 665	20.3

## Jiffylite Aircraft Bags

Superlight, Bubble Lined Postal Bag  
White



Code	Bags/Case	Internal Size	
JL000	(150)	90 x 145	1.2
JL00	(100)	115 x 195	1.2
JL0	(100)	140 x 195	1.4
JL1	(100)	170 x 245	1.9
JL2	(100)	205 x 245	2.1
JL3	(50)	205 x 320	1.4
JL4	(50)	230 x 320	1.5
JL5	(50)	260 x 345	1.8
JL6	(50)	290 x 445	2.5
JL7	(50)	340 x 445	2.9

## 3 Ply Paper Mailing Sacks

Increased range of sack ties now available see page 45



Code	Size (inches)	
PM51728	13/17 x 28	100/pack

## Mailmiser Bags

Premium Bubble Lined Postal Bag  
White



Code	Bags/Case	Internal Size	
MM000W	(150)	90 x 145	1.2
MM00W	(100)	115 x 195	1.3
MM0W	(100)	140 x 195	1.4
MM1W	(100)	170 x 245	2.0
MM2W	(100)	205 x 245	2.3
MM3W	(50)	205 x 320	1.6
MM4W	(50)	230 x 320	1.7
MM5W	(50)	260 x 345	2.0
MM6W	(50)	290 x 445	2.7
MM7W	(50)	340 x 445	3.1

## Bubble Pouches

With self adhesive flap



Code	Qty/Carton	S/S	Size	
BP1	750	30	100 x 135	2.8
BP2	500	30	130 x 185	2.9
BP3	300	30	180 x 235	2.5
BP4	300	30	230 x 285	3.7
BP5	150	30	280 x 360	3.3
BP6	150	30	305 x 435	3.8
BP7	100	30	380 x 435	3.4

## Bubble Box



Code	
SBDP300	300mm x 33mtr

## Polythene Mailing Envelopes

Co-extruded white opaque outer/black inner burst proof polythene



Code		+ Self Adhesive Lip				
CPMA4	225mm x 315mm	+ 35mm	37 Micron	Clear Polythene	1,000/box	4.45
CXMA3	320mm x 475mm	+ 50mm	55 Micron	Co-extruded	1,000/box	16.5
GPM67	600mm x 700mm	+ 40mm	55 Micron	Grey Polythene	250/box	9.8

Increased Range of Cardboard Mailing Envelopes, Packages & Boxes



available on request



# trans monitor

## Transit Packaging Monitor Labels

We now stock a range of Transit Packaging Monitor Indicator Labels


### DNT/LB Drop'n Tell System



The Drop'n Tell includes two warning labels and is manufactured in six different G-ranges (5G, 10G, 15G, 25G, 50G and 100G). The device monitoring 5 times the force of gravity is very sensitive. The device monitoring 100 times the force of gravity requires a greater impact to activate. Attach the Drop'n Tell to your product by removing the liner on the back to expose the adhesive or screw/nail it using the holes on each end.

Drop 'n Tell Code	Pack weight (kg)	Container Area in Cubic Metres				
		0.00-0.028	0.028-0.142	0.142-0.425	0.425-1.416	1.416+
DNT/LB100	0.00-4.53	100G	100G	50G	50G	25G
DNT/LB100	4.53-11.34	100G	50G	50G	25G	25G
DNT/LB50	11.34-22.68	50G	25G	25G	25G	25G
DNT/LB50	22.68-45.36	50G	25G	25G	15G	15G
DNT/LB25	45.36-113.4	25G	25G	15G	15G	15G
DNT/LB15	113.4-453.6	15G	10G	10G	10G	10G
DNT/LB5	453.6+	5G	5G	10G	10G	10G


This chart should only be used as a basic guide. Drop'n Tell activation depends upon the type and amount of cushioning used to protect a product in transit. Drop height will also affect activation.



### TNT/LB TIP'n Tell System



Tip'n Tell is a brightly coloured device that product handlers quickly recognise. It includes a system of labels that warns all handlers of a monitoring device. Tip'n Tell can be mounted on the inside or outside of your shipment. Tip'n Tell is activated by pulling the bar in the centre of the device. Attach it to either your product or shipping container by removing the liner on the back to expose the adhesive. You may also attach Tip'n Tell by nailing or stapling it to the container. If your product is tipped slightly less than 90 degrees or beyond, the clear arrow becomes permanently blue. Your customer can then immediately check for damage.



A self adhesive label measuring 100mm x 100mm incorporating a glass tube which activates by turning red when the article to which it has been attached is dropped from a pre-determined height. There are five colour coded sensitivities designed to activate at certain drop heights. The Shockwatch sensitivity should be based on product fragility, container cushioning type and design. Field trials are recommended to determine the correct sensitivity relative to product damage.

#### ATTENTION:


Due to the sensitivity of Shockwatch, deliveries are made direct to you and the following charges will apply to cover for special transit packaging and carriage. Shockwatch orders will be treated as separate orders from all other products you order and Shockwatch monitors cannot be returned or refunded.

Caution! Please make sure Goods Inwards check the Shockwatches before signing for them. Claims cannot be accepted if signed for in good condition. Note: Drop'n Tell are an ideal alternative as they are only activated by removing the special pin.

Code	Colour	Average Activation approx. height cm	(ins)	g Rating (approximate)
SW/L-30	Green	120	(47)	100
SW/L-35	Orange	90	(35)	75
SW/L47	Red	47	(18)	50
SW/L55	Purple	33	(13)	38
SW/L-65	Yellow	30	(11)	20

There are five Shockwatch colour coded sensitivities designed to activate at certain drop heights

Each box comes complete with companion labels.



### SW/L Shockwatch System







# trans label

## PARCEL LABELS & LABEL DISPENSERS

**Tip** All the Label Dispensers on this page can accommodate rolls up to 150mm outside diameter.

### SELF ADHESIVE PARCEL LABELS

'every packing department needs them'



### COMBINATION SHIPPING LABELS

Save time and money with these new multi-instruction labels

102mm x 102mm

500 labels/roll

Product Code: COM/LB1



### PARCEL LABELS

Code	Size	Qty/Roll	Description	
SG89FR	89x32	1,000	<b>FRAGILE</b>	0.5
SG89GL	"	1,000	<b>GLASS</b>	0.5
SG89UR	"	1,000	<b>URGENT</b>	0.5
SG89SO	"	1,000	<b>SOLD</b>	0.5
SG89HA	"	1,000	<b>HANDLE WITH CARE</b>	0.5
SG89DO	"	1,000	<b>DOCUMENTS ENCLOSED</b>	0.5
SG89DN	"	1,000	<b>DO NOT BEND</b>	0.5
SG148FR	148x50	500	<b>FRAGILE</b>	0.7
SG148GL	"	500	<b>GLASS WITH CARE</b>	0.7
SG148HA	"	500	<b>HANDLE WITH CARE</b>	0.7
SG148DO	"	500	<b>DO NOT CRUSH</b>	0.7
SG148NS	148x50	500	<b>DO NOT MIX FRAGILE DATA WITH CARE</b>	0.7
HVY006	148x50	500	<b>CAUTION HEAVY FOLDING</b>	0.7
SG108FR	108x79	500	<b>FRAGILE</b>	0.8
SG108HA	"	500	<b>HANDLE WITH CARE</b>	0.8
SG108TH	"	500	<b>THIN</b>	0.8
SG108NS	"	500	<b>DO NOT MIX FRAGILE DATA WITH CARE</b>	0.8
SG108LI	"	500	<b>LIQUID</b>	0.8

### PD608T Pacplus Bench Type Label Dispenser



110mm Label Dispenser  
Max roll diameter 210mm



### PD611T Pacplus Bench Type Label Dispenser



160mm Label Dispenser  
Max roll diameter 210mm



12kg each

### LD Bench Type Label Dispensers

Code Max Width

LD35 80mm

LD85 210mm



1.7

2.2



### WLD Wall Mounted Label Dispensers

Max roll diameter 160mm

Code Max Width

WLD35 86mm

WLD45 110mm

WLD65 162mm

WLD105 226mm



1.1

1.4

1.7

2.2



### PD625T Pacplus Bench Type Label Dispenser



250mm Label Dispenser  
Max roll diameter 210mm



35kg each





# transhaz HAZARD WARNING LABELS

Manufactured from self-adhesive vinyl. 100mm x 100mm labels on rolls of 250




## transdoc

### PLPT Pouch Tape Dispenser

Plastic dispenser for Documents  
Enclosed pouch tape and label  
protection tape



### LPD Pouch Tape Dispenser



See Page 30 for  
Pouch Tape

LPD DISPENSER  
Includes  
weighted base



### Tags & Labels



#### Code

#### White Card with Reinforced Eyelet

WPL3	70mm x 35mm	CW 10" Wires	0.85
WPL4	82mm x 41mm	CW 10" Wires	1.2
WPL5	120mm x 60mm	CW 10" Wires	2.25
STCR4	82mm x 41mm	CW 10" Strings	1.1

#### Paper faced metal label with strapping slots either side

WLM6	115mm x 60mm	10.2
------	--------------	------

## SILICA GEL SACHETS



Code	Sachet Weight (g)	Qty per pkt	Size per pkt (w x l)	
SGS1	1	500	18 x 33mm	0.5
SGS5	5	250	37 x 52mm	1.25
SGS10	10	500	36 x 74mm	5.0
SGS25	25	500	47 x 122mm	12.5
SGS50	50	250	86 x 127mm	12.5
SGS100	100	200	71 x 158mm	20.0
SGS250	250	100	113 x 181mm	25.0
SGS500	500	50	108 x 253mm	25.0



Removes humidity in sealed packages. Prevents corrosion, condensation, rusting and fungal growth. Ideal for: Electronics, Precision Equipment, Leathergoods, Pharmaceuticals, Optics etc..

It is recommended you use 5 grams of silica gel per every cubic foot, making sure your package is airtight.





# Pillopax

AIR CUSHION SYSTEM

## NEW GENERATION AIR PILLOW SYSTEM

# VMAX3

NEW TECHNOLOGY, IMPROVED FUNCTIONALITY

### VMAX3 Simplicity in Air Pillow Packaging

The new Pillopax VMAX3 uses our unique high performance films as well as our general purpose Pillopax film.



#### TECHNICAL SPECIFICATIONS

Dimensions: 320 x 400 x 360mm  
Weight: 13kg  
Speed: 15 metres/min  
Film Sizes: 200mm x 200mm & 200mm x 100mm



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY



UPGRADE TO  
12 MONTH ON-SITE  
PARTS & LABOUR  
WARRANTY  
CALL FOR DETAILS

INSTALLATION &  
STAFF TRAINING  
AVAILABLE



#### FEATURES & BENEFITS INCLUDE:

- > Portable, compact, rugged design
- > Only weighs 13 kilos
- > Very simple and easy to use controls
- > Suitable for 200 x 200mm and 200 x 100mm Pillopax film
- > 15 metres per minute
- > Reliable, consistent pillow throughput



13kg





The Four P's of Packaging:

# Pilopax Protective Pillo Packaging

All Systems benefit from:

 <b>1</b> Reduced storage area required.	 <b>2</b> User-Friendly. Easy recycling and disposal. Ultimate product presentation.	 <b>3</b> Static protection of your packaged goods - unlike loosefill that can 'settle' allowing goods to migrate during transit.
---	---	--

Full range of service parts including teflon belts and cutting blades available.

## NEW HIGH PERFORMANCE PILLOPAX FILM

Code	Pillo Size	Machine Use	
PPF100HP High Performance Pilopax Film	200 x 100mm 500mtr/roll	VMAX3	6.15
PPF200HP High Performance Pilopax Film	200 x 200mm 500mtr/roll	VMAX3	6.10
PPF200-650HP High Performance Pilopax Film	200 x 200mm 650mtr/roll	VMAX3	

**Please Note: HP Film is only recommended for use with the VMAX3 & PX2000 Pilopax Machine**

Code	Pillo Size	Machine Use
BPAX200HP High Performance Bio-degradable Film	200 x 200mm 35mu 500mtr/roll	PX2000



## PILLOPAX HOPPER

Optimax Products can design Pilopax hopper systems to optimise your packing operation. Optimax systems are already installed in leading fulfilment centres. Contact us for more information.



## PILLOPAX FILM

Code	Pillo Size	Machine Use
PPF100	200 x 100mm 35mu	500mtr/roll PX900/1500
PPF150	200 x 150mm 35mu	500mtr/roll PX900/1500
PPF200	200 x 200mm 35mu	500mtr/roll PX800/900/1500
PPF300	200 x 300mm 35mu	500mtr/roll PX900/1500




PLEASE NOTE:  
The Pilopax PX800 only uses PPF200 film. HP film is not recommended for use on PX800/900/1500 machines.



Up to 90% warehouse storage saving over other void fill materials

Prices for 400mm wide film on request



## biopax

bio-degradable film further emphasises your commitment to the environment

Code	Pillo Size	Machine Use
BPAX200	200 x 200mm 35mu	500mtr/roll PX900/1500





# ecopax



## Introducing the Ecopax Cardboard Shredders that create void fill from waste cardboard

- Ecopax Converters turn small quantities of old cardboard into lots of packaging material within a short time
- Ecopax Converters create either Void Fill or Protective Matting Material which reduces packaging costs and is ecologically beneficial
- Operator friendly feeding of cartons with punched measuring scale for precise packaging units
- Various sizes of cardboard boxes are automatically processed and tailored in one single step
- Standard dust extraction device built into most models



eco-friendly void fill created from your waste cartons



protective matting option from your used cartons on demand



Create energy absorbing void fill boxes from your waste cardboard

**Void Fill Boxes**

Call our sales team now for more details

## Introducing two improved **energy-efficient** models to the Ecopax cardboard shredder range




The new range of Ecopax Converters still feature all the benefits you've come to expect from the Ecopax brand but now with a more energy-efficient operating system

New energy-efficient drive technology powered through a frequency inverter gives:

- > high motor torque even at low speeds
- > high dynamics, high degree of efficiency
- > low-maintenance and above all energy-efficiency
- > 30% energy saving with same output!

**30%**  
Energy Saving

over previous Ecopax models but with the same output!



> Standard dust extraction device built into all models (except CP316S2-1)



> NEW circuit breaker according to IEC/EN 60204-1



CP316S2-1

CARDBOARD SHREDDER SINGLE PHASE



Cuts  
320mm  
wide



Run time  
2 hours



Dust extraction option



Power  
1,0 kw (1ph)  
230v 50-60Hz



Cuts  
10mm  
thick




Production output  
1-2m<sup>3</sup>/hr  
Throughput rate  
10 metre/min



Dimensions W660mm  
x D660mm  
x H980mm  
weighs 92kg  
footprint 05sqm.



12  
months  
warranty as  
standard



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY





## CP320S2-1

### CARDBOARD SHREDDER SINGLE PHASE



Cuts  
320mm  
wide



Run time of up to  
2 Hours



Dust extraction option



Power  
1,1 kw (1ph)  
230v 50-60Hz



Cuts up to  
12mm  
thick



Production output  
2-3m<sup>3</sup>/hr  
Throughput rate  
12 metre/min



Dimensions W660mm  
x D660mm  
x H1060mm  
weighs 110kg  
footprint 0.5sq.m.



12  
months  
warranty as  
standard



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY



## CP422S2-3PH

### CARDBOARD SHREDDER THREE PHASE



Cuts  
420mm  
wide



Run time of up to  
Unlimited



Dust extraction option



Power  
1,8 kw (3ph)  
200-400v 50-60Hz



Cuts up to  
15mm  
thick




Production output  
4-6m<sup>3</sup>/hr  
Throughput rate  
13 metre/min



Dimensions W660mm  
x D660mm  
x H980mm  
weighs 125kg  
footprint 0.5sq.m.



12  
months  
warranty as  
standard



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY



## CP428S2

### CARDBOARD SHREDDER THREE PHASE



Cuts  
420mm  
wide



Run time  
Unlimited



Dust extraction option



Power  
3,0 kw (3ph)  
200-400v 50-60Hz



Cuts up to  
17mm  
thick



Production output  
6-9m<sup>3</sup>/hr  
Throughput rate  
14 metre/min



Dimensions W800mm  
x D750mm  
x H1100mm  
weighs 125kg  
footprint 0.5sq.m.



12  
months  
warranty as  
standard



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY



## DUST EXTRACTION UNITS

### SFP100-1K

Single phase dust extraction unit  
complete with 3 metre connection hose

- Connect to cardboard shredder to reduce dust
- Weight 45kgs



### SFP200-1V

3 phase dust extraction unit  
complete with 3 metre connection hose

- Connect to cardboard shredder to reduce dust
- Weight 45kgs








# Protective Sleeving

JUMBO 200 METRE  
LENGTH ROLLS AVAILABLE

Protective Sleeving provides a practical, efficient and cost-effective solution to the problems of surface damage to components during manufacture, storage and transit. Available in a range of colour coded sizes, the mesh is flexible enough to mould around irregularly-shaped items, protecting them from knocks and scratches. Unlike traditional materials such as wax paper, it can be used again and again. Manufactured from low density polyethylene in a tubular form in diameters ranging from 5mm to 300mm, Protective Sleeving is resistant to acids and solvents and is unaffected by oils and greases, making it ideal for protecting machined parts in an engineering environment. Other applications include bottle sleeving and protection of damage-prone items such as ceramics, glass, window furniture and furniture legs.

## SUITABLE FOR HUNDREDS OF APPLICATIONS



Product Code	Colour	Min ø	Max ø	Length	Box Quantity	
TP5E	Clear	7mm	15mm	200mtr	4	0.8
TP10	Violet	10mm	20mm	200mtr	4	0.9
TP20	Blue	25mm	50mm	200mtr	4	1.4
TP50	Yellow	35mm	70mm	200mtr	2	2.2
TP75	Brown	50mm	75mm	200mtr	2	2.4
TP100	Red	50mm	100mm	200mtr	2	2.7
TP150	Orange	75mm	150mm	50mtr	2	5.0

## Hand Trucks

### LST-200

#### Traditional Steel Hand Truck

- Capacity 100kg
- H x W x D 1100mm x 490mm x 460mm
- Foot iron length 180mm
- Wheel diameter 250mm
- Weight 8.8kgs



### AST-200

#### Aluminium Light Weight Hand Truck

- Capacity 80kg
- H x W x D 1120mm x 490mm x 490mm
- Foot iron length 125mm
- Wheel diameter 250mm
- Weight 6.45kgs







## strapping products & consumables

➤ Edgeboards	56	➤ Strapping Seals	69
➤ Stainless Steel Strapping	57	➤ Safeguard Strapping Seals	70
➤ Slipguard Anti-Slip Sheets	57	➤ Edge Protectors	72
➤ Kit Start Strapping Kits	58	➤ Steel Strapping	73
➤ Strapping Tools for Polyprop Strapping	60	➤ Polyprop Strapping	74
➤ Battery Powered Polyprop/Polyester Tools	62	➤ Trimax Polyester Strapping	75
➤ Tools for Cord & Composite Polyester Strapping	64	➤ Woven Cord Polyester & Polyester Strapping	76
➤ Tools for Steel Strapping	65	➤ Auto & Semi-Auto Strapping Machines	77
➤ Strapping Dispensers	67	➤ Plastic Pallets	80
➤ Strapping Buckles & Stainless Steel Strapping	68		





## kraftek Eco Friendly Edge Boards

- Low Cost ● 100 % Recyclable ● Vast range of stock sizes

Code	Length	Width	Thickness	Qty Per Pack	Qty Per Pallet	
KVB354532	532mm	35mm x 35mm	4mm	25	5100	3.45
KVB5035580	580mm	50mm x 50mm	3.5mm	50	3150	3.80
KVB5035780	780mm	50mm x 50mm	3.5mm	50	2250	4.20
KVB7538	800mm	75mm x 75mm	3mm	25	2250	6.30
KVB35391	910mm	35mm x 35mm	3mm	50	6000	6.05
KVB351000	1000mm	35mm x 35mm	2mm	50	6300	5.90
KVB353	1000mm	35mm x 35mm	3mm	50	6000	6.50
KVB502	1000mm	50mm x 50mm	2mm	50	5400	
KVB503	1000mm	50mm x 50mm	3mm	50	2700	9.70
KVB603	1000mm	60mm x 60mm	3mm	25	2750	11.45
WEB1000-3	1000mm	100mm x 100mm	3mm	25	1250	
KVB60311-40	1100mm	60mm x 60mm	3mm	40	2800	
KVB35312	1200mm	35mm x 35mm	3mm	50	4200	8.00
KVB50312	1200mm	50mm x 50mm	3mm	50	2700	11.60
KVB50351280	1280mm	50mm x 50mm	3.5mm	50	2250	6.50
KVB35315	1500mm	35mm x 35mm	3mm	50	4200	9.80
KVB50315	1500mm	50mm x 50mm	3mm	50	2700	13.40
KVB35175	1750mm	35mm x 35mm	3mm	50	4200	11.35
KVB503175	1750mm	50mm x 50mm	3mm	50	2700	13.60
KVB35318	1800mm	35mm x 35mm	3mm	50	4200	11.85
KVB50318	1800mm	50mm x 50mm	3mm	50	2700	17.85
KVB75318	1800mm	75mm x 75mm	3mm	25	2000	13.80
WEB1830	1830mm	100mm x 100mm	5mm	20	1120	23.10
KVB35320	2000mm	35mm x 35mm	3mm	50	4200	14.20
KVB50320	2000mm	50mm x 50mm	3mm	50	2700	19.25
KVB60320	2000mm	60mm x 60mm	3mm	25	2750	21.95



### Moisture Resistant Kraftek Edgeboards

Use Moisture Resistant Kraftek for outdoor applications that are exposed to moisture. Kraft board also available.

Code	Length	Width	Thickness	Qty Per Pack	Qty Per Pallet	
MRVB353	900mm	35mm x 35mm	3mm Moisture Resistant	50	4000	6.0
MRVB3531000	1000mm	35mm x 35mm	3mm Moisture Resistant White	25	5000	3.45



# trans tarp

A new range of high quality, fully eyeleted, durable industrial tarpaulins designed to maintain the quality and product integrity of your stored products, both for outside and inside storage applications.



Available in 5 different sizes to suit your storage or weatherproofing application



## Transtarp Industrial Tarpaulins

Code	Description	
TP4102	Industrial Tarpaulin 3m x 2m Fully Eyeleted	0.55
TP4103	Industrial Tarpaulin 5m x 4m Fully Eyeleted	1.80
TP4104	Industrial Tarpaulin 8m x 5m Fully Eyeleted	3.45
TP4105	Industrial Tarpaulin 10m x 6m Fully Eyeleted	4.95
TP4106	Industrial Tarpaulin 12m x 8m Fully Eyeleted	8.45



# slipguard

anti-slip sheets



To complement our range of Logistics Packaging Products, we are now pleased to present our new range of Anti-Slip Layer Sheets



- ⊗ Stabilise pallet loads of sacks, bags and cartons
- ⊗ Reduction of secondary packaging, such as stretchfilm & strapping
- ⊗ Efficient on all materials - paper, corrugated, cartons, glass and plastic packing
- ⊗ Water repellent, ideal for preventing moisture damage
- ⊗ High performance - effective up to angles of 45°
- ⊗ 100% recyclable
- ⊗ Unique anti-slip coating

## Anti-Slip Sheets Now in Stock!

Code: ASL0812-10  
800mm x 1200mm, 100gsm Anti-Slip Sheet  
Packed 200 sheets/box or Bulk Packed 5000 sheets/pallet

Code: ASL1012-10  
1000mm x 1200mm, 100gsm Anti-Slip Sheet  
Packed 200 sheets/box or Bulk Packed 5000 sheets/pallet





Buy These  
Products as  
Kits for Further  
Cost Savings

The one-stop solution for all your strapping requirements from the Pro-Series professional packaging range.



#### Kit comprises:

- 600 mtrs of black strapping
- 250 Plastic Buckles

### BSK600

BUCKLE STRAP KIT



#### Kit comprises:

- 600 mtrs of black strapping
- 250 12mm Semi Open Seals (S034)

### SBX600

STRAP BOX




#### Kit comprises:

- 12mm Tensioner (TST30)
- 12mm Sealer (SGP12)
- 600 mtrs of black strapping
- 250 12mm Semi Open Seals (S034)

### PPSK5

STARTER PACK




#### Kit comprises:

- Combination Tool (B12)
- 600 mtrs of black strapping
- 250 12mm Semi Open Seals (S034)

### PPSK6

STARTER PACK



#### Kit comprises:

- Dispenser (PSD4)
- 12mm Tensioner (TST30)
- 12mm Sealer (SGP12)
- Coil of Strapping (TT45 12mm x 1500mtr)
- 500 Seals (S034)

\*Strap supplied in black

### PPSK8

TENSIONER/SEALER KIT



#### Kit comprises:

- Trolley (PD40)
- 12mm Tensioner (TST30) & 12mm Sealer (SGP12)
- Coil of Strapping (TT45 12mm x 1500mtr)
- 500 Seals (S034)

\*Strap supplied in black

### PPSK10

TENSIONER/SEALER KIT




#### Kit comprises:

- Trolley (PD40)
- Combination Tool (SPC12)
- Coil of Strapping (TT45 12mm x 1500mtr)
- 500 Seals (S034)

\*Strap supplied in black

### PPSK20

COMBI KIT



#### Kit comprises:

- Dispenser (PSD4)
- Combination Tool (B12)
- Coil of Strapping (TT45 12mm x 1500mtr)
- 2000 Seals (S034)


\*Strap supplied in black

### PPSK44

COMBI KIT



## POLYESTER STRAPPING KITS



5kg

### Kit comprises:

- 1 coil 13mm x 500mtr Cord
- Polyester Strap 375kg B/S
- 200 x CB4G Galvex metal buckles

**CSK**

PORTABLE CORD POLYESTER  
STARTER KIT

2  
PARCELS

### Kit comprises:


- 1 coil of woven polyester strap
- CSM20 Mobile Trolley
- CST20 Tensioner
- 1000 metal buckles

**WPSK**

WOVEN POLYESTER  
STARTER KITS

WPSK13  
13mm WPH40 Kit

WPSK16  
16mm WPH55 Kit

WPSK19  
19mm WPH65 Kit

2  
PARCELS

### Kit comprises:

- 1 coil of extruded polyester strap (PTR25 12.5mm x 1600mtr)
- PD40 Mobile Trolley
- HPT50 Tensioner
- OFH Sealer (12mm)
- 1000 serrated clips (SER 12SG)

**EXPSK13**  
13mm PTR25 Kit

2  
PARCELS

### Kit comprises:


- 1 coil of extruded polyester strap (PTR25 12.5mm x 1600mtr)
- PD40 Mobile Trolley
- RSK 12 Combi Tool
- 1000 serrated clips (SER 12SG)

**EPK13**  
13mm Extruded  
Combi Starter Kit

2  
PARCELS

### Kit comprises:

- 1 coil of extruded polyester strap (PT30 12.5mm x 2000mtr)
- MW60 H.D. Trolley
- RSK 12 Combi Tool
- 1000 serrated clips (SER 12SG)

**EHD13**  
Heavy Duty  
Combi Kit

2  
PARCELS

### Kit comprises:

- 1 coil of extruded polyester strap (PTR45 15.5mm x 1200mtr)
- PD40 Mobile Trolley
- HPT50 Tensioner
- OHF Sealer (16mm)
- 1000 serrated clips (SER 16SG)

**EXPSK16**  
16mm PTR45 Kit

2  
PARCELS

### Kit comprises:

- 1 coil of extruded polyester strap (PTR45 15.5mm x 1200mtr)
- PD40 Mobile Trolley
- RSK 16 Combi Tool
- 1000 serrated clips (SER 16SG)

**EPK16**  
16mm Extruded  
Combi Starter Kit

2  
PARCELS

### Kit comprises:

- 1 coil of black polyester strap (PT40 15.5mm x 1750mtr x 440kg B/S)
- MW60 H.D. Trolley
- RSK 16 Combi Tool
- 1000 serrated clips (SER 16SG)

**EHD16**  
Heavy Duty  
Combi Kit

## STEEL STARTER STRAPPING KITS


3  
PARCELS

### Kit comprises:

- 1 coil of ribbon wound steel strapping
- 1 SD32 Strapping Dispenser
- 1 TS Steel Strap Sealer
- 1 TLS Steel Strap Tensioner
- 2000 Snap-On Seals

SSC04 steel strap cutter recommended  
- not included in this kit

**TSSK**

STEEL STRAPPING TENSIONER  
/ SEALER STARTER KITS

TSSK13  
13mm Kit

TSSK16  
16mm Kit

TSSK19  
19mm Kit

3  
PARCELS

### Kit comprises:

- 1 coil of ribbon wound steel strapping
- 1 SD32 Strapping Dispenser
- 1 QST Sealless Combination Tool

**SCSSK**

STEEL STRAPPING COMBI  
STARTER KITS

SCSSK13  
13mm Kit

SCSSK16  
16mm Kit








SCSSK19  
19mm Kit





## Polyprop Combination Tools

For Polyprop Strapping over 0.7mm thick, we recommend the PPC Tool or RSK Tool

<p>36kg</p>  <p>use SO34 Semi Open Seal</p> <p>B12-12mm budget combination tool for polyprop strapping - available in 12mm only.</p> <p><b>Pro-series B12</b></p>	<p>38kg</p>  <p>SPC12 use SO34 Semi Open Seal SPC16 use SO16 Semi Open Seal</p> <p>SPC12/16 12mm/16mm standard combi tool for polyprop strapping. Available in 12mm or 16mm. State size when ordering.</p> <p><b>Pro-series 12mm SPC12 16mm SPC16</b></p>	<p>4kg</p>  <p>10mm tool available on request - use with SO10 semi-open seals</p> <p>PPC12 use SO34 or SO1232 Semi Open Seal PPC16 use SO16 or SO1632 Semi Open Seal</p> <p>PPC12/16 - 12mm/16mm heavy duty combi tool for polyprop strapping. Simple and easy to operate, high tension capacity, optimum sealing efficiency. Ideal for heavy grade strapping available in 12mm or 16mm - state size when ordering.</p> <p><b>12mm PPC12 16mm PPC16</b></p>	<p>44kg</p>  <p>use PMAG12 Magazine Seals</p> <p>CMP12 - 12mm heavy duty magazine combi tool for polyprop strapping. Magazine auto seal feed - saves time and money. Simple and easy to operate, high tension capacity, optimum sealing efficiency. Available in 12mm or (16mm on request.)</p> <p><b>CMP12</b></p>
<p>4.5kg</p>  <p>Lightweight Combination Tool for flat packages. (i.e. pallets, bales, crates, cases etc.) Can be used with polyprop or polyester strap. The windlass tensioning system provides very high strap tension. Special serrated seals and sealing mechanism guarantee very high seal joint efficiency.</p> <p>Strap Specification For polypropylene and polyester strapping no adjustment is required for strap thickness 0.40mm - 0.90mm</p> <p>use SER serrated</p> <p><b>RSK12/16 Combination Tool</b></p>	<p>3.75kg</p>  <p>SHC12/16 heavy duty combination tool for use with polyprop and polyester strapping. The SHC uses serrated seals for optimum seals efficiency. The SHC is capable of applying exceptionally high tension especially on Polyester strapping and is ideal for horizontal and vertical strapping applications even in the most demanding environments.</p> <p>Strap Specification for polyprop and polyester strapping. Widths 12mm - 16mm. Thicknesses 0.50mm - 0.90mm. Please give strap specifications when ordering.</p> <p>use SER serrated</p> <p><b>SHC12 SHC16</b></p>	<p>4.5kg</p>  <p>The LPC is a lightweight Combination Tool for use with polyprop and polyester strapping. The LPC uses serrated seals for optimum seal efficiency. The windlass tensioning system allows very high strap tension. An ideal tool for a variety of applications for both vertical and horizontal strapping.</p> <p>Strap Specification for polyprop and polyester strapping. Widths 11mm - 16mm. Thicknesses 0.50mm - 0.90mm. LPC13: 11-13mm LPC16: 15-16mm Please give strap specifications when ordering. Also known as a Konrad Tool.</p> <p>use SER serrated</p> <p><b>LPC12 LPC16</b></p>	

## Polyprop Strapping Tensioners

<p>13kg</p>  <p>TST30 - Standard tensioner for polyprop strapping up to 16mm</p> <p><b>Pro-series TST30</b></p>	<p>15kg</p>  <p>TB301C - Heavy duty tensioner for polyprop strapping up to 19mm</p> <p><b>Pro-series TB301C</b></p>	<p>2.2kg</p>  <p>HPT50 - Heavy duty tensioner for polyprop and polyester strapping up to 19mm</p> <p><b>HPT50</b></p>	<p>2.2kg</p>  <p>One way clutch roller bearing. Six cylinder windlass allows for easy loading. Steel tension handle for long-life use. Sharp gripper teeth for high tensioning polyester strapping.</p> <p>OXT50 - Heavy duty tensioner for polyprop, polyester and corded strapping up to 19mm</p> <p><b>OXT50</b></p>
<p>13kg</p>  <p>TS3215 - Budget tensioner for polyprop strapping up to 16mm</p> <p><b>Pro-series TS3215</b></p>	<p>185kg</p>  <p>MPT - Compact tensioner for polyprop strapping up to 16mm</p> <p><b>Pro-series MPT</b></p>	<p>25kg</p>  <p>PRT 12 - 12mm bundling tensioner for round packs.</p> <p>use SC12 seals</p> <p><b>Pro-series PRT 12</b></p>	



## Polyprop Sealers

<p>2.0kg</p> <p>SGP12 - use SO34 seals, SO1232 H.D. Seals or SC12 closed seals SGP16 - use SO16 seals or SO1632 H.D. Seals</p> <p>SGP12/16 - 12mm/16mm standard polyprop strap sealer. Please state size when ordering.</p>	<p>2.25kg</p> <p>PSH12 - use SO34 seals, SO1232 H.D. Seals or SC12 closed seals, PSH16 - use SO16 seals or SO1632 H.D. Seals</p> <p>PSH12/16 - 12mm/16mm heavy duty polyprop strap sealer with high efficiency sealing jaws. Please state size when ordering.</p>	<p>2.0kg</p> <p>use SER12/16 serrated seals</p> <p>KNS12/16 - 12mm/16mm polyprop strapping sealer with offset jaws. Designed for use with SER serrated seals for improved seal efficiency. State size when ordering.</p>	<p>2.25kg</p> <p>use SER12/16 serrated seals</p> <p>OFH12/16 - 12mm/16mm heavy duty polyprop strapping sealer with offset jaws. Designed for use with SER serrated seals for improved seal efficiency. State size when ordering.</p>
Pro-series 12mm SGP12 16mm SGP16	12mm PSH12 16mm PSH16	Pro-series 12mm KNS12 16mm KNS16	12mm OFH12 16mm OFH16

## Extruded Polyester Strapping Tools

<p>13kg</p> <p>HPT50 - Heavy duty tensioner for polyester and polyprop strapping up to 19mm.</p>	<p>1.85kg</p> <p>QRS - Heavy duty tensioner for polyprop and polyester strapping up to 19mm. Innovative gripper mechanism and unique windlass return for faster and easier strap loading.</p>	<p>2.2kg</p> <p>OXT50 - Heavy duty tensioner for polyprop, polyester and corded strapping up to 19mm.</p> <p>One way clutch roller bearing. Six cylinder windlass allows for easy loading. Steel tension handle for long-life use. Sharp gripper teeth for high tensioning polyester strapping.</p>
HPT50	QRS	OXT50
<p>2.0kg</p> <p>KNS 12/16 - 12mm/16mm polyester strapping sealer with offset jaws. Designed for use with serrated seals for improved seal efficiency. State size when ordering.</p> <p>use SER serrated</p>	<p>2.25kg</p> <p>OFH 12/16 - 12mm/16mm heavy duty polyester strapping sealer with offset jaws. Designed for use with serrated seals for improved seal efficiency. State size when ordering.</p> <p>use SER serrated</p>	<p>2.3kg</p> <p>QOS - 12mm and 16mm polyester strapping sealers for use with serrated seals. The QOS features a unique staggered, symmetrical jaw which eliminates the need to orientate the tool when sealing.</p> <p>Use this tool without having to match the jaws with the seal - Saves time and reduces risk of seal failure</p>
Pro-series 12mm KNS12 16mm KNS16	12mm OFH12 16mm OFH16	12mm QOS12 16mm QOS16
<p>44kg</p> <p>QOS19 - Heavy duty polyester strapping sealer for use with SER19SG 19mm serrated seals. Ideal for heavy duty applications where 19mm strap can provide increased breaking strain. Unique jaw design for reduced sealing effort.</p> <p>use SER serrated</p>	<p>31kg</p> <p>QXS - Heavy duty tensioner for polyester strapping up to 32mm wide and up to 1.3mm thick. Ideal for use with the QOS19 sealer. Advanced design for the heaviest PET applications. Patented vertical gripper motion allows for easy strap release and greater holding power. High quality casting ensures maximum durability.</p>	<p>use HMAG seals</p> <p>CMH12/16 - 12mm/16mm heavy duty magazine combination tool for polyester strapping up to 0.8mm. Magazine auto seal feed - saves time and money. Simple and easy to operate, high tension capacity, optimum sealing efficiency. Available in 12mm and 16mm. State size when ordering.</p>
QOS19	QXS	12mm CMH12 16mm CMH16





## Battery Powered Friction Weld Strapping Tools for Polyprop & Polyester Strapping

4.5kg



### Improved Li-ion Battery Pack

The TVX Li-ion battery powered tool is one of the fastest on the market - in less than three seconds, the strap is tensioned, sealed and cut. The ergonomic and rugged design assists maximum operator comfort, with minimal effort. Packages such as boxes, pallets, bales and crates can be safely strapped. Strap feeding is extremely simple, with both straps being inserted together. The TVX has an exceptional tension range and applies up to 240kg (2400N) with ease. The flexible sealing mode allows you to choose from semi-automatic or single button fully automatic operation.



Strap Specification	
Polyester:	0.4mm - 1.05mm
Polyprop:	0.7mm - 1.05mm
Strap width:	9mm, 12mm, 16mm
	Please specify when ordering
Strap tension:	Fully adjustable up to 240kg (2400N)
	(max ten. depends on strap spec)
Tool weight inc. battery:	4.5 kilos



Friction Weld Seal



### TVX12-LI (12mm) TVX16-LI (16mm)

3.4kg



Friction Weld Seal

Please ensure your client is running PET with the new ZXT, if they are using a PP -please clearly state on order the SKU code for the PP version

The new ZXT1216 18V Li-ion battery-powered strapping tool features some of the most advanced benefits available on the market today:

- Patented brushless single motor design provides extremely long service life.
- New 18V 3000mAh high-capacity battery provides increased productivity.
- Increased tension range of up to 250Kg.
- Patented strap gripper design for improved tension.
- Single handed operation.
- Soft mode for light or fragile packages.
- Lightest model in its class (3.5 Kg including battery).
- Pre-programmed touch panel with digital signal to suit different applications.
- Suitable for polyprop\* and polyester strapping.
- Extremely simple strap feed, with both straps being inserted together.
- Strap is tensioned and sealed and cut quickly and efficiently.

\*Please ensure you use PET with the new ZXT if you are using a PP -please clearly state on order so the tool can be converted and commissioned prior to despatch.

Strap Specification	
For Polyprop strapping/polyester strapping	
Strap width	12 or 16mm, please state when ordering.
Strapping thickness range	0.60 - 1.27
Straps per cycle per charge	400*
Tool weight including battery	3.5 Kilo
Tool dimensions with Li-ion battery	330 X 150 X 125mm
Battery charger voltage	230v
Recharge time	30 Minutes

\*Please note strapping cycles of full battery vary based upon strap quality, specification, set tension, set sealing time, operation habits, ambient environment and tensioning distance.

**ZXT1216** for use with polyester (PET) material  
**ZXT1216PP** for use with polyprop (PP) material







367kg



Strap Specification	
Tool Weight	3.9kg
Strap Requirements	PET or PP Strapping
Sealing Method	Friction Weld
Applied Tension Force	400-2500N
Strap Thickness Range	0.5 to 1mm
Strap Width Range	9mm to 16mm
Take-up Speed	220mm per second
Dimensions	334 x 138 x 148mm
Battery Type	Bosch 14.4v 2.6 amp Li-Ion
Charge Time	15 to 30 minutes
Cycles per Charge	200 to 400

The BXT is the latest generation of battery powered strapping tools. The balanced lightweight design is exceptionally comfortable to use, yet withstands heavy usage in the most demanding applications. Incorporating many advanced features including automatic and semi automatic functions, a new direct drive motor offering an increased tension range and a light setting for polyprop strapping, all controlled via the new digital Touch-Pad controller. These improved operating features result in a tool that is faster and easier to operate, has better process control, more cycles per battery charge and has low maintenance costs. The new BXT models are also powered by an improved lithium ion battery pack that can be charged when convenient to the operator rather than waiting until the battery is fully drained. The new battery also offers an improved 15-30 minute recharging time, up to 50 % more cycles compared to NiCad batteries and is more environmentally friendly due to it containing no Cadmium. The new BXT models can also be adapted to use main power with the optional power kit.



Friction Weld Seal

## BXT216 / BXT21916 / BXT21919

34kg



Please ensure your client is running PET with the new ZXT, if they are using a PP -please clearly state on order the SKU code for the PP version



Friction Weld Seal



The new ZXT1619HT 18V Li-ion battery-powered strapping tool features some of the most advanced benefits available on the market today:

- Patented brushless single motor design provides extremely long service life.
- The new 18V 3000mAh high capacity battery provides increased productivity.
- Increased tension range of up to 400Kg.
- Patented strap gripper design for improved tension.
- Single handed operation.
- Soft mode for light or fragile packages.
- Lightest model in its class (3.5Kg including battery).
- Pre-programmed touch panel with digital signal to suit different applications.
- Suitable for polyprop\* and polyester strapping.
- Extremely simple strap feed, with both straps being inserted together.
- Strap is tensioned, sealed and cut quickly and efficiently.

\*Please ensure you use PET with the new ZXT if you are using a PP -please clearly state on order so the tool can be converted and commissioned prior to despatch.



Strap Specification	
For Polyprop strapping/polyester strapping	
Strap width	16 or 19mm, please state when ordering.
Strapping thickness range	0.65 - 1.27
Straps per cycle per charge	400*
Tool weight including battery	3.5 Kilo
Tool dimensions with Li-ion battery	330 X 150 X 125mm
Battery charger voltage	230v
Recharge time	30 Minutes

\*Please note strapping cycles of full battery vary based upon strap quality, specification, set tension, set sealing time, operation habits, ambient environment and tensioning distance.

**ZXT1216HT** for use with polyester (PET) material  
**ZXT1216HTPP** for use with polyprop (PP) material





## Cord and Composite Polyester Strapping Tensioners



CST20 - standard tensioner for woven and composite polyester strapping up to 19mm

Pro-series

CST20



HPT50 - Heavy duty tensioner for polypropylene, extruded polyester, cord and composite polyester strapping up to 19mm

HPT50



QPT - Heavy duty tensioner for composite and woven cord polyester strapping up to 19mm. Unique windless return mechanism for faster and easier strap loading.

QPT



CHD - Heavy duty tensioner for woven and composite polyester strapping up to 25mm

CHD



JTP low cost Jumbo tensioner for woven and composite polyester strapping up to 32mm/40mm.

Pro-series

JTP32  
up to 32mm

JTP40  
up to 40mm




QXT38 - Heavy duty tensioner for composite and woven cord polyester strapping up to 38mm. The QXT38 features an advanced patented design for the heaviest applications.

QXT38



New CHD tensioner attachment for strapping round and irregular packs with corded polyester strapping. An ideal replacement for steel strapping.

CHD1316T CHD1925T



HDP40 - Heavy duty Optimax tensioner for composite and woven cord polyester strapping up to 40mm. Designed for heavy duty applications.

HDP40



PNU32 Heavy duty pneumatic tensioner for cord and composite polyester strapping. Ideal for use with heavy duty strap such as 32mm. The PNU32 applies high, uniform tension with ease.

Strap Specification  
Max air pressure. 7.0bar/100PSI  
Air consumption. 230LT/610LT/minute  
Strap specification. Cord & composite up to Widths 32 x 2.0mm.  
Strap tension. From: 2500n - 7500n  
Tool weight. 3.8kgs (8.36lb) without suspension bracket.

### Accessories

PNU-089900 Service unit - filter pressure control valve oiler combination, 5mm filter with metal protection basket and manual condensate drain  
PNU-089901 Heavy duty reinforced hose unit 10mtr  
PNU-038-900 Universal suspension bracket for horizontal & vertical operation  
TB24 Tool balance with safety device 2-4kgs 2mtr stroke


PNU32



## Steel Strapping Tensioners

**TLS20** Standard tensioner for steel strapping up to 19mm. Designed for flat pack applications.

215kg



Pro-series

**TLS20**

**FP** Heavy duty tensioner for steel strapping up to 19mm. Designed for flat pack applications.

25kg


**FP**


**FPH** Heavy duty tensioner for steel strapping up to 32mm. Designed for flat pack applications.

27kg


**FPH**

**RP** Heavy duty tensioner for steel strapping up to 19mm. Designed for round and irregular packs such as pipes etc

30kg



use LAP seals with an SRD sealer


**RP**

**RPH** Heavy duty tensioner for steel strapping up to 32mm. Designed for round and irregular packs such as pipes etc

32kg




use LAP seals with an SRD sealer


**RPH**

## Steel Strapping Sealers Sealers for use with Lap-Over Seals

**SAS** Heavy duty side action steel strapping sealer. The side action sealing method is a real benefit to heavy duty application. Available in 19mm, 25mm or 32mm. State size when ordering.

365kg




use LAP Lapover seals



**SAS19 SAS25 SAS32**

**SRD** Heavy duty steel strapping single notch sealer. Ideal for heavy duty applications. Available in 13mm, 16mm and 19mm. State size when ordering.

11kg



use LAP Lapover seals


**SRD12 SRD16 SRD19**

**DNSA** Heavy duty side action double notch steel strapping sealer. The side action sealing method is a real benefit to heavy duty application. Available in 19mm, 25mm or 32mm. State size when ordering.

4.95kg



use LAP Lapover seals


**DNSA19 DNSA25 DNSA32**

## Steel Strapping Sealers Sealers for use with Snap-On Seals

**TS** Standard steel strapping sealer. Available in 13mm, 16mm and 19mm. State size when ordering.

0.95kg



use SOS snap on seals



Pro-series

**TS12 TS16 TS19**

**DNS** Heavy duty steel strapping double notch sealer. Ideal for heavy duty applications. Available in 13mm, 16mm and 19mm. State size when ordering.

115kg



use SOS snap on seals



**DNS12 DNS16 DNS19**





## Steel Strapping Combination Tools

Heavy duty steel sealless combination tool for flat pack applications. The QST is fully adjustable for 13mm, 16mm and 19mm. This tool has reversible punching dies for extended life. Please state size when ordering.



Sealless joint - no seals required




395kg



QST12 QST16 QST19

HTS Heavy duty steel strapping sealless combination tool for flat pack applications. High joint efficiency. Sealless joint - save cost of seals. High strap tension via 1-4:1 gear ratio. Available in 13mm, 16mm and 19mm. State size when ordering.



Sealless joint - no seals required




415kg



HTS12 HTS16 HTS19

PTS H.D. steel strapping sealless combination tool, pneumatic tensioning function for flat pack applications. Uniform strap tension through pre-selection of operating tension. Faster than a conventional sealless tool. Available in 13mm, 16mm and 19mm. State size when ordering.



Sealless joint - no seals required




395kg



PTS12 PTS16 PTS19

Heavy duty steel sealless combination tool for flat pack applications. The OHT is designed for use with high tensile and regular duty steel strapping. Fully interchangeable for 13mm/16mm and 19mm. This tool has reversible punching dies for extended life. Please state size when ordering.



Sealless joint - no seals required



4.3kg



OHT12 OHT16 OHT19

TLN Steel strapping combination tool for light duty flat pack applications. This tool will tension, crimp seal and cut strapping. Available in 13mm, 16mm and 19mm. State size when ordering.



use TLN seals



4.0kg



Pro-series

TLN13 TLN19

CRP Heavy duty steel strapping combination tool for round and irregular packs. Ideal for pipes and steel stockholders. Combined tensioner and sealer - no additional tools required. Available in 13mm, 16mm and 19mm. State size when ordering.



use LAP lapover seals



4.3kg



CRP12 CRP16 CRP19

# SAFEGUARD

SEALS



PAGE 70



## Steel Strapping Safety Cutters

 <p>SSC04 Steel strapping cutter. Ideal for use with TLS20, FP and FPH tensioners for cutting steel strapping from the dispenser.</p>	 <p>SSC06 Standard steel strapping safety cutter for steel strapping up to 25mm. The SSC06 has rubber pads that clamp the strapping either side of the blade allowing the strap to be cut safely without any of the usual hazards.</p>	 <p>SSC08 Heavy duty steel strapping safety cutter for steel strapping up to 32mm. The SSC08 has rubber pads that clamp the strapping either side of the blade allowing the strap to be cut safely without any of the usual hazards.</p>	 <p>SSC10 Heavy duty steel strapping safety cutter for steel strapping up to 50mm. The SSC10 is popular with timber importers and dock yards.</p>
Pro-series <b>SSC04</b>	Pro-series <b>SSC06</b>	 <b>SSC08</b>	Pro-series <b>SSC10</b>

## Strapping Dispensers

 <p>SD32 Mobile trolley for ribbon wound steel strapping</p>	 <p>Narrow width ribbon wound steel strapping coil holder - ideal for use in narrow aisle and manoeuvring between timber packs in saw mills for example. Fully adjustable for 12mm-32mm</p>	 <p>MW60 Mobile trolley for mill wound (oscillated) steel strapping</p>	 <p>Heavy duty dispenser for mill wound steel or polyprop/polyester on 406 core. Large capacity metal tool/seal box</p>
Pro-series <b>SD32</b>	Pro-series <b>NSD800</b>	Pro-series <b>MW60</b>	Pro-series <b>HDMW60</b>
 <p>PD40 Mobile dispenser for polyprop strapping on plastic reel.</p>	 <p>PSD4 Static dispenser for polyprop strapping on a plastic reel.</p>	 <p>PCS6 Static dispenser for composite polyprop strapping on 200mm diameter x 150mm/190mm wide core.</p>	 <p>PMC80 Mobile dispenser for composite polyprop strapping on cardboard core 200 mm diameter x 150/190mm wide core</p>
Pro-series <b>PD40</b>	Pro-series <b>PSD4</b>	Pro-series <b>PCS6</b>	Pro-series <b>PMC80</b>
 <p>PTD406 Mobile dispenser for polyprop / polyester strapping on cardboard core. 406mm diameter x 150mm wide core</p>	 <p>CSD3 Static dispenser for woven polyester strapping. (Except WPH105)</p>	 <p>CSM20 Mobile dispenser for woven polyester strapping. (Except WPH105)</p>	 <p>Many tools returned for repair have been dropped. This new work station prevents this and enables the operator to strap pallet with ease. Available for horizontal or vertical applications on a variety of coil types.</p>
Pro-series <b>PTD406</b>	Pro-series <b>CSD3</b>	Pro-series <b>CSM20</b>	<b>FWTWS Friction Weld Tool Work Station</b>

### Replacement Tool Boxes

Code	R/TBOXS PD40, PMC80, CSD3, CSM20
R/TBOXL	SD32, MW60, PTD406

### Replacement Coil Retaining Pins

Code	R/PIN-1 Replacement Coil Retaining Pins
PDWHE	Wheel & Star Cap for PD40 & CSM20

### Brake Belts

Code	BLT406 Brake belt for PTD406/MW60
------	-----------------------------------





## Strapping Buckles

**optigrip®** High Performance Sheradised Metal Buckles - for Woven and Hotmelt Polyester Strapping

The sheradised coating on our Optigrip high performance buckles provides the best grip, preventing strap slippage and improving weather resistance



Code	Wire Thickness			
CB4S	13mm Optigrip Sheradised Buckles	3mm Ø	1000/box	9.85
CB5S	16mm Optigrip Sheradised Buckles	3.5mm Ø	1000/box	11.75
CB6S	19mm Optigrip Sheradised Buckles	3.8mm Ø	1000/box	16.90
CB8S	25mm Optigrip Sheradised Buckles	5mm Ø	400/box	14.55
CB10S	35mm Optigrip Sheradised Buckles	7mm Ø	250/Box	22.75

## Strapping Buckles

**galvex** Galvanised Buckles for Polyprop and Composite Strapping

Our Galvex range is recommended for use with polyprop and composite polyester strapping.



Code	Wire Thickness			
CB4G	13mm Galvex-Galvanised Buckles	3mm Ø	1000/box	8.00
CB5G	16mm Galvex-Galvanised Buckles	3.5mm Ø	1000/box	11.90
CB6G	19mm Galvex-Galvanised Buckles	3.8mm Ø	1000/box	16.40
CB8G	25mm Galvex-Galvanised Buckles	5mm Ø	500/box	14.55
CB10G	35mm Galvex-Galvanised Buckles	7mm Ø	250/box	22.75

## Strapping Buckles

Plastic Buckles for Polyprop Strapping



Code			
PB12	12mm White Plastic Buckles	1000/box	2.25
PB12BK	12mm Black Plastic Buckles	1000/box	2.25
PB12-HD	12mm White Heavy Duty Plastic Buckles	1000/box	2.25



## Stainless Steel Strapping

Stainless steel strapping  
Grade 201 x 0.726mm

### SBT Tensioner



Stainless steel band  
tensioning tool for  
12mm and 19mm strap

### SBK Buckle



		Qty/ Box
SBK12	12mm x stainless steel buckle (knockdown)	100
SBK19	19mm x stainless steel buckle (knockdown)	100

### RMR Hammer





8oz Ball Pein Hammer

### SSB Sassband



		Qty/ Box
SSB12	12mm x 30 mtr stainless steel band	1/Coil
SSB19	19mm x 30 mtr stainless steel band	1/Coil








## Strapping Seals

Seals for Polyprop and Polyester Strapping

12mm x 25mm x .5 Closed Seal 2000/Box	73kg /case		10mm x 25mm x .5 Semi Open Seals 2000/Box	4.95kg /case		12mm x 25mm x .5 Semi Open Seals 2000/Box	6.35kg /case	
SC12			SO10			SO34		
16mm x 25mm x .5 Semi Open Seals 2000/Box	79kg /case		12mm x 32mm x .6 Semi Open Seals 2000/Box	8.5kg /case		16mm x 32mm x .6 Semi Open Seals 2000/Box	9.75kg /case	
SO16			SO1232			SO1632		
16mm Optigrip Seal 1000/Box	170kg /case		13mm x 33mm x .6 Magazine Seals 2500/Box	12.9kg /case		12mm x 33mm x .8 Magazine Seals 2500/Box	16.3kg /case	
MAX16			PMAG12			HMAG12		
16mm x 33mm x .8 Magazine Seals 2500/Box	19.85kg /case							
HMAG16								

## Strapping Seals

Seals for Steel Strapping

 <p>For use with <b>TLN</b> Combination Tool Only</p>			13mm TLN Seals for use with TLN Tool 3000/Box	4.24kg /case		16mm TLN Seals 3000/Box	4.65kg /case		19mm TLN Seals 3000/Box	5.70kg /case	
			TLN13S			TLN16S			TLN19S		




**SAFEGUARD**  
SEALS







# Upgrade to



Through the strictest quality control and by using the finest materials available, **Safeguard Seals** are manufactured to the highest standards. This attention to detail has resulted in **Safeguard Seals** being able to offer the ultimate in seal integrity. Upgrade to **Safeguard** now for the very best in seal performance and peace of mind.



## Safeguard Strapping Seals

### Seals for Polyprop and Polyester Strapping

12mm x 25mm  
x .5  
Semi Open Seals  
1000/Box

4.5kg  
/case



S034-SG

16mm x 25mm  
x .5  
Semi Open Seals  
1000/Box


5.5kg  
/case



S016-SG

12mm x 32mm  
x .6  
Semi Open Seals  
1000/Box


4.5kg  
/case



S01232-SG

16mm x 32mm  
x .6  
Semi Open Seals  
1000/Box

4.7kg  
/case



S01632-SG

12mm x 30mm  
Serrated Seals  
1000/Box  
Equivalent to  
KONRAD


6.4kg  
/case



SER12-SG

16mm x 30mm  
Serrated Seals  
1000/Box  
Equivalent to  
KONRAD


9.6kg  
/case



SER16-SG

19mm x 31.8mm  
Serrated Seals  
1000/Box


9.6kg  
/case



SER19-SG

Magazine Seals  
for AL38 steel  
magazine  
strapping tool  
7000/Box


10.0kg  
/case



38.AL.R-SG

Magazine Seals  
for AMT  
polyester  
magazine  
strapping tool  
1800/Box

19.2kg  
/case



58-AMTG-SG



## Safeguard Strapping Seals    Seals for Polyprop and Polyester Strapping

Other Magazine Seals available on request.

Magazine Seals  
for AL12 steel  
magazine  
strapping tool  
10500/Box

16.5kg  
/case



SAFEGUARD



12.AL.R-SG

Magazine Seals  
for AMP58/34  
and AM58/34  
steel magazine  
strapping tool  
6000/Box

20.5kg  
/case



SAFEGUARD




58/34AMP.R-SG

Magazine Seals  
for AM12 and  
AMP12 steel  
magazine  
strapping tool  
7000/Box

20.0kg  
/case



SAFEGUARD




12 AMP.R-SG

## Safeguard Strapping Seals    Seals for Steel Strapping

### FOR USE WITH TS & DNS SEALERS

13mm x 25mm x  
.5 Snap on Seal  
2000/Box

5.5kg  
/case




Standard

SOS13-SG

SOS13

16mm x 25mm x  
.5 Snap on Seal  
2000/Box

6.4kg  
/case




Standard

SOS16-SG

SOS16

19mm x 25mm x  
.5 Snap on Seal  
2000/Box

7.2kg  
/case



Standard

SOS19-SG

SOS19

### FOR USE WITH SRD & SAS SEALERS

13mm x 25mm x  
.7 Lapover Seal  
2000/Box

8.8kg  
/case



Standard

LAP13-SG

LAP13

16mm x 25mm x  
.7 Lapover Seal  
2000/Box

10.7kg  
/case



Standard

LAP16-SG

LAP16

19mm x 25mm x  
.7 Lapover Seal  
2000/Box

12.3kg  
/case



Standard

LAP19-SG

LAP19

### FOR USE WITH SAS & DNSAS SEALERS

19mm x 57mm x  
.7 Lapover Seal  
1000/Box

22.5kg  
/case



LAP1957-SG

25mm x 57mm x  
.9 Lapover Seal  
1000/Box

25.0kg  
/case



SAFEGUARD




LAP25-SG

32mm x 57mm x  
.9 Lapover Seal  
1000/Box

30.0kg  
/case



SAFEGUARD




LAP32-SG





## Edge Protectors




Code		Qty/Box	
<b>CPS</b>	Small plastic edge protectors 28mm x 25mm	2,000/Box	6.75
Usable width 19mm			
<b>CPL</b>	Large plastic edge protectors 37mm x 32mm	1,000/Box	4.20
Usable width 30mm			
<b>CPL-X</b>	Super large plastic corner pieces 48mm x 42mm	1,000/Box	
<b>CPX</b>	Extra large plastic edge protectors 57mm x 48mm	1,000/Box	5.05
Usable width 50mm			

## Expanding Corner Protectors



Code		Qty/Box	
<b>EXMCP</b>	Medium Expandable Corner Protectors to suit 16mm - 40mm	1,000	7.45
<b>EXLCP</b>	Large Expandable Corner Protectors to suit 35mm - 70mm	250	6.30

## Corner Protectors



Code		Qty/Box	
<b>C/PRO1</b>	60mm x 60mm x 28mm plastic corner protectors	1,000/Box	8.20

## Closed Corner Protectors



Code		Qty/Box	
<b>CCP15</b>	60mm x 60mm x 15mm	1000	8.20
<b>CCP18</b>	60mm x 60mm x 18mm	1000	8.20
<b>CCP22</b>	60mm x 60mm x 22mm	850	8.20
<b>CCP28</b>	60mm x 60mm x 28mm	700	8.20
<b>HDRC40</b>	60mm x 60mm x 40mm H.D.	600	

## Pro-Tex Snap-Off Edge Protectors




Code		Qty/Box	
<b>PRO-TEX</b>	38mm x 66mm	550	




## Steel Strapping - Ribbon Wound



**What is Ribbon Wound?**  
Each layer is wound directly over the one below it so that the width of the strapping is the width of the coil. (Coil weights are approximate).

Code			Approx. Weight per coil.			Coils/ Pallet	
Ribbon Wound (RW range is 400mm I.D. Core 630mm O.D. - RWS range is 400mm I.D. Core 610mm O.D.)							
RW13	13mm x .5	Black	20Kg	395 Mtr	B/S 560Kg	31	20.0
RW16	16mm x .5	Black	25Kg	395 Mtr	B/S 720Kg	25	25.0
RW16-06	16mm x .6	Black	25Kg	395 Mtr	B/S 720Kg	25	25.0
RW19	19mm x .5	Black	30Kg	395 Mtr	B/S 850Kg	21	30.0
RW19Z	19mm x .5	Zinc Coated	30Kg	395 Mtr	B/S 850Kg	21	30.0
RW19-06	19mm x .6	Black	30Kg	336 Mtr	B/S 1000Kg	21	30.0
RW19-06Z	19mm x .6	Zinc Coated	30Kg	336 Mtr	B/S 1000Kg	21	30.0
RW25	25mm x .8	Black	41Kg	258 Mtr	B/S 1700Kg	18	41.0
RW32	32mm x .8	Black	48Kg	240 Mtr	B/S 2040Kg	22	48.0
RW32Z	32mm x .8	Zinc Coated	48Kg	240 Mtr	B/S 2040Kg	22	48.0
RWS13	13mm x .5	Black	16.5Kg	326 Mtr	B/S 560Kg	36	16.5
RWS16	16mm x .5	Black	21Kg	332 Mtr	B/S 720Kg	30	21.0
RWS19	19mm x .5	Black	24Kg	316 Mtr	B/S 850Kg	25	24.0

## Steel Strapping - Mill Wound (oscillation wound)




**What is Mill Wound?**  
Mill wound strapping is a larger coil than ribbon wound. The strapping is oscillated uniformly and tightly across the 63.5 mm (2 1/2") width of the core. (Coil weights are approximate).

Code	Approx. Weight per coil					Coils/ Pallet	
MW13	13mm x .5	Black	50Kg	1010 Mtr	B/S 570Kg	12	50.0
MW13Z	13mm x .5	Zinc Coated	50Kg	1010 Mtr	B/S 570Kg	12	50.0
MW13-06	13mm x .6	Black	50Kg	838 Mtr	B/S 670Kg	12	50.0
MW13-06Z	13mm x .6	Zinc Coated	50Kg	838 Mtr	B/S 670Kg	12	50.0
MW16	16mm x .5	Black	50Kg	800 Mtr	B/S 730Kg	12	50.0
MW16Z	16mm x .5	Zinc Coated	50Kg	800 Mtr	B/S 730Kg	12	50.0
MW19	19mm x .5	Black	50Kg	675 Mtr	B/S 870Kg	12	50.0
MW19Z	19mm x .5	Zinc Coated	50Kg	675 Mtr	B/S 870Kg	12	50.0
MW19-06	19mm x .6	Black	50Kg	560 Mtr	B/S 1000Kg	12	50.0
MW19-06Z	19mm x .6	Zinc Coated	50Kg	560 Mtr	B/S 1000Kg	12	50.0





## Polyprop Hand Strapping



### BEST SELLERS


Our best selling product lines

Code	Width	Thickness	Length	Colour	Core	Qty/ Pallet	Ave. Break Strain	
TT40	12mm	.55	2,000Mtr	Black	Plastic Reel	60	145 Kilo	7.80
TT40W	12mm	.55	2,000Mtr	White	Plastic Reel	60	145 Kilo	8.40
TT5078	12mm	.8	1,200Mtr	Black	Plastic Reel	60	175 Kilo	7.90
TT45	12mm	.7	1,500Mtr	Black	Plastic Reel	60	185 Kilo	7.35
TT50	12mm	.8	1,300Mtr	Black	Plastic Reel	60	220 Kilo	7.35
TT50W	12mm	.8	1,300Mtr	White	Plastic Reel	60	220 Kilo	7.35
TT4470	12mm	.63	1,800Mtr	Black	Plastic Reel	60	220 Kilo	8.55
TT505	12mm	.8	1,000Mtr	Black	Plastic Reel	60	260 Kilo	7.10
TT512B	12mm	.8	1,200Mtr	Blue	Plastic Reel	60	270 Kilo	
TT5076	12mm	.76	1,400Mtr	Black	Plastic Reel	60	205 Kilo	8.10
TT55BK	12mm	.9	1,000Mtr	Black	Plastic Reel	60	300 Kilo	7.80
TT55BLU	12mm	.9	1,000Mtr	Blue	Plastic Reel	60	300 Kilo	7.80
TT55Y	12mm	.9	1,000Mtr	Yellow	Plastic Reel	60	300 Kilo	7.80
TT60	15mm	.75	1,200Mtr	Black	Plastic Reel	60	250 Kilo	7.75
TT65	15mm	.85	1,000Mtr	Black	Plastic Reel	60	300 Kilo	7.50
TT70	16mm	.96	750Mtr	Black	Plastic Reel	60	420 Kilo	8.70
CC1240	12mm	.55	2,000Mtr	White	200 x 150	48	130 Kilo	7.10
CC1245	12mm	.7	1,300Mtr	White	200 x 150	48	185 Kilo	6.00
CC12467	12mm	.8	1,000Mtr	Black	200 x 150	48	220 Kilo	6.00
CC1250	12mm	.8	1,300Mtr	White	200 x 150	48	220 Kilo	7.85
CC1255	12mm	.9	1,000Mtr	White	200 x 150	48	300 Kilo	7.10
CC1650	16mm	.8	800Mtr	Blue	200 x 150	48	350 Kilo	8.00

PD40

PVC80

## Polyprop Machine Strapping



### BEST SELLERS

Our best selling product lines





Code	Width	Thickness	Length	Colour	Core	Qty/ Pallet	Ave. Break Strain	
MS540B	5mm	.4	6,500Mtr	Blue	200 x 190	60	60 Kilo	18.0
MS540	5mm	.4	6,500Mtr	White	200 x 190	60	60 Kilo	18.0
MS6	6mm	.55	5,000Mtr	White	200 x 190	60	80 Kilo	19.2
MS7W	7mm	.63	5,000Mtr	White	200 x 190	60	100 Kilo	24.5
MS7B	7mm	.63	5,000Mtr	Blue	200 x 190	60	100 Kilo	24.5
MS1537	9mm	.55	3,700Mtr	White	200 x 190	48	100 Kilo	20.45
MS15W	9mm	.55	4,000Mtr	White	200 x 190	48	110 Kilo	21.4
MS15B	9mm	.55	4,000Mtr	Blue	200 x 190	48	110 Kilo	21.4
MS2084	9mm	.60	3,300Mtr	White	200 x 190	48	110 Kilo	20.3
MS20	9mm	.63	4,000Mtr	White	200 x 190	48	140 Kilo	23.3
MS5033	12mm	.63	2,500Mtr	White	200 x 190	48	150 Kilo	18.8
MS30	12mm	.63	2,500Mtr	White	280 x 190	48	170 Kilo	18.8
MS35	12mm	.55	2,500Mtr	White	280 x 190	48	145 Kilo	17.7
MS4027	12mm	.55	2,700Mtr	White	200 x 190	48	135 Kilo	19.2
MS40	12mm	.55	3,000Mtr	White	200 x 190	48	145 Kilo	19.8
MS40BK	12mm	.55	3,000Mtr	Black	200 x 190	48	145 Kilo	19.8
MS45	12mm	.55	3,000Mtr	Blue	200 x 190	48	145 Kilo	19.8
MS50B	12mm	.63	3,000Mtr	Blue	200 x 190	48	170 Kilo	23.2
MS50BKHE	12mm	.63	3,000Mtr	Black	200 x 190	48	165 Kilo	
MS50	12mm	.63	3,000Mtr	White	200 x 190	48	170 Kilo	23.2
MS55BK	12mm	.80	1,500Mtr	Black	200 x 190	48	260 Kilo	
MS127	12mm	.70	2,200Mtr	Black	200 x 190	48	190 Kilo	23.7
MS128	12mm	.80	2,000Mtr	Black	200 x 190	48	270 Kilo	
MS60	12mm	.85	2,000Mtr	Blue	200 x 190	48	260 Kilo	24.3
MS60Y	12mm	.85	2,000Mtr	Yellow	406 x 150	48	270 Kilo	
MS840*	12mm	.80	1,500Mtr	Blue	406 x 150	48	230 Kilo	10.9
MSP1208B*	12mm	.80	2,000Mtr	Blue	406 x 150	48	230 Kilo	13.45
MSP1275	12mm	.75	1,600Mtr	Black	280 x 190	48	240 kilo	9.2





The **strong, safe**  
alternative to steel strapping



Code	Width	Thickness	Length	Colour		Core	Ave. Break Strain (kg)	
On Cardboard Core								
PT2221-07T	9.2mm	x .7	3,000Mtr	Green Embossed		406 x 150	350 Kilo	
PT1175	10.8mm	x .75	2,300Mtr	Green Embossed		406 x 150	310 Kilo	
ST1617	11.1mm	x .52	3,200Mtr	Green Smooth		406 x 150	225 Kilo	24.1
PT2240-080T	11.7mm	x .8	1,800Mtr	Green Embossed		406 x 150	360 Kilo	
PT1253	12mm	x .5	3,000Mtr	Green Embossed		406 x 150	255 Kilo	20.15
PT20	12.5mm	x .6	2,500Mtr	Green Embossed		406 x 150	270 Kilo	22.35
PT30	12.5mm	x .7	2,000Mtr	Green Embossed		406 x 150	350 Kilo	21.5
PT35	12mm	x .85	1,800Mtr	Green Embossed		406 x 150	360 Kilo	21.2
PT2252-1.1T	12mm	x 1.1	1,300Mtr	Green Embossed		406 x 150	420 Kilo	
PT1560	15.5mm	x .6	2,000Mtr	Green Embossed		406 x 150	410 Kilo	22.6
PT40	15.5mm	x .7	1,750Mtr	Green Embossed		406 x 150	440 Kilo	23.7
PT40-S	15.5mm	x .7	1,750Mtr	Green Smooth		406 x 150	440 Kilo	
02PET158	15.5mm	x .85	1,500Mtr	Green Embossed		406 x 150	550 Kilo	19.4
BKPET158	15.5mm	x .85	1,500Mtr	Black Embossed		406 x 150	550 Kilo	22.3
PT50	15.5mm	x .9	1,500Mtr	Green Embossed		406 x 150	560 Kilo	22.7
PT60	15.5mm	x 1.1	1,000Mtr	Green Embossed		406 x 150	720 Kilo	24.7
PT70	19mm	x .8	1,200Mtr	Green Embossed	406 x 150	660 Kilo	21.6	
PT90	19mm	x 1.0	1,000Mtr	Green Smooth	406 x 150	850 Kilo	23.75	
On Plastic Reel								
PTR1250	12.5mm	x .55	1,250Mtr	Green Embossed		Plastic Reel	270 Kilo	
PTR25	12.5mm	x .55	1,600Mtr	Green Embossed		Plastic Reel	270 Kilo	16.38
PTR25BK	12.5mm	x .55	1,600Mtr	Black Embossed		Plastic Reel	270 Kilo	
PTR30	12mm	x .8	1,000Mtr	Black Embossed		Plastic Reel	390 Kilo	16.9
PTR45	15.5mm	x .7	1,200Mtr	Green Embossed		Plastic Reel	440 Kilo	16.8
PTR50	16mm	x .9	750Mtr	Black Embossed		Plastic Reel	580 Kilo	16.4
Hylastic High Performance, Smooth Polyprop Strapping								
HYS654	9mm	x .46	3,430Mtr	Black Smooth		200 x 190	135 Kilo	
HY714	11.1mm	x .51	3,200Mtr	Black Smooth		406 x 150	180 Kilo	18.2
HY716	11.1mm	x .63	2,438Mtr	Black Smooth		406 x 150	225 Kilo	17.4
HY718	11.1mm	x .76	2,134Mtr	Black Smooth		406 x 150	270 Kilo	17.3
HYS716	10.8mm	x .63	2,040Mtr	Black Smooth		200 x 190	225 Kilo	13.1

### Polyprop Twine, Sisal String & Cotton String

Code	PT3	PT4	PT6	PT8	S2PLY	Breaking Strain	
PT3	Polyprop Twine				2 1/4 Kilo Balls x 700mtr/Kilo	8/Case	50kg 18.1
PT4	Polyprop Twine				2 1/4 Kilo Balls x 450mtr/Kilo	8/Case	80kg 18.1
PT6	Polyprop Twine				4 1/2 Kilo Balls x 280mtr/Kilo	4/Case	125kg 18.1
PT8	Polyprop Twine				4 1/2 Kilo Balls x 170mtr/Kilo	4/Case	205kg 18.1
S2PLY	Sisal Twine				2 1/2 Kilo Balls x 2 plyx300mtr	10/Case	54kg 25.0
S3PLY	Sisal Twine				2 1/2 Kilo Balls x 3 plyx200mtr	10/Case	82kg 25.0
FCS125	Cotton String				125g x 150m Ball	-	-
FCS250	Cotton String				250g x 130m Ball	-	-
FCS500	Cotton String				500g x 130m Ball	-	-

### Pal Probes



The quick and easy method for feeding strap under pallets

Suitable for Polyprop/Polyester/Steel strapping  
up to 19mm wide. Overall length 1400mm.

Code  
**PALP1**

0.7kg







## Woven Cord Polyester Strapping



78mm core.

For details on system strength please call



B/S: Linear Brake Strength  
S/S: System Strength



Per Coil

Code	Width x Length	B/S	S/S	Coils /Ctn	
WPH40	13mm x 1100mtr	375Kg	638Kg	2	8.40
WPH50	16mm x 850mtr	450kg	765kg	2	8.00
WPH55	16mm x 600mtr	600Kg	1020Kg	2	7.20
WPH60	19mm x 600mtr	550Kg	935Kg	2	6.25
WPH65	19mm x 500mtr	725Kg	1235Kg	2	7.70
WPH75	19mm x 500mtr	1100Kg	1870Kg	2	9.65
WPH85	25mm x 500mtr	950Kg	1615Kg	2	8.50
WP105	32mm x 300mtr	1500Kg	2550Kg	2	9.4
WPH105	38mm x 100mtr	2000Kg	3400Kg	4	3.60

## Composite Polyester Strapping

### Plastic Coated Cord Polyester



200mm x 190mm core.  
(\*CPS105 406mm x 150mm core)  
Use with Galvex Buckles  
For details on system strength please  
contact sales



B/S: Linear Brake Strength  
S/S: System Strength



Per Coil

Code	Width x Length	B/S	S/S	Coils /Ctn	
CPS40	13mm x 1100mtr	290Kg	493Kg	2	10.5
CPS50	16mm x 850mtr	410Kg	697Kg	2	11.2
CPS60	19mm x 700mtr	450Kg	765Kg	2	10.65
CPS65	19mm x 650mtr	550Kg	935Kg	2	9.0
CPS85	25mm x 500mtr	785Kg	1335Kg	2	11.45
CPS105*	34mm x 400mtr	1400Kg	2380Kg	1	18.2

## Bale Press Strap



60mm x 160mm core. Coil ø mm

WP30 PB: 160  
WP40 PB: 180  
WP50 PB: 210

Per Coil

Code	Width x Length	B/S	Coils /Ctn	
WP30PB	9mm x 500mtr	280Kg	4	3.0
WP40PB	13mm x 500mtr	375Kg	4	3.0
WP50PB	16mm x 425mtr	450Kg	4	3.5

## Hotmelt Cord Polyester Strapping

### Non-Woven - Monofilament



78mm core.

For details on system strength please call



B/S: Linear Brake Strength  
S/S: System Strength



Per Coil

\* Available on request

Code	Width x Length	B/S	S/S	Coils /Ctn	
HMP40	13mm x 1100mtr	375Kg	638Kg	2	6.95
HMP1315	13mm x 1500mtr	375Kg	638Kg	2	9.0
HMP45	13mm x 750mtr	510Kg	867Kg	2	6.5
HMP50	16mm x 850mtr	450Kg	765Kg	2	6.3
HMP55	16mm x 600mtr	633Kg		2	
HMP60	19mm x 600mtr	550Kg	935Kg	2	5.65
HMP1612	16mm x 1200mtr	450Kg	765Kg	2	8.9
HMP65	19mm x 500mtr	725Kg	1232Kg	2	6.55
HMP85	25mm x 500mtr	1000Kg		2	

## Softex - Woven Cord Polyester Strapping



B/S: Linear Brake Strength  
S/S: System Strength



Softex strapping has been introduced for customers who require a softer and more flexible strap to our standard WP and WPH range. Softex material is supplied on a 76mm core.  
For details on system strength please call



Per Coil

Code	Width x Length	B/S	S/S	Coils /Ctn	
SWP55	16mm x 600mtr	620Kg	1054Kg	2	7.50
SWP65	19mm x 500mtr	740Kg	1258Kg	2	7.70



Vast stock  
available for  
immediate  
despatch





## TMS300 SEMI AUTOMATIC STRAPPING MACHINE



100kg


The TMS300 is a reliable semi automatic strapping machine. Simple to operate - feed the strapping around the package and the machine automatically tensions and heat seals the strap. Accepts polyprop machine strapping from 6mm - 16mm wide on 200mm or 280mm cores. Designed to provide a quick and efficient method of strapping single or multiple packages of varying sizes. The machine features external tension control, a safety cut-out switch when the top is opened and an enclosed cabinet design keeps that strapping clean and dust free.

<b>specifications</b>	
<b>model name</b>	TMS 300
<b>dimensions</b>	semi automatic strapping machine 920mm width x 595mm depth x 785mm height
<b>tension</b>	15-45kgs
<b>strap width</b>	6mm - 15.5mm
<b>strapping speed</b>	2.5 seconds / cycle (60Hz)
<b>power supply</b>	230v / 50Hz
<b>power consumption</b>	0.3kw



UPGRADE TO  
12 MONTH ON-SITE  
PARTS & LABOUR  
WARRANTY  
CALL FOR DETAILS

INSTALLATION &  
STAFF TRAINING  
AVAILABLE



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY


## TRS600 AUTOMATIC STRAPPING MACHINE



220kg

The TRS600 Automatic machine is designed for strapping high volumes of cartons and packages. Simply place the pack under the arch - at the press of a button the machine automatically straps the pack. The TRS600 is capable of up to 27 straps per minute providing an efficient solution to your strapping needs. The main features are external tension control to suit pack application and a short feed sensor to prevent misfeeds. A range of arch sizes are available to suit your application.  
TRS600 PRODUCT CODES: 850 x 600 arch = TRS600/12  
1050 x 800 arch = TRS600/12L

<b>specifications</b>	
<b>model name</b>	TRS 600
<b>dimensions</b>	automatic strapping machine 1430mm width x 620mm depth x 1540mm height
<b>tension</b>	10-70kgs
<b>strap width</b>	9mm - 12mm - 15.5mm
<b>strapping speed</b>	2.2 seconds / cycle (60Hz)
<b>power supply</b>	230v / 50Hz
<b>power consumption</b>	1.2kw



UPGRADE TO  
12 MONTH ON-SITE  
PARTS & LABOUR  
WARRANTY  
CALL FOR DETAILS

INSTALLATION &  
STAFF TRAINING  
AVAILABLE



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY

## XCS550 SEMI AUTOMATIC STRAPPING MACHINE



75kg


The XCS550 is the new generation semi automatic strapping machine. Simple to operate - feed the strapping around the package and the machine automatically tensions and heat seal the strap. Designed to provide a quick and efficient method of strapping single or multiple packages of various sizes, the main features of the XCS550 include the 24v low voltage electric system for added safety; quiet, compact mechanical control head - for easy maintenance; electronic tension control and sensor controlled heater for easy and efficient operation.

<b>specifications</b>	
<b>model name</b>	XCS550
<b>dimensions</b>	semi automatic strapping machine 850mm width x 560mm depth x 780-950mm height
<b>tension</b>	8-45kgs
<b>strap width</b>	5mm - 13mm
<b>strapping speed</b>	2.5 seconds / cycle (60Hz)
<b>power supply</b>	230v / 50Hz
<b>power consumption</b>	0.3kw



UPGRADE TO  
12 MONTH ON-SITE  
PARTS & LABOUR  
WARRANTY  
CALL FOR DETAILS

INSTALLATION &  
STAFF TRAINING  
AVAILABLE



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY


## AFS900 EVOLVE AUTOMATIC STRAPPING MACHINE



220kg


The AFS900 Evolve automatic strapping machine is one of the most advanced in its class. Based on the TRS600 design and incorporating features such as auto strap feed for easy strap loading, short feed sensor and re-feed function to reduce mis-feeds, electronic tension control for quick and simple tension adjustment and auto loop ejector to eliminate down time.  
AFS900 PRODUCT CODES: 850 x 600 arch 9mm strap width = AFS900/9  
850 x 600 arch = AFS900/12 1050 x 800 arch = AFS900/12L

<b>Short Feed Sensor</b>	This sensor will detect whether the strap is at sealing position. If it is not, the start switch cannot be activated.
<b>Auto Strap Refeed</b>	The machine will automatically refeed itself if a mis-strap occurs.
<b>Strap End Ejector</b>	End of strap sensor ejects end of coil and prepares for next coil of strap.



UPGRADE TO  
12 MONTH ON-SITE  
PARTS & LABOUR  
WARRANTY  
CALL FOR DETAILS

INSTALLATION &  
STAFF TRAINING  
AVAILABLE



INCLUDES  
12 MONTH PARTS  
OR RETURN TO  
BASE WARRANTY






## HQS50 FASTRAC HIGH SPEED AUTO STRAP MACHINE



The HQS50 is a world class, innovative, high speed strapping machine - engineered and developed in Europe. The HQS50 is capable of up to 50 straps per minute and is designed for users such as print finishers, corrugated industry, news printers and applications where efficiency is paramount. Features such as one piece strap chute, loop ejector, auto strap feed, compact mechanical head and sensor controlled heater are just some of the features found on the HQS50 Fastrac machine.

**HQS50 PRODUCT CODES:** 500 x 400 arch = HQS50-1  
650 x 500 arch = HQS50-2

<b>specifications</b>	HQS50
<b>model name</b>	Fastrac high speed automatic strapping machine
<b>dimensions</b>	995mm width x 620mm depth x 1460mm height (650 x 500 arch)
<b>tension</b>	1-35 kgs
<b>strap width</b>	5mm, 6mm, 9mm
<b>strap speed</b>	50 straps/minute (60Hz)
<b>power supply</b>	230v/50/60Hz 1phase



**HQS50** Arch Size 500mm(w) x 400mm(h) x 5mm strap width


## HQS80 FASTRAC HIGH SPEED AUTOMATIC STRAPPING MACHINE

Fast Track HQS80 is an innovative, world class, high speed automatic strapping machine. It's equipped with all industries standard features and several operator user friendly designs. The HQS80 offers the most optimal performance, high speed, easiest maintenance and the most cost effective solution in its class today. Available for 5mm, 6mm, 9mm and 12mm strap sizes and also a variety of arch sizes. Prices on request.



Engineered and developed in Europe, the HQS80 is capable of up to 65 straps per minute and is designed for users such as print finishers, corrugated industry, news printers and applications where efficiency is paramount. Features such as the one piece strap chute, auto, auto strap ejector, centre control heater, adjustable table height, integral front foot switch and waist height auto strap feeding are just some of the exciting new features found on the new HQS80 Fastrac machine.

<b>specifications</b>	HQS80
<b>model name</b>	Fastrac high speed automatic strapping machine
<b>dimensions</b>	5 - 9mm machine, 1452mm high x 652mm depth x width depends on size of arch 12mm machine, 1525mm high x 652mm depth x width depends on size of arch
<b>tension</b>	5 - 9mm, 1 - 35kg 12mm, 1 - 45kg
<b>strap width</b>	5mm, 6mm, 9mm and 12mm
<b>strap speed</b>	65 straps/minute
<b>power supply</b>	230 volt, 50/60Hz, 1 phase




**HQS80/1-5** Arch Size 550mm(w) x 400mm(h) x 5mm strap width

## PLR100 LOW LEVEL SEMI AUTOMATIC STRAPPING MACHINE



The PLR100 is a reliable, semi-automatic strapping machine based on the popular TMS300 design but with a low-level table top height designed for heavy export packs and large packages. Simple to operate, feed the strapping around the package and the machine will automatically tension and heat seal the strap.

<b>specifications</b>	PLR 100
<b>model name</b>	Low level semi automatic strapping machine
<b>dimensions</b>	1476mm width x 582mm depth x 355mm height
<b>tension</b>	15-45kgs
<b>strap width</b>	6mm - 15.5mm
<b>strapping speed</b>	2.5 seconds / cycle (60Hz)
<b>power supply</b>	240v 50/60Hz
<b>power consumption</b>	0.25kw




## AS400 STAINLESS STEEL SIDE SEAL SEMI AUTOMATIC MACHINE



The AS400 is based on the reliable TMS300 machine design, manufactured in a stainless steel cabinet with a side sealing function for applications such as marine environments, horticultural and timber packs, where water or debris from the pack would cause damage or corrosion to the mechanism of a standard semi automatic strapping machine.

<b>specifications</b>	AS 400
<b>model name</b>	stainless steel side seal semi automatic strap machine
<b>dimensions</b>	675mm width x 1045mm depth x 1625mm height
<b>tension</b>	15-45kgs
<b>strap width</b>	6mm - 15.5mm
<b>strapping speed</b>	2.5 seconds / cycle (60Hz)
<b>power supply</b>	240v 50/60Hz
<b>power consumption</b>	0.25kw





## MH500M HORIZONTAL STRAPPING MACHINE

### Ergonomic and economic solution for horizontal low volume pallet strapping

#### Various applications

Suitable for fruit and vegetable boxes, concrete blocks and palletised cartons of product.

#### Adjustable Strapping Height

The strapping height is quickly and effortlessly adjustable. Allows strapping 190mm from the floor up to 2000mm.

#### Control panel on both sides

With the control panel on both sides of the machine, operation is easy.

#### Easy to change the coil

The ergonomic positioning of the strap dispenser makes strapping coil changes convenient and energy-saving.

#### Mobility

With big wheels for high mobility, it is easy to move around.

#### Optional feature

For battery power version order MH500B - price on application.

#### specifications


model name	MH500M horizontal strapping machine
tension	PP 15kg-45kgs
strapping type	12mm machine strapping on 200 x 190 strapping core
strap width	9mm - 15.5mm
power supply	230v / 50/60Hz 1 phase
machine weight	260 kgs

MH500M Mains Powered Machine  
Also available in battery-powered version (MH500B)



UPGRADE TO 12 MONTH ON-SITE PARTS & LABOUR WARRANTY CALL FOR DETAILS

INSTALLATION & STAFF TRAINING AVAILABLE



INCLUDES 12 MONTH PARTS OR RETURN TO BASE WARRANTY

## PS800 PALLET STRAPPING MACHINE

FOR USE WITH POLYPROP & POLYESTER STRAPPING

### New pallet strapping machine with automatic retractable probe

The PS800 Pallet Strapping Machine eliminates manual tools and dispensers, and automatically feeds strap through the pallet void.

This reduces time and worker fatigue and is a cost effective solution to your pallet strapping operation.

#### specifications

model name	PS800 automatic pallet strapping machine
dimensions	550mm width x 1017mm depth x 973mm height
tension	PET 20kg-150kgs PP 20kg-100kgs
strap width	9mm - 15.5mm with 406mm core
sealing	friction weld for PP and PET strap
min package height	560mm
sword length	1250mm (adjustable)
power supply	230v / 50/60Hz
machine weight	175 kgs



UPGRADE TO 12 MONTH ON-SITE PARTS & LABOUR WARRANTY CALL FOR DETAILS

INSTALLATION & STAFF TRAINING AVAILABLE



INCLUDES 12 MONTH PARTS OR RETURN TO BASE WARRANTY



**Max tension up to 150kg**  
Stronger than all other semi-auto pallet strapping machines at this level

**Dispenser with 406mm core**  
Good for use with 406mm core PET straps (200mm & 280mm core are also available)

**Friction Weld Sealing**  
Guarantees reliable joint and high seal efficiency for both P.P. & PET straps.

**Error Indicator on PCB**  
Able to diagnose the problem operation errors quickly. Easy trouble-shooting and user-friendly.

#### Other Features Include:

Auto strap ejector (looper)  
Short feed sensor  
Electronic tension control



Friction Weld Seal



#### Telescopic Gripper Track

To reduce floor space and chance of damage, the patented 'Telescopic Gripper Track' automatically retracts inside the machine frame when the strapping cycle is complete

### Other Machines Available:







# PLASTIC PALLETS

Our New range of nestable, open deck, lightweight plastic pallets

A range of robust, durable plastic pallets that offer a highly cost effective option with a much greater life expectancy than wood. Perfect for the Fresh Produce, IT, Engineering and Pharmaceutical business sectors where hygiene and clean working environments are essential.

Code	Description	Size (mm)	Weight Load	Dynamic Load	Static	Colour
6040	Plastic Nestable Display Pallet	600 x 400	>1kg	N/A	150g	Grey
6080	Plastic Nestable Half Euro Pallet	600 x 800	3.7kg	400kg	1200kg	Black
1208	Plastic Nestable Pallet	1200 x 800	5.4kg	800kg*	2500kg	Black
1210	Plastic Nestable Pallet	1200 x 1000	5.9kg	800kg*	2500kg	Black
1208IMP	Medium Duty Euro Pallet	1200 x 800	10kg	1000kg*	2500kg	Grey
1210HD3R	Heavy Duty Industrial 1 Tonne In Rack Pallet	1200 x 1000	17.9kg	2000kg	5000kg	Black PP
	with 3 runners					
1208PR	Plastic Runner for 1208 Pallet, increases dynamic load by 200kg					
1210PR	Plastic Runner for 1210 Pallet, increases dynamic load by 200kg					


\*1000kg when flat loaded



604




1208



1208IMP



1210



1210HD3R



1210PR

Large stocks available. Other pallet specification available, please call for more details.





## packing room equipment

➤ Pacplan Ultima Packing Stations	82
➤ Pacplan Ergoline Packing Stations	84
➤ Glue Guns	85
➤ Stapling	87
➤ Utility & Safety Knives	92
➤ Janitorial	94





## PACPLAN - the essence of packaging productivity

Contact our  
sales team to  
discuss your  
packing station  
projects

### Packing Stations

Introducing our award winning packing station system, manufactured to the very highest standards and featuring a vast selection of modular add-ons to suit just about every packing station requirement you could imagine. Contact us to find out more about the huge range of specialist equipment additions that can be included to tailor your packing station to suit your needs.

#### PGS1 Packing Station



##### System 1 includes:

- Table - 1600mm x 800mm x 800mm
- 2 shelves & shelf support section
- 4 box dividers 250mm x 300mm
- 3 box dividers 400mm x 300mm
- Perforated back panels for fixing additional accessories
- Under table mandrel for 1200mm bubble/foam/corrugated
- Bench mounted cutter for 1200mm bubble/foam/corrugated



## Complete Configuration Flexibility

Whatever your application, from heavy industrial, manufacturing or retail, the Pacplan Ultima range of workstations can be configured to suit your particular requirements. Contact our sales team to discuss the range of options and configurations the Pacplan Ultima range can offer.

choose from our standard bench mounted paper dispenser or create your own system

#### Polestar Mobile Cutter & Stand



These cutters are supplied with 2 blades. The standard blade will cut bubble, foam and corrugated paper. For use on corrugated only we recommend the use of the serrated cutter as this will last longer than the standard blade, but is not effective on bubble or foam.

PCUT01 W800mm x L 1500mm x H 1130mm  
PCUT02 W800mm x L 1850mm x H 1130mm

The Polestar Mobile Cutter is a quality, durable unit featuring a precision cutting unit specifically designed for use with corrugated paper, bubble film, foam and similar materials. This fully mobile unit is available for 1200mm or 1500mm wide material

#### Polestar Combi Cutter & Stand



These cutters are supplied with 2 blades. The standard blade will cut bubble, foam and corrugated paper. For use on corrugated only we recommend the use of the serrated cutter as this will last longer than the standard blade, but is not effective on bubble or foam.

PCUT03 W800mm x L 1500mm x H 1630mm  
PCUT04 W800mm x L 1850mm x H 1630mm

The Polestar Combi Packer provides the option to dispense and cut a variety of materials used in the packing area. Available for 1200mm or 1500mm wide materials





## PPD



### Polaris Paper Roll Dispenser

The Polaris dispenser is only available as a bench mounted dispenser. Available in 600mm, 800mm or 1000mm width




Includes feet

## BMC Bench Mounted Cutters for foam, corrugated & bubble wrap




Patented Cutter Unit for ultimate efficiency

## PRD60/PRD100



### Ergoline Paper Roll Dispensers


The Ergoline counter roll dispenser is available in either 600mm or 900mm roll widths.



5kg




## Replacement Cutter Cassettes



### BMC-BL

Standard V Blade Cassette ideal for bubble, foam and corrugated.



### BMC-SB

Rotary Serrated Blade Cassette ideal for cutting corrugated only. Lasts much longer than the standard blade.

# pluto

cutter stands

The new range of Pluto Cutter Stands is ideal for dispensing and cutting foam, foil, bubble wrap, kraft paper, corrugated paper, PVC plastic roll, film etc.. The cutter units are supplied with two cutting cassettes - a 'V' shape blade for bubble and foam and a rotary cutter for corrugated paper.



### PLU001

#### 1500mm Single Dispenser with Cutter

PLU001 Pacplan dispenser stand and cutter for efficient dispensing and cutting of bubble film, foam, corrugated paper and similar products. The cutter unit is supplied with two cutting cassettes - a 'V' shape blade for bubble and foam and a rotary cutter for corrugated paper. Maximum working width - 1500mm W : 1880 D : 830 H : 1250

Set of casters sold separately.



### PLU002

#### 1500mm Combi Dispenser

PLU002 Pacplan combi dispenser stand for efficient dispensing of bubble film, foam, corrugated paper and similar products. Maximum working width - 1500mm W : 1860 D : 810 H : 1170

Set of casters sold separately.



### PLU003

#### 1500mm Twin Roll Dispenser with Cutters

PLU003 Pacplan combi dispenser stand and cutters for efficient dispensing and cutting of bubble film, foam, corrugated paper and similar products. The cutter units are supplied with two cutting cassettes - a 'V' shape blade for bubble and foam and a rotary cutter for corrugated paper. Maximum working width - 1500mm W : 1880 D : 830 H : 1610

Set of casters sold separately.



### PLU004

#### 1500mm Bench Mounted Cutter

PLU004 Pacplan Bench mounted cutter for attaching to an existing work station for cutting bubble film, foam, corrugated paper and similar products. The cutter units are supplied with two cutting cassettes - a 'V' shape blade for bubble film and foam and a rotary cutter for corrugated paper. Maximum working width - 1500mm W : 1760 D : 100 H : 210

This unit can be attached to the Ergoline PPE1600 with PLU006 fixing brackets. Please note the cutter will extend beyond the total table width.



### PLU005

#### Brackets

Set of Pluto brackets for attaching the PLU004 cutter to the PPE1600 packing table.



### PLU006

#### Castors

PLU006 set of Casters for the Pluto range of dispenser stands.






A NEW RANGE OF QUALITY, COST EFFECTIVE, ERGONOMIC WORKSTATIONS SPECIFICALLY DESIGNED WITH THE PACKAGING OPERATIVE IN MIND



HEAVY DUTY 25mm WORKTOPS AND SHELVES DESIGNED TO WITHSTAND REGULAR USE IN INDUSTRIAL ENVIRONMENTS



ROBUST STEEL AND MDF SHELF CONSTRUCTION FOR STRENGTH & DURABILITY




FULLY ADJUSTABLE 50mm LEG SECTION. HEIGHT FROM 750mm to 900mm WITH ADJUSTABLE FEET FOR MAXIMUM STABILITY



POSTFORMED TABLE TOP PROFILE FOR INCREASED OPERATOR COMFORT AND SAFETY

## PPEHMS



### Mobile Heat Sealer Station

There is an increasing demand for the 'Pick-Pack' despatching of random size packages. The new Mobile Heat Sealer Station enables the creation of a system that incorporates the S620 Optiseal heat sealer (see page 36) and 2 sizes of layflat tubing up to 24" (610mm) wide to create mailing bags, on demand, to any length.

## PPE1600

### Ergoline Packing Table

1600mm x 800mm x 800mm complete with height adjustable legs



50.5kg

## PPE1601



22.85kg

### Ergoline Steel/MDF Shelf

1600mm x 300mm shelf complete with 2 upright supports

## PPE1602



4kg

### Ergoline Under Table Mandrel

For dispensing bubble/foam/corrugated up to 1200mm width

## PPE1603

**Ergoline Cutter**  
Bench mounted 1200mm cutter for bubble/foam/corrugated

78kg

## PPE1604

**Small Box Divider**  
250mm x 300mm

0.4kg

## PPE1605

**Large Box Divider**  
300mm x 400mm

0.5kg



# Glue Guns

- Lightweight
- Suitable for all day intermittent use
- Robust
- Narrow profile - easier gluing
- Available in standard or low temperature versions



Delivering increased heating power to melt glues faster and incorporating adjustable features for high volume production operations, the Stickfast Glue Guns are real workhorses. Ergonomically designed, they feel balanced and light in the hand. Longer triggers and narrow profiles provided unrivalled ease of use, ensuring daylong comfort and reduced fatigue on repetitive work. All guns include a 12 month warranty.

## GX80/LMGX80 LIGHT DUTY GUNS 12mm



Light duty industrial glue gun. Pre-set temperature, ideal for dispensing small amounts of glue.  
GX80: Light Duty Model  
LMGX80: Low Melt Model  
● 240v ● 80W ● 193°C  
● 500g/hr ● 380gms

## GX120 LIGHT DUTY GUN 12mm



Ideal for small amounts of glue.  
● 240v ● 120W ● 193°C  
● 750g/hr ● 400gms

## GX300 MEDIUM DUTY GUN 12mm



**BEST  
SELLER**

Variable temperature control and adjustable glue shot flow. Ideal for most high output industrial applications  
● 240v ● 300W  
● 120 - 230°C ● >1500g/hr  
● 700gms



## GX600A HEAVY DUTY GUN AIR ASSISTED 18mm



For effortless dispensing. Ideal for repetitive application of large amounts of glue. Effort-saving switch. Built-in stand.  
● 240v ● 600W  
● 140 - 230°C  
● >2500g/hr ● 1300gms

## GX600 HEAVY DUTY GUN 18mm



Suitable for applications requiring a large glue output. Long trigger for comfort. Adjustable temp. control. Glue adjuster. Built-in stand.  
● 240v ● 600W  
● 140 - 230°C  
● >2500g/hr ● 1000gms

## OPTI43 HEAVY DUTY GUN



Introducing the Optigun™ hotmelt glue applicator gun, the most versatile and time efficient glue gun ever! The heavy duty Optigun™ has a large capacity of 250ml and accepts glue-sticks, hotmelt pellets and bulk hotmelt pillows, making it a cost effective solution for a multitude of industrial applications, whilst providing a wider choice of glue properties.


- Accepts:
  - 43mm gluesticks
  - hotmelt pellets
  - bulk hotmelt pillows
- Heavy duty industrial glue gun
- No need for compressed air
- 250ml capacity
- Ergonomic and lightweight
- Integrated magnetic foot
- Wider range of peelable and permanent adhesives than with standard guns
- 240v ● 600W ● 20 - 200°C ● 1200gms





## Glue Accessories

### Nozzles



HGS00 HGS01 HGS02 HGS03 HGS04 HGS05 HGS06 HGS07

Nozzles for use with Stickfast hotmelt glue guns.

### HGS12 Tool Balance

For suspending  
HD gun over  
working area.  
Cord is 1.7m.  
Capacity 0.6-15kg



## Hotmelt Adhesive



STICKFAST FSS



STICKFAST MPS



STICKFAST LTS



STICKFAST HSS

Precision extruded to fit Stickfast glue guns and compatible with the majority of glue guns on the market.

#### FSS

Fast setting stick for bonding card & paper. Ideal for carton sealing & packaging

#### MPS

The most popular glue stick. Use for fabrics, upholstery, plastics etc. Long set time.

#### HSS

Higher strength for assembly. Excellent on many plastics, metal & wood.

#### LTS

Ideal for bonding heat sensitive materials eg. polystyrene without damage. Also use on fabrics, paper, card etc. Use in low temp guns.

Product Name	FSS	MPS	LTS	HSS
Product Code	Fast Set	Multipurpose	Low Melt	High Strength
<b>description</b>	Superior fast setting hotmelt for rapid closing and sealing of cartons. Ideal for all packaging applications.	All purpose hotmelt with medium to long set time. Ideal for a wide range of industrial and general use applications.	Special hotmelt applied at lower temperature. Ideal for heat sensitive products and reduced risk of accidental burns.	Assembly grade hotmelt for 'difficult' surfaces. Excellent adhesion and high molten tack for quick fixing of tile displays, carpet fitting etc.
<b>set time</b>	5-10 sec	20-30 sec	15-20 sec	20-30 sec
<b>set colour</b>	Tan	Clear	White	Amber
<b>sizes (mm)</b>	Sticks 12mm x 300mm (FSS12) Sticks 18mm x 300mm (FSS18) Slugs 43mm x 43mm (FSS43)	Sticks 12mm x 300mm (MPS12) Sticks 18mm x 300mm (MPS18) Slugs 43mm x 43mm (MPS43)	Sticks 12mm x 300mm (LTS12) All low temp. models	Sticks 12mm x 300mm (HSS12) Sticks 18mm x 300mm (HSS18) Slugs 43mm x 43mm (HSS43)
<b>applicator gun*</b>	All models	All models		All models
<b>materials bonded:</b>				
plastic		●		●
wood	○	○	○	●
textile	○	●	●	●
polystyrene	○	●	●	○
cardboard	●	○	●	○
metal		○		●
ceramic		○		●
<b>quantity and weight per box</b>	12mm = 34 sticks per kilo, 170 sticks per box, 5 kilos per box 18mm = 14 sticks per kilo, 70 sticks per box, 5 kilos per box 43mm = 17 slugs per kilo, 170 slugs per box, 10 kilos per box 85 slugs per box, 5 kilos per box			

(● = Recommended 1st choice; ○ = Recommended alternatives)

\*Please specify correct stick size for your gun when ordering.





# Stronghold Staplers

## SHK1 26/6 Plier Stapler


04kg



Takes both 24/ and 26/ ranges of staples



General purpose plier stapler for use in the post room, shop, store and office. Staples 50 sheets.



Stronghold staples 5000 staples/box


code	leg length
26/6	6mm
24/6S	6mm
24/8	8mm
26/8	8mm

## SHR31 Heavy Duty Plier Stapler

04kg



Heavy duty plier stapler, ideal for Jiffy bags, small boxes and sacks, including 3 types of anvil for a variety of stapling applications.



Stronghold staples 5000 staples/box


code	leg length
73/8S	8mm
73/10S	10mm
73/12S	12mm

## SHR11 Hammer Tacker

10kg



Easy to use hammer tacker for stapling labels to pallets and crates, carpets, insulation material etc.



Rapid staples 5000 staples/box

code	leg length
140/6	6mm
140/8	8mm
140/10	10mm



## Stronghold Pneumatic Pliers

The Stronghold SP50 Series staplers are designed to compress the material and provide a strong, tight closure without breaking the corrugated surface. The 6" x 1" throat allows flexibility of staple placements and overcomes obstructions such as the carton flaps.

# SP50

## SERIES STAPLERS



# A

## TYPE

The A Type anvil is ideal for stapling corrugated cartons, vegetable tray boxes, end caps, pallet boxes, container inserts, die cut inserts etc.



# B

## TYPE

The B Type anvil is ideal for stapling blister packs and has a raised anvil to prevent crushing to the edge of the blister pack.



# CL,CR

## TYPE

The CL, CR Type anvil is designed to staple the tops and side seams of cartons.





## Type A Anvil



3.0kg



### Stapler Code

### Staple Type

#### SP50-10B-A

Staple Specification  
12.95mm crown width  
2.6mm wire width  
available in 3 leg lengths

SB10302038 3/8" 9.5mm  
SB10302012 1/2" 12mm  
SB10302058 5/8" 16mm

#### SP50-5B-A

Staple Specification  
12.85mm crown width  
1.27mm wire width  
available in 4 leg lengths

SB501914 1/4" 6mm  
SB501938 3/8" 9.5mm  
SB501912 1/2" 12mm  
SB501958 5/8" 16mm



## Type B Anvil



3.0kg



### Stapler Code

### Staple Type

#### SP50-10B-B

Staple Specification  
12.95mm crown width  
2.6mm wire width  
available in 3 leg lengths

SB10302038 3/8" 9.5mm  
SB10302012 1/2" 12mm  
SB10302058 5/8" 16mm

#### SP50-5B-B

Staple Specification  
12.85mm crown width  
1.27mm wire width  
available in 4 leg lengths

SB501914 1/4" 6mm  
SB501938 3/8" 9.5mm  
SB501912 1/2" 12mm  
SB501958 5/8" 16mm



## Type CL, CR Anvil



3.2kg



### Stapler Code

### Staple Type

#### SP50-10B-CL SP50-10B-CR

Staple Specification  
12.95mm crown width  
2.6mm wire width  
available in 3 leg lengths

SB10302038 3/8" 9.5mm  
SB10302012 1/2" 12mm  
SB10302058 5/8" 16mm

#### SP50-5B-CL SP50-5B-CR

Staple Specification  
12.85mm crown width  
1.27mm wire width  
available in 4 leg lengths

SB501914 1/4" 6mm  
SB501938 3/8" 9.5mm  
SB501912 1/2" 12mm  
SB501958 5/8" 16mm



**SP50**  
SERIES STAPLERS

## TYPES OF ANVIL

Choose the right anvil configuration for your application



CL



CR



A/B




# Scissors & Tape Measures

## SG Scissors

Introducing our new range of General Purpose, Serrated Blade Industrial and Comfortable Grip Industrial Scissors.

Qty per box: 25

SG160 General Purpose Scissors  
SG220 Industrial Scissors with Serrated Blade  
SG230 Industrial Scissors with comfortable handle for easy use



## TM5 PacplusTape Measure

Pacplus 5mtr tape measure with comfort grip

Qty per box: 12



# Stapling

## S51 RAPID Plier Stapler



0.2kg

Handy stapling plier for home and office with a need for stapling with small staples. Grip-friendly, with all-steel construction and powder-coated finish.



21/4 staple (ACTUAL SIZE)

Rapid staples 5000 staples/box

code	leg length
21/4	4mm

## K1 RAPID 26 Series Stapler

### K124/8 RAPID 24 Series Stapler



0.4kg

The world's most sold plier and florist's favourite. The obvious choice for the post room, shop, store and office. Adjustable anvil for pinning. Staples up to 50 sheets. Chrome finish. State size when ordering



26/6 staple (ACTUAL SIZE)

Rapid staples 5000 staples/box

code	leg length
26/6	6mm
26/8	8mm
24/6	6mm
24/8	8mm

## R31 RAPID H.D. Plier Stapler with Dual Anvil



0.5kg

Versatile, powerful plier stapler with fingerstop. Ideal for Jiffy bags, small boxes and sacks etc.



73/10 staple (ACTUAL SIZE)

Rapid staples 5000 staples/box

code	leg length
73/8	8mm
73/10	10mm
73/12	12mm

## R3 RAPID Stapler Remover



0.1kg

## R11 RAPID Hammer Tacker



10kg

Easy-use hammer tacker for stapling fitted carpets, insulation material, roof paper etc.



140/10 staple (ACTUAL SIZE)

Rapid staples 5000 staples/box

code	leg length
140/6	6mm
140/8	8mm
140/10	10mm

## R606 RAPID Electric Tacker



0.9kg

Our most powerful electric tacker. For narrow crown staples and brads of up to 25mm. Focused power. With metal carrying case.



140/10 staple (ACTUAL SIZE)

Rapid staples 4000 staples/box

code	leg length
606/12	12mm
606/18	18mm
606/25	25mm

See page 90 for Stronghold Staples







### R64 RAPID Hand Tacker

0.4kg



Suitable for plastic insulation sheet, edging or beading etc. Adjustable impact force. Uses either staples or brads.



140/10 staple (ACTUAL SIZE)

#### Rapid staples 5000 staples, 880 brads/box

code	leg length	
140/6	6mm	0.5
140/8	8mm	0.6
140/10	10mm	0.65
140/12	12mm	0.8
140/14	14mm	0.95
300/16	16mm (brads)	0.1

#### Rapid staples 5000 staples/box

code	leg length	
66/6	6mm	0.2
66/8	8mm	0.23

### R23 & R33 RAPID Hand Tackers

Takes 4-8mm Staples

Takes 6-14mm Staples

23: 0.6kg  
33: 0.9kg

High impact-force hand tackers for decorative work, re-upholstering etc.



13/8 staple (ACTUAL SIZE)

#### Rapid staples 5000 staples/box

code	leg length	
13/4	4mm	0.2
13/6	6mm	0.25
13/8	8mm	0.35
13/10	10mm	0.4
13/14	14mm	0.45

#### Rapid staples 5000 staples/box

code	leg length	
9/12	12mm	0.5
9/14	14mm	0.55

### R34 RAPID Hand Tacker

0.9kg



Suitable for fastening plastic film, insulation material and carpets etc. to all kinds of wood. Adjustable impact force.




140/10 staple (ACTUAL SIZE)

#### Rapid staples 5000 staples/box

code	leg length	
140/6	6mm	0.5
140/8	8mm	0.6
140/10	10mm	0.65
140/12	12mm	0.8
140/14	14mm	0.95



# Ultimate Quality



32/15 staple



32/15

32/18

35/15

35/18-2



# Carton Stapling

## MAN27 Carton Stapler

Manual carton stapler for securing the tops of filled cartons. Takes 32/15 and 32/18 staples



2.8kg



## AIR27 Carton Stapler

Pneumatic version of the MAN27, ideal for long production runs. Takes 32/15 and 32/18 staples



2.8kg



## BOX SUPPORTS



### SHBS9 Box Support Table

The Stronghold Box Support allows you to staple the bottom of cartons with the Man27 and Air27 stapler. Table size 229 x 229mm



### SHBS918 Box Support Table

The Stronghold Box Support allows you to staple the bottom of cartons with the Man27 and Air27 stapler. Table size 229 x 457mm



## TRED27 Treadle Stapler

Foot-operated treadle stapler for assembling and stapling the bottom of cartons. Uses 32/15 and 32/18 staples



36.3kg



## TRED27AIR Treadle Stapler

The TRED27AIR is a solution for increasing output, recommended for hourly volumes of 50-100 cartons. Supplied with a safety foot pedal. Designed for assembling and stapling the bottom of cartons. Uses 32/15 and 32/18 staples.




36.3kg



## MPT1000 Pallet Stapler

The MPT1000 Pallet Stapler is used for fastening cardboard sheets, trays and cartons to wooden pallets. Uses 35/18 Jumbo Staples



13.9kg







# Utility & Safety Knives for Packaging

Choose from our vast range of utility knives and consumables designed to satisfy a vast range of cutting applications

## CX3 CRUZE CUTTER ERGONOMIC SAFETY CUTTER

Box/12:  
11kg



### Find out how the NEW Cruze cutter differs from other cutter models on the market

- Designed with the packaging operative in mind, the Cruze Cutter safety Knife has been designed to be more comfortable to use, reduce operator fatigue and increase productivity. Its ergonomic design allows it to sit comfortably in the palm of your hand. Its wide, textured, high-grip body, smooth finger grips and thumb rest combine to create the most comfortable to use safety knife currently on the market.

Its curved profile pallet film cutter and oversized box cutter make light work of unpacking tasks, even in the toughest industrial environments.



4 Finger and thumb rests placed in the optimal position for both male and female users



Wider body profile allows the knife to fit perfectly in the palm of the hand, increasing grip



Thumb rest for leading comfort and control and larger thumbnail cutter for piercing tape without damaging contents of the carton



Curved leading edge to stop stretch cutter snagging on any ridges. Concealed blade for increased safety



Sculptured body, embossed grip area and eyelet all increase functionality

## BNL/BNR BUDGET SAFETY KNIFE

Box/12:  
11kg



- Blade automatically retracts as soon as the blade contact is lost
- BNL= Budget safety Knife left hand
- BNR= Budget safety Knife right hand
- Please state when ordering

Quantity per box= 12  
Replacement Blades: BNL.RB

## SNL / SNR SAFETY KNIFE with automatic retract function

Box/10:  
11kg



- Blade automatically retracts as soon as the blade contact is lost
- SNL= Safety Knife left hand
- SNR= Safety Knife Right hand
- Please state when ordering

Quantity per box= 10 Quantity per outer= 50  
Replacement Blades: SNR.RB

## CHS SAFETY CUTTER

Box/10:  
0.9kg



- Lockable, auto-retractable blade
- 3 adjustable cutter depths

Replacement Blades: 152.6 LA

## FET SAFETY CUTTER

Box/10:  
0.9kg



- Lockable, auto-retractable blade
- Metal head for reduced friction wear
- Designed for opening packaging
- 3 adjustable cutter depths

Replacement Blades: 152.6 LA

## EST SAFETY KNIFE

Box/5:  
0.5kg



- Lockable, auto-retractable blade
- Flat head facilitates cutting of straight lines
- 3 adjustable cutter depths

Replacement Blades: 152.6 LA

## ACK SAFETY CUTTER

Box/5:  
0.9kg



- Ideal for reducing height of cartons

Replacement Blades: 152.6 LA

## LDK9 9mm SNAP-OFF BLADE KNIFE

Box/30:  
0.7kg



- Lockable blade

Replacement Blades: RB9

## MDC18 18mm SNAP-OFF BLADE KNIFE

Box/12:  
0.9kg



- Lockable blade

Replacement Blades: RB18



## MSC BOX CUTTER

Box/12:  
0.35kg



## BSC BOX CUTTER

Box/12:  
0.4kg



## FSC 3 in 1 MULTI FUNCTION SAFETY CUTTER

Box/10:  
10kg



Ideal for stretchfilm and strapping. Thumbnail blade for piercing tape. The FSC also has a thumbnail blade for piercing tape on cartons without damaging the contents. The metal head makes this tool very durable and is ideal for piercing stretch film. The bevelled head then clears the way for a clean cut without blockages.

Replacement Blades CODE 489-3-10 / CODE 489-3-100

## MLY METAL RETRACTABLE LANYARD

Box/10:  
0.5kg



- Metal chain
- Use with all ranges of knives
- Device has a belt hook facility

The MLY is a retractable metal chain for use with our wide range of safety cutters. The device has a belt hook facility, ensuring the cutters are always where you want them.

## CPK18 HEAVY DUTY 18mm SNAP-OFF BLADE KNIFE

Box/12:  
1.3kg



- Lockable blade

Replacement Blades: RB18

## EFC ECONOMY STRETCHFILM CUTTER

Box/12:  
0.5kg



- For cutting stretchfilm, bubble and shrinkfilm
- 12 per box

## MCO MULTI-PURPOSE CARTON OPENER

Box/12:  
11kg



- Carton Opener
- Staple Remover
- String and Plastic Slitter
- Film Cutter

## RB9 9mm SNAP-OFF BLADES

Box/25:  
0.9kg



- Lockable blade

## RB18 18mm SNAP-OFF BLADES

Box/25:  
0.9kg



- Lockable blade

## MRK METAL RETRACTABLE KNIFE

Box/12:  
2.2kg



Replacement Blades: RCB/BDP100

## MA1 MULTI FUNCTION CUTTER

Box/12:  
0.9kg



- Ideal for cutting stretchfilm
- Integral thumbnail tape cutter

Replacement Blades: MA1RB

## LY1 LANYARD Plastic lanyard.

Box/10:  
0.4kg



- Fits all knives. Saves time.
- The knife stays with the operator.

## UTILITY KNIFE REPLACEMENT BLADES


100 Blade Dispenser



Product Code: BDP100

Blister Pack of 5

0.4kg



Product Code: RCB





## Paper Disposables - Centre Feed Rolls



### Code

<b>7306</b>	1 ply blue x 20cms x 300mtrs (6/case) perforated	7.50
<b>7321</b>	1 ply white x 20cms x 300mtrs (6/case) perforated	7.50
<b>RC6506</b>	2 ply blue x 20cms x 150mtrs (6/case) perforated	7.50
<b>7309</b>	2 ply white x 20cms x 150mtrs (6/case) perforated	7.50

## Paper Disposables - C-Fold Hand Towels



### Code

<b>FC8501</b>	1 ply blue x 2880 sheets 23cm x 33cm	11.2
<b>FC5804</b>	2 ply white soft x 2400 sheets 23cm x 33cm	8.50
<b>F19292</b>	1 ply green interfold towels x 3600 sheets	8.8

## Paper Disposables - Mini Jumbo Toilet Rolls



### Code

<b>RT3504</b>	2 ply white x 200mtr x 2 1/4" core (12/case)	7.60
<b>RT3507</b>	2 ply white x 200mtr x 3" core (12/case)	7.65

## Paper Disposables - Jumbo Toilet Rolls



### Code

<b>RT3522</b>	2 ply white x 410mtr x 2 1/4" core (6/case)	7.70
---------------	---	------

## Wiping Rags



### Code

<b>MCCR</b>	Mixed cotton coloured pieces. 10 kg box	12.5
<b>WCSR</b>	Cotton white sheeting. 100% cotton 10 kg box	12.5

## Paper Disposables - Conventional Toilet Rolls / Bulk Pack



### Code

<b>RT3644</b>	2 ply luxury 320 sheet paper wrapped (36/case)	7.10
---------------	--	------

## Paper Disposables - Industrial Wiper Rolls



### Code

<b>RW5610</b>	2 ply white 280mm x 400mm x 1000 sheets (2/case)	10.00
<b>RW6310</b>	2 ply blue 280mm x 400mm x 1000 sheets (2/case)	10.00

## Paper Disposables Rag Replacement Wipers



### Code

<b>RN1508</b>	Ultra strong, lint free with solvents, excellent wet strength. Ideal for Press Wipers or Engineering etc. Sheet size 280mm x 400mm 400 sheets/roll 160 mtr 2 rolls per case	12.5
---------------	---	------

## Paper Dispensers



Please note: Colour of dispensers may vary from those shown

### Code

<b>506883</b>	C-Fold Dispenser (BC528W)	1.00
<b>506884</b>	Centre Feed Dispenser (BC8311)	1.20
<b>506887</b>	Mini Jumbo Toilet Roll Dispenser 2 1/4" core (BC325W)	0.90
<b>506889</b>	Jumbo Toilet Roll Dispenser 2 1/4" core (BC335W)	1.20

## Powdered Latex Gloves



100/Box (10 Boxes/100/outer) Large/Med

Code: Medium: LTXL-M Large: LTXL-L

0.8



# Index



## A

- 22 Adhesive Tapes - Aluminium Foil
- 11 Adhesive Tapes - Bonus Tape
- 20 Adhesive Tapes - Clear Stationery
- 22 Adhesive Tapes - Cloth
- 21 Adhesive Tapes - Coloured Polyprop
- 23 Adhesive Tapes - Crossweave Reinforced
- 23 Adhesive Tapes - Double Sided Tape
- 22 Adhesive Tapes - Masking
- 23 Adhesive Tapes - Monoweave Filament
- 20 Adhesive Tapes - Polyprop
- 20 Adhesive Tapes - Polyprop Low Noise
- 20 Adhesive Tapes - Polyprop Machine Rolls
- 23 Adhesive Tapes - Polythene Barrier
- 20 Adhesive Tapes - Polythene Protection
- 21 Adhesive Tapes - Printed Message Tape
- 23 Adhesive Tapes - PVC Hazard Warning
- 23 Adhesive Tapes - PVC Lane Marking
- 23 Adhesive Tapes - s/a Kraft Paper
- 20 Adhesive Tapes - Vinyl
- 57 Anti-Slip Sheets
- 38 Anti-Static Packaging
- 77 Automatic Strapping Machines

## B

- 76 Bale Press Strap
- 62 Battery Powered Friction Weld Strapping Tools
- 12 Better Packages Dispensing Systems
- 46 Bubble Box
- 83 Bubble Film Cutters
- 46 Bubble Pouches

## C

- 94 C-Fold Hand Towels
- 94 Centre Feed Rolls
- 72 Corner Protectors
- 72 Corner Protectors - Expanding

## D

- 23 Double Sided Foam Tape & Pads
- 47 Drop-n-Tell

## E

- 14 E-Z Pull Tab Tape
- 52 Ecopax Carton Shredders
- 56 Edge Boards - Alutek & Kraftek
- 72 Edge Protectors
- 62 Electric Friction Weld Strapping Tools

## G

- 85 Glue Guns
- 86 Glue Gun Nozzles
- 28 Grip Seal Polythene Bags
- 14 Gummed Paper Tape
- 12 Gummed Paper Tape Dispensers

## H

- 43 Handiwrap Film
- 54 Hand Trucks
- 49 Hazard Warning Labels
- 86 Hotmelt Adhesive

## I

- 34 Impulse Heat Sealers
- 94 Industrial Wiper Rolls

## J

- 94 Janitorial Products
- 46 Jiffy Mailmiser Bags
- 46 Jiffy Padded Bags
- 46 Jiffylite Bags

## K

- 58 Kit-Start Strapping Kits
- 92 Knives
- 45 Kraft Paper
- 45 Kraft Union Paper
- 45 Kraft Paper Waxed

## L

- 48 Label Dispensers
- 93 Lanyards

## N

- 45 News Offcuts

## P

- 96 Packaging Sales Literature
- 30 Packing List Envelopes
- 82 Packing Stations
- 75 Pal Probes
- 42 Pallet Wrap
- 83 Paper Dispensers
- 94 Paper Disposables
- 46 Paper Mailing Sacks 3-ply
- 45 Paper Wrapping
- 48 Parcel Labels - Self-Adhesive
- 51 Pillopax Air Pillo Film
- 50 Pillopax PX2000 Plus Air Cushion System
- 51 Pillopax PX1500 Plus Air Cushion System
- 80 Plastic Pallets
- 62 Pneumatic Friction Weld Strapping Tools
- 76 Polyester Strapping - Composite
- 76 Polyester Strapping - Extruded
- 76 Polyester Strapping - Hot Melt Cord
- 64 Polyester Strapping Tensioners - Cord & Composite
- 61 Polyester Strapping Tools - Extruded
- 32 Polyolefin Shrink Film
- 60 Polyprop Combination Tools
- 74 Polyprop Hand Strapping
- 74 Polyprop Machine Strapping
- 61 Polyprop Sealers
- 60 Polyprop Strapping Tensioners
- 74 Polyprop Twine & Sisal String
- 29 Polythene Bags
- 38 Polythene Carrier Bags
- 30 Polythene Layflat Tubing
- 46 Polythene Mailing Envelopes
- 32 Polythene Sheeting/Top Covers
- 41 Polythene Shrink Film
- 39 Polythene Shrink Systems
- 30 Pouch Tape
- 94 Powdered Latex Gloves
- 54 Protective Sleeving
- 32 PVC Shrink Film

## R

- 94 Rag Replacement Wipers
- 38 Refuse Sacks
- 39 Ripack Shrink Guns
- 45 Rust Inhibitor Paper

## S

- 45 Sack Ties
- 92 Safety Knives
- 70 Safeguard Seals
- 89 Scissors
- 77 Semi Automatic Strapping Machines
- 47 Shockwatch
- 31 Shrink Chambers
- 41 Shrink Film Polythene
- 32 Shrink Film PVC
- 33 Shrink System Kit
- 49 Silica Gel Sachets
- 68 Stainless Steel Strapping Systems
- 87 Staplers/Tackers
- 87 Staples
- 66 Steel Strapping Combination Tools
- 73 Steel Strapping - Mill Wound
- 73 Steel Strapping - Ribbon Wound
- 67 Steel Strapping Safety Cutters
- 65 Steel Strapping Sealers
- 65 Steel Strapping Tensioners
- 65 Strapping Dispensers
- 68 Strapping Buckles - Galvex
- 68 Strapping Buckles - Plastic
- 68 Strapping Seals - Optigrip
- 69 Strapping Seals - Polyprop/Polyester Strapping
- 69 Strapping Seals - Steel Strapping
- 43 Stretch Film Dispensers
- 42 Stretch Wrap Film
- 88 Stronghold Staples
- 90 Stronghold Tackers & Staplers
- 38 Swing/Square/Pedal Bin Liners

## T

- 87 Tackers
- 49 Tags & Labels
- 16 Tape Dispensers
- 89 Tape Measure
- 47 Tip-n-Tell
- 45 Tissue Paper
- 94 Toilet Rolls
- 47 Transit Packaging Monitor Labels
- 57 Transtarp Tarpaulin Sheets

## U

- 92 Utility Knives

## W

- 94 Wiping Rags
- 76 Woven Cord Polyester Strapping
- 46 Woven Polyprop Sacks





**With our base set in the heart of  
the South Wales valleys,  
Mid Glam Packing Supplies  
is a family run business  
that has been trading since 1981**

Mid Glam Packing is probably the largest independent packaging supplier in South Wales, with a customer base well in excess of 500 regular accounts, ranging from "sole traders" to dynamic international companies.

Based centrally to our customers with a 10,000 sq ft unit, Mid Glam Packing offers a vast range of products designed to give our customers a reliable 24hr delivery service.

Being a modern forward thinking company, Mid Glam Packing can visualize the importance of the internet in expanding its sales base, and has introduced a "Trade Counter" and a "Special Offers" section to our site.



**Tel: 01495 200555**

**Fax: 01495 200876**

**email: [sales@midglam-packing.co.uk](mailto:sales@midglam-packing.co.uk)**

**web: [www.midglam-packing.co.uk](http://www.midglam-packing.co.uk)**

Unit 8, Nine Mile Point Industrial Estate, Cwmfelinfach, Gwent, NP11 7HZ